


CORONER'S STATISTICAL REPORT



COUNTY OF
CUYAHOGA

1974

COUNTY of CUYAHOGA
CORONER'S STATISTICAL REPORT

1974

S. R. GERBER, M. D., LL. B.

CORONER

2121 ADELBERT RD., CLEVELAND 6, OHIO

1974

NUMBER OF CASES REPORTED*

NUMBER OF CASES ACCEPTED

| | | | |
|----------------------------|---------------------------|---------------------------|---------------------------|
| JANUARY 418* / 345 | FEBRUARY 385* / 313 | MARCH 461* / 405 | APRIL 460* / 375 |
| MAY 461* / 352 | JUNE 391* / 306 | JULY 476* / 383 | AUGUST 423* / 313 |
| SEPTEMBER 420* / 336 | OCTOBER 440* / 374 | NOVEMBER 363* / 337 | DECEMBER 420* / 389 |
| TOTAL | | 5118* / 4228 | |

TABLE OF CONTENTS

| | PAGE NO. | | PAGE NO. |
|--|---|---|-------------|
| NUMBER OF CASES REPORTED AND NUMBER OF CASES ACCEPTED | INSIDE TITLE PAGE | | |
| APPENDIX | 145-180 | | |
| LETTER OF TRANSMITTAL | 1 | | |
| FOREWARD | 3 | | |
| WHAT IS A CORONER'S CASE | 4-6 | | |
| CORONER'S STAFF | 7 | | |
| POPULATION OF COUNTY OF CUYAHOGA | 19 | | |
| SUMMARY | 20,21 | | |
| ACCIDENTS IN THE HOME | 30 | | |
| ACCIDENTS WHILE AT WORK* | 42 | | |
| ACCIDENTS IN OTHER PLACES | 50 | | |
| VEHICULAR ACCIDENTS | 61 | | |
| HOMICIDES | 101 | | |
| SUICIDES | 110 | | |
| VIOLENCE OF UNDETERMINED ORIGIN | 117 | | |
| NATURAL CAUSES | 120 | | |
| ABORTIONS | 128 | | |
| NEONATAL AND INTRA-UTERINE DEATHS | 130 | | |
| UNDETERMINED CAUSES | 133 | | |
| TOXICOLOGY LABORATORY REPORTS | 135-139 | | |
| TRACE EVIDENCE LABORATORY | 140,141 | | |
| HISTOLOGY LABORATORY REPORT | 142 | | |
| PHOTOGRAPHIC DEPARTMENT | 143 | | |
| ACCIDENTS IN THE HOME | | | |
| | | 10 Fatalities Resulting from Accidents in the Home - Monthly Alcohol Incidence | 33 |
| | | 11 Age - Race - Alcohol Incidence | 34 |
| | | 12 Mode - Alcohol Incidence | 35 |
| | | 13 Mode - Alcohol Incidence | 36 |
| | | 13A Firearms - Mode - Alcohol Incidence | 37 |
| | | 14 Mode - Alcohol Incidence | 38 |
| | | 15 Mode - Age Groups | 39 |
| | | 16 Falls - Alcohol Incidence | 40 |
| | | 17 Falls - Age Groups | 41 |
| ACCIDENTS WHILE AT WORK* | | | |
| | | 18 Fatalities Resulting from Accidents While at Work* - Monthly Alcohol Incidence | 44 |
| | | 19 Age - Race - Alcohol Incidence | 45 |
| | | 20 Mode - Alcohol Incidence | 46 |
| | | 21 Mode - Alcohol Incidence | 47 |
| | | 22 Mode - Age Groups | 48 |
| | | 23 Falls - Alcohol Incidence | 48 |
| | | 24 Falls - Age Groups | 49 |
| ACCIDENTS IN OTHER PLACES | | | |
| | | 25 Fatalities Resulting from Accidents in Other Places - Monthly Alcohol Incidence | 53 |
| | | 26 Age - Race - Alcohol Incidence | 54 |
| | | 27 Mode - Alcohol Incidence | 55 |
| TABLE | | | |
| NO. | TITLE | PAGE NO. | |
| A | Types of Fatalities and Miscellaneous Information - 1973 and 1974 Compared | 10 | |
| B | Types of Fatalities - Sex, Race, Autopsy | 11 | |
| C | Types of Fatalities 1973 and 1974 Incidence Compared | 12 | |
| D | Types of Fatalities - Alcohol Incidence | 13 | |
| E | Vehicular Fatalities - Daily Alcohol Incidence | 14 | |
| F | Distribution of Selected Coroner's Cases in Each Municipality - County of Cuyahoga | 15,16 | |
| G | Deaths in County, Deaths Reported to Coroner, Cases Received 1943 - 1974 | 17 | |

* Previously entitled: Accidents in Industry

TABLE OF CONTENTS (CONT'D.)

| TABLE NO. | PAGE NO. | TABLE NO. | PAGE NO. |
|----------------------------|--|-----------|----------|
| 28 | Mode – Alcohol Incidence | 56 | |
| 29 | Mode – Alcohol Incidence | 57 | |
| 30 | Mode – Age Groups | 58 | |
| 31 | Falls – Alcohol Incidence | 59 | |
| 32 | Falls – Age Groups | 60 | |
| VEHICULAR ACCIDENTS | | | |
| 33 | Classification of Victims – Alcohol Incidence | 69 | |
| 34 | Monthly Alcohol Incidence | 69 | |
| 35 | Daily Alcohol Incidence | 70 | |
| 36 | Age – Race – Alcohol Incidence | 71 | |
| 37 | Type of Accident – Alcohol Incidence | 72 | |
| 38 | Non-Traffic – Alcohol Incidence | 73 | |
| 39 | Traffic – Collision – Alcohol Incidence | 74 | |
| 39A | Traffic–Collision–Alcohol Incidence– Pedestrians | 75 | |
| 39B | Traffic–Collision–Alcohol Incidence–Drivers | 76 | |
| 39C | Traffic–Collision–Alcohol Incidence–Passengers | 77 | |
| 40 | Traffic – Non-Collision – Alcohol Incidence | 78 | |
| 41 | While at Work–Vehicular Fatalities–Traffic and Non-Traffic – Monthly Alcohol Incidence | 79 | |
| 42 | Weather Conditions – Alcohol Incidence | 79 | |
| 43 | Road Conditions – Alcohol Incidence | 80 | |
| 44 | Light Conditions – Alcohol Incidence | 80 | |
| 45 | Classification of Victims – Age Groups | 81 | |
| 46 | Month and Age Groups | 81 | |
| 47 | Autopsies – Month and Age Groups | 82 | |
| 48 | Major Injury and Survival Interval | 83 | |
| 49 | Major Injury and Survival Interval – Age Groups Bicyclist–Driver–Passenger–Pedestrian | 84 | |
| 50 | Major Injury and Survival Interval–Age Groups–Driver | 85 | |
| 51 | Major Injury and Survival Interval–Age Groups–Passenger | 86 | |
| 52 | Major Injury and Survival Interval–Age Groups–Pedestrians | 87 | |
| 53 | Major Injury and Survival Interval–Age Groups–Bicyclist | 88 | |
| 54 | Geographical Location–Type of Accident Classification of Victims (Cities) | 89,90 | |
| 55 | Geographical Location–Type of Accident Classification of Victims (Villages, etc.) | 91 | |
| 56 | Geographical Location–Type of Accident Classification of Victims (Out of County) | 92 | |
| 57 | Hourly – Daily – Alcohol Incidence – All Cases | 93 | |
| 58 | Hourly – Daily – Alcohol Incidence – Bicyclist | 94 | |
| 59 | Hourly – Daily – Alcohol Incidence – Driver | 95 | |
| 59A | Hourly – Daily – Alcohol Incidence – Driver–Motorcyclist | 96 | |
| 60 | Hourly – Daily – Alcohol Incidence – Passenger | 97 | |
| 61 | Hourly – Daily – Alcohol Incidence – Pedestrian | 98 | |
| 62 | Hourly and Daily Incidence Arranged According to Driver, Passenger, Pedestrian | 99 | |
| 63 | Hourly and Daily Incidence Arranged According to Pre-School, School and Adult Age Groups | 100 | |
| HOMICIDES | | | |
| 64 | Monthly Alcohol Incidence | 103 | |
| 65 | Age – Race – Alcohol Incidence | 104 | |
| 66 | Mode – Alcohol Incidence | 105 | |
| 67 | Mode – Age Groups | 105 | |
| 68 | Justifiable–Place of Occurrence–Circumstances Assailants–Victims–Alcohol Incidence | 106 | |
| 69 | Non-Justifiable–Place of Occurrence–Home Circumstances–Assailants–Victims–Alcohol Incidence | 107 | |
| 69A | Non-Justifiable–Place of Occurrence–Public Circumstances–Assailants–Victims–Alcohol Incidence | 108 | |
| 69B | Homicides in County of Cuyahoga | 109 | |
| SUICIDES | | | |
| 70 | Monthly Alcohol Incidence | 112 | |
| 71 | Age – Race – Alcohol Incidence | 113 | |
| 72 | Mode – Alcohol Incidence | 114 | |
| 73 | Mode – Alcohol Incidence | 114 | |
| 74 | Poisoning – Alcohol Incidence | 115 | |
| 75 | Mode – Age Groups | 116 | |
| 76 | Mode – Geographical Location and Marital Status | 116 | |

TABLE OF CONTENTS (CONT'D.)

| TABLE NO. | PAGE NO. | ILLUSTRATIONS | | |
|--|--|---------------|--|-----|
| VIOLENCE OF UNDETERMINED ORIGIN | | | | |
| 77 | Monthly Alcohol Incidence | 118 | Types of Cases Received 1943 – 1974 | 8 |
| 78 | Cause of Death – Alcohol Incidence | 118 | Types of Cases Received 1974 | 9 |
| 79 | Age – Race – Alcohol Incidence | 119 | Yearly Average of Coroner's Cases 1963 – 1974 | 20 |
| | | | Monthly Average of Coroner's Cases – 1974 | 20 |
| | | | Total of All Deaths in County of Cuyahoga 1963 – 1974 (Graph) | 21 |
| NATURAL CAUSES | | | | |
| 80 | Monthly Alcohol Incidence | 121 | Accidents in the Home (Graph) | 30 |
| 81 | International Code of Causes of Death Listed by Month | 122 | Deaths Resulting from Accidental Falls in the Home | 32 |
| 82 | Autopsies – International Code of Causes of Death Listed by Month | 123 | Accidents While at Work (Graph) | 42 |
| 83 | Month and Age Groups | 124 | Deaths Resulting from Accidental Falls While at Work | 43 |
| 84 | Autopsies – Month and Age Groups | 125 | Accidents in Other Places (Graph) | 50 |
| 85 | International Code of Causes of Death Listed by Age Groups | 126 | Deaths Resulting from Accidental Falls in Other Places | 52 |
| 86 | Autopsies – International Code of Causes of Death Listed by Age Groups | 127 | Vehicular Accidents (Graph) | 61 |
| | | | Approximate Percent of Alcohol Concentration in Blood | 63 |
| | | | Pharmacological Effect of Alcohol | 64 |
| | | | Areas of Brain Affected by Alcohol | 65 |
| | | | Vehicular Fatalities, Daily Incidence (Graph) | 66 |
| | | | Vehicular Fatalities, Daily Alcohol Incidence (Graph) | 67 |
| | | | Vehicular Fatalities—Age Groups—Classification of Victims (Graph) | 68 |
| | | | Homicides (Graph) | 101 |
| | | | Suicides (Graph) | 110 |
| | | | Violence of Undetermined Origin (Graph) | 117 |
| | | | Natural Causes (Graph) | 120 |
| | | | Abortions (Graph) | 128 |
| | | | Neonatal and Intra—Uterine Deaths (Graph) | 130 |
| | | | Undetermined Causes (Graph) | 133 |
| ABORTIONS | | | | |
| 87 | Fatalities from Abortions by Month | 129 | | |
| NEONATAL and INTRA—UTERINE DEATHS | | | | |
| 88 | By Month and Age Groups | 131 | | |
| 89 | Autopsies – By Month and Age Groups | 132 | | |
| UNDETERMINED CAUSES | | | | |
| 90 | Deaths from Undetermined Causes | 134 | | |
| LABORATORY REPORTS | | | | |
| 91 | Toxicology Laboratory Report | 135,136 | | |
| 92 | Substances Involved in Fatal Poisonings— 1963 – 1974 | 137 | | |
| 93 | Poisoning Fatalities by Type and Year in County of Cuyahoga 1943 – 1974 | 138,139 | | |
| 94 | Trace Evidence Laboratory Report | 140,141 | | |
| 95 | Histology Laboratory Report | 142 | | |
| | Photographic Department Report | 143 | | |
| | | | MAPS | |
| | | | Map 1 – Distribution of Coroner's Cases per 1000 Population | 18 |
| | | | Map 2 – Distribution of Fatalities from Accidents in the Home | 31 |
| | | | Map 3 – Distribution of Accidents in Other Places | 51 |
| | | | Map 4 – Vehicular Fatalities | 62 |
| | | | Map 5 – Homicide Distribution | 102 |
| | | | Map 6 – Suicide Distribution | 111 |

ADDRESS ALL COMMUNICATIONS
TO
S. R. GERBER, M.D.
2121 ADELBERT ROAD



TELEPHONE:
RA. 1-5610

County of Cuyahoga
CORONER'S OFFICE
Cleveland, Ohio

SEPTEMBER, 1975

Reports similar to this one have been published by this office over a period of thirty-six years. The tabulation of some of the information has been kept sufficiently consistent to facilitate comparison and compilation. Thus, significant and reliable data have been made available to persons interested in intensive studies of problems related to causation and prevention of deaths that may occur under circumstances similar to those tabulated in these reports.

These reports have been disseminated with the intent of informing the citizens of Cuyahoga County about the operation of this office of county government. It is hoped that the information contained in this report will reflect the concept of the significance of the Coroner's Office as a guardian of the health, safety, and welfare of the community.

We strive constantly toward the goal of a safer and healthier community. The support and cooperation of the citizens of this county in providing facilities and expressing encouragement is deeply appreciated.

FOREWORD

This report is primarily a statistical summary of our experience. The information set forth conforms to the established patterns of previous reports so that comparisons can be made readily. The tabular format is identical with earlier reports. New tables, charts and maps have been added to further emphasize certain data.

All cases recorded here have been summarized from various aspects. Cases are basically classified according to the official Coroner's Verdict as to the manner of death. Thus, the following categories are used:

- . . . **Accidents in the Home**
- . . . **Accidents While at Work ***
- . . . **Vehicular Accidents**
- . . . **Accidents in Other Places**
- . . . **Homicides**
- . . . **Suicides**
- . . . **Violence of Undetermined Origin**
- . . . **Natural Causes**
- . . . **Abortions**
- . . . **Neonatal and Intra-Uterine Deaths**
- . . . **Cause and Origin Undetermined**

Cases are further subdivided according to geographical location, monthly incidence, mode, sex-race-age of victims, alcohol incidence by month-sex-race-age-mode. Additional relationships are indicated through specific tables for various types of cases.

Persons desiring further information should direct their requests to the Coroner. Every effort will be made to supply data requested.

* Previously entitled: Accidents in Industry

WHAT IS A CORONER'S CASE?

Sections 313.11 and 313.12 -- Revised Code of State of Ohio

"... any person (who) dies as a result of

- CRIMINAL or other
- VIOLENT means, or by
- CASUALTY, or by
- SUICIDE, or
- SUDDENLY when in apparent health, or in any
- SUSPICIOUS or UNUSUAL manner ..."

THE CORONER SHALL KEEP A COMPLETE RECORD AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO

Section 313.09. The coroner shall keep a complete record of and shall fill in the cause of death on the death certificate, in all cases coming under his jurisdiction. All records shall be kept in the office of the coroner, but, if no such office is maintained, then such records shall be kept in the office of the clerk of the court of common pleas. Such records shall be properly indexed, and shall state the name, if known, of every deceased person as described in section 313.12 of the Revised Code, the place where the body was found, date of death, cause of death, and all other available information. The report of the coroner and the detailed findings of the autopsy shall be attached to the report of each case. The coroner shall promptly deliver, to the prosecuting attorney of the county in which such death occurred, copies of all necessary records relating to every death in which, in the judgment of the coroner or prosecuting attorney, further investigation is advisable. The sheriff of the county, the police of the city, the constable of the township, or marshal of the village in which the death occurred may be requested to furnish more information or make further investigation when requested by the coroner or his deputy. The prosecuting attorney may obtain copies of records and such other information as is necessary from the office of the coroner. All records of the coroner are the property of the county.

WHO REPORTS THE DEATH TO THE CORONER'S OFFICE?

AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO.

Section 313.11. (A) No person shall, without an order from the coroner, purposely remove or disturb the body of any person who has died in the manner described in section 313.12 of the Revised Code, or purposely and without such an order disturb the clothing or any article upon or near such a body.

(B) It is an affirmative defense to a charge under this section that the offender attempted in good faith to rescue or administer life-preserving assistance to the deceased person, even though it is established he was dead at the time of the attempted rescue or assistance.

(C) Whoever violates this section is guilty of unlawfully disturbing a body, a misdemeanor of the fourth degree.

Section 313.12. When any person dies as a result of criminal or other violent means, or by casualty, or by suicide, or suddenly when in apparent health, or in any suspicious or unusual manner, the physician called in attendance, or any member of an ambulance service, emergency squad, or law enforcement agency who obtains knowledge thereof arising from his duties, shall immediately notify the office of the coroner of the known facts concerning the time, place, manner, and circumstances of such death, and any other information which is required pursuant to sections 313.01 to 313.22 of the Revised Code. In such cases, if a request is made for cremation, the funeral director called in attendance shall immediately notify the coroner.

WHAT AUTHORITY DOES THE CORONER HAVE IN REGARD TO THE BODY?

AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO.

Section 313.13. The coroner or deputy coroner may go to the dead body and take charge of it. If, in the opinion of the coroner, or in his absence, in the opinion of the deputy, an autopsy is necessary, such autopsy shall be performed by the coroner, deputy coroner, or pathologists...

Section 313.14. The coroner shall notify any known relatives of a deceased person who meets death in the manner described by section 313.12 of the Revised Code by letter or otherwise. The next of kin, other relatives, or friends of the deceased person, in the order named, shall have prior right as to disposition of the body of such deceased person. If relatives of the deceased are unknown, the coroner shall advertise the fact of the death and a statement of the cause of death once in a newspaper of general circulation in the county. The coroner shall take charge and possession of all moneys, clothing, and other valuable personal effects of such deceased person, found in connection with or pertaining to such body, and shall store such possessions in the county morgue or such other suitable place as is provided for such storage by the board of county commissioners. After using such of the clothing as is necessary in the burial of the body, in case the cost of the burial is paid by the county, the coroner shall sell at public auction the valuable personal effects of such deceased persons, found in connection with or pertaining to the unclaimed dead body, except firearms, which shall be disposed of as provided by this section, and he shall make a verified inventory of such effects. Such effects shall be sold within eighteen months after the burial or delivery of such body, in accordance with section 1713.34 of the Revised Code. All moneys derived from such sale shall be deposited in the county treasury. A notice of such sale must be given in one newspaper of general circulation in the county, for five days in succession, and the sale shall be held immediately thereafter. The cost of such advertisement and notices shall be paid by the board upon the submission of a verified statement therefor, certified to the coroner.

In the event that firearms are included in the valuable personal effects, such firearms shall not be sold at public auction by the coroner, but shall be destroyed by him upon application to and upon the order of the court of common pleas. Such application shall state the date, the body in connection with which the firearm was found, and an accurate description of the firearm.

If the coroner deems it advisable, firearms coming into his possession may be delivered by him to the chief of police of the city within which such body is found, or to the sheriff of the county if the body is found outside a city, such delivery to be made for bona fide police use only. In the event of such delivery by the coroner, the officer to whom delivery is made shall furnish a receipt to the coroner for any such firearms, stating the date of such delivery and an accurate description of the firearms involved.

This section does not invalidate section 1713.34 of the Revised Code.

Section 313.15. All dead bodies in the custody of the coroner shall be held until such time as the coroner, after consultation with the prosecuting attorney, or with the police department of a municipal corporation, if the death occurred in a municipal corporation, or with the sheriff, has decided that it is no longer necessary to hold such body to enable him to decide on a diagnosis giving a reasonable and true cause of death, or to decide that such a body is no longer necessary to assist any such officials in his duties.

Section 313.16. In counties where no coroner's laboratory has been established, the coroner may request a coroner of a county in which such a laboratory is established to perform necessary laboratory examinations, the cost of which shall be no greater than the actual value of the services of technicians and the materials used in performing such examinations...

WHAT AUTHORITY DOES THE CORONER HAVE IN REGARD TO INVESTIGATION INTO THE CIRCUMSTANCES OF THE DEATH?

AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO.

Section 313.17. The coroner or deputy coroner may issue subpoenas for such witnesses as are necessary, administer to such witnesses the usual oath, and proceed to inquire how the deceased came to his death, whether by violence to self or from any other persons, by whom, whether as principals or accessories before or after the fact, and all circumstances relating thereto... The coroner may cause such witnesses to enter into recognizance, in such sum as is proper, for their appearance at the succeeding term of court of common pleas, to give testimony concerning the matter. He may require any such witnesses to give security for their attendance, and, if any of them fails to comply with his requirements he shall commit such person to the county jail until discharged by due course of law. In case of the failure of any person to comply with such subpoena, or on refusal of a witness to testify to any matter regarding which he may lawfully be interrogated, the probate judge, or a judge of the court of common pleas, on application of the coroner, shall compel obedience to such subpoena by attachment proceedings as for contempt...

Section 313.20. The coroner may issue any writ required by sections 313.01 to 313.22 of the Revised Code, to any constable of the county in which a body is found as described in section 313.12 of the Revised Code, or if the emergency so requires, to any discreet person of the county, and such person is entitled to receive for the services rendered the same fees as elected constables. Every constable, or other person so appointed, who fails to execute any warrant directed to him, shall forfeit and pay twenty-five dollars, which amount shall be recovered upon the complaint of the coroner, before any court having jurisdiction thereof. All such forfeitures shall be for the use of the county.

Section 2921.22. (A) No person, knowing that a felony has been or is being committed, shall knowingly fail to report such information to law enforcement authorities.

(B) No physician, limited practitioner, nurse, or person giving aid to a sick or injured person, shall negligently fail to report to law enforcement authorities any gunshot or stab wound treated or observed by him, or any serious physical harm to persons which he knows or has reasonable cause to believe resulted from an offense of violence.

(C) No person who discovers the body or acquires the first knowledge of the death of any person shall fail to report such death immediately to any physician known by such person to be treating the deceased for a condition from which death at such time would not be unexpected, or to a law enforcement officer, ambulance service, emergency squad, or the coroner in a political subdivision in which the body is discovered, death is believed to have occurred, or knowledge concerning it is obtained.

(D) No person shall fail to provide upon request of the person to whom he has made a report required by division (C) of this section, or to any law enforcement officer who has reasonable cause to assert the authority to investigate the circumstances surrounding such death, any facts within his knowledge that may have a bearing on the investigation of such death.

(E) Division (A) or (D) of this section does not require disclosure of information, when any of the following applies:

(1) The information is privileged by reason of the relationship between attorney and client, doctor and patient, licensed psychologist or licensed school psychologist and client, priest and penitent, or husband and wife.

(2) The information would tend to incriminate a member of the actor's immediate family.

(3) Disclosure of the information would amount to revealing a news source, privileged under section 2739.04 or 2739.12 of the Revised Code.

(4) Disclosure of the information would amount to disclosure by an ordained clergyman of an organized religious body confidential communication made to him in his capacity as such by a person seeking his aid or counsel.

(5) Disclosure would amount to revealing information acquired by the actor in the course of his duties in connection with a bona fide program of treatment or services for drug dependent persons or persons in danger of drug dependence, which program is maintained or conducted by a hospital, clinic, person, agency, or organization registered pursuant to section 5122.51 of the Revised Code.

(F) No disclosure of information pursuant to this section gives rise to any liability or recrimination for a breach of privilege or confidence.

(G) Whoever violates division (A) or (B) of this section is guilty of failure to report a crime. Violation of division (A) of this section is a misdemeanor of the fourth degree. Violation of division (B) of this section is a misdemeanor of the second degree.


(H) Whoever violates division (C) or (D) of this section is guilty of failure to report knowledge of a death, a misdemeanor of the fourth degree.

WHO SIGNS THE DEATH CERTIFICATE?

Section 3705.27. Revised Code of the State of Ohio:

...The medical certificate of death shall be made and signed by the physician who attended the deceased or by the coroner. If there is any reason to believe that the death was caused by unlawful or suspicious means, the funeral director shall refer the case to the coroner who shall... make the medical certificate of death or stillbirth required for a burial permit.

Vital Statistic Manual (1960, pg. 79) directs attention to the fact that "Regulation 476E, of the Ohio Sanitary Code, defines 'attending physician' as a person in charge of the patient's care for the illness or condition which resulted in death..."



CORONER'S STAFF

| | |
|---|------|
| CORONER..... | 1 |
| PATHOLOGY DEPT. | |
| Chief Deputy Coroner—Chief Pathologist..... | 1 |
| Pathologists..... | 3 |
| Associate Pathologist..... | 1 |
| Histology Technicians..... | 2 |
| Medical Secretaries..... | 3&2* |
| Autopsy Dieners..... | 2&2* |
| TOXICOLOGY DEPT. | |
| Chemist – Toxicologist..... | 1 |
| Associate Toxicologist..... | 1 |
| Analytical Chemists..... | 3 |
| Research Assistants..... | 4** |
| Secretary..... | 1 |
| Lab Aide..... | 1 |
| TRACE EVIDENCE DEPT. | |
| Senior Medical Technologist..... | 1 |
| Police Science Technicians..... | 3&3* |
| RADIOLOGY | |
| Radiologist – Consultant..... | 1* |
| Technician – Autopsy Diener included above. | |


| | |
|--|-------------------|
| ADMINISTRATION | |
| Secretary to Coroner – Office Manager..... | 1 |
| Secretaries..... | 2 |
| Bookkeeper – Requisition Clerk..... | 2&1* |
| Typists Clerks..... | 5 |
| Microfilm Operator..... | 1 |
| Telephone Operator – Receptionist..... | 1 |
| INVESTIGATION & PROPERTY DEPT. | |
| Administrative Assistant – Chief Investigator..... | 1 |
| Investigator – Property Clerk..... | 1 |
| Assistant Property Clerk..... | 1 |
| Attendants (Deskmen)..... | 9 |
| Custodians..... | 7 |
| PHOTOGRAPHY DEPT. | |
| Photographers..... | 3 |
| STATISTICAL DEPT. | |
| VeriTyper & IBM Key Punch Operator..... | 1 |
| Typist Clerk..... | 1 |
| Data Processing Clerk..... | 1* |
| Consultant – Data Processing..... | 1* |
| TOTAL | 60&11* |

* Part Time (11)

** Salaries paid from Grants made to the Coroner's Office by external agencies (4)

TYPES OF CASES RECEIVED BY THE CORONER'S OFFICE


COUNTY OF CUYAHOGA



DEATHS FROM NATURAL CAUSES: 68.25%

DEATHS FROM VIOLENCE: 31.75%

COUNTY OF CUYAHOGA



DEATHS FROM NATURAL CAUSES: 65.00%

DEATHS FROM VIOLENCE: 35.00%

* NEONATAL AND INTRA-UTERINE DEATHS: 0.19%
 ABORTIONS: 0.00%
 UNDETERMINED CAUSES: 0.31%
 VIOLENCE OF UNDETERMINED ORIGIN: 0.69%

TYPES OF FATALITIES AND MISCELLANEOUS INFORMATION

1973 AND 1974

Table A

| | 1973 | 1974 |
|---------------------------------|--------|---------|
| ACCIDENTS IN THE HOME | 389 | 371 |
| ACCIDENTS WHILE AT WORK | 36 | 29 |
| VEHICULAR ACCIDENTS | 253 | 211 |
| ACCIDENTS IN OTHER PLACES | 252 | 245 |
| HOMICIDES | 327 | 362 |
| SUICIDES | 259 | 233 |
| VIOLENCE OF UNDETERMINED ORIGIN | 29 | 29 |
| TOTAL VIOLENT DEATHS | 1,541 | 1,480 |
| NATURAL CAUSES | 2,758 | 2,727 |
| ABORTIONS | 0 | 0 |
| NEONATAL & INTRA-UTERINE DEATHS | 3 | 8 |
| UNDETERMINED CAUSES | 19 | 13 |
| CASES REPORTED – ADMITTED | 4,321 | 4,228 |
| CASES REPORTED – NOT ADMITTED | 587 | 890 |
| AUTOPSIES (HOSPITAL INCLUDED) | 1,697* | 1,600** |
| AUTOPSIES – OUTSIDE CASES | 17 | 36 |
| UNIDENTIFIED BODIES | 3 | 5 |
| UNIDENTIFIED FOETUSES | 0 | 0 |
| IDENTIFIED AND UNCLAIMED | 68 | 68 |
| DEATHS IN CUYAHOGA COUNTY | 17,234 | ? |
| PERCENTAGE OF DEATHS ADMITTED | 25% | ? |

* Includes 116 Autopsies performed at hospitals

** Includes 145 Autopsies performed at hospitals

? Not available at the time of publication.

TYPES OF FATALITIES – SEX, RACE, AUTOPSY

Table B

| | TOTAL | SEX | | RACE | | AUTOPSIED |
|---------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | MALE | FEMALE | WHITE | NON-WHITE | |
| ACCIDENTS IN THE HOME | 371 | 183 | 188 | 303 | 68 | 117 |
| ACCIDENTS WHILE AT WORK | 29 | 28 | 1 | 24 | 5 | 17 |
| VEHICULAR ACCIDENTS | 211 | 151 | 60 | 161 | 50 | 192 |
| ACCIDENTS IN OTHER PLACES | 245 | 135 | 110 | 202 | 43 | 71 |
| HOMICIDES | 362 | 289 | 73 | 90 | 272 | 356 |
| SUICIDES | 233 | 157 | 76 | 191 | 42 | 74 |
| VIOLENCE OF UNDETERMINED ORIGIN | 29 | 21 | 8 | 15 | 14 | 19 |
| NATURAL CAUSES | 2,727 | 1,680 | 1,047 | 2,027 | 700 | 595 |
| ABORTIONS | 0 | 0 | 0 | 0 | 0 | 0 |
| NEONATAL & INTRA-UTERINE DEATHS | 8 | 5 | 3 | 5 | 3 | 4 |
| UNDETERMINED CAUSES | 13 | 12 | 1 | 5 | 8 | 10 |
| GRAND TOTAL | 4,228 | 2,661 | 1,567 | 3,023 | 1,205 | 1,455 |

TYPES OF FATALITIES 1973 AND 1974 INCIDENCE COMPARED

Table C

| | PERCENTAGE OF TOTAL CASES ADMITTED | |
|---------------------------------|------------------------------------|-------|
| | 1973 | 1974 |
| ACCIDENTS IN THE HOME | 9.00 | 8.77 |
| ACCIDENTS WHILE AT WORK | 0.83 | 0.69 |
| VEHICULAR ACCIDENTS | 5.86 | 5.00 |
| ACCIDENTS IN OTHER PLACES | 5.83 | 5.79 |
| HOMICIDES | 7.57 | 8.56 |
| SUICIDES | 5.99 | 5.51 |
| VIOLENCE OF UNDETERMINED ORIGIN | 0.58 | 0.69 |
| TOTAL OF VIOLENT DEATHS | 35.66 | 35.00 |
| NATURAL CAUSES | 63.83 | 64.50 |
| ABORTIONS | 0.00 | 0.00 |
| NEONATAL & INTRA-UTERINE DEATHS | 0.06 | 0.19 |
| UNDETERMINED CAUSES | 0.44 | 0.31 |

TYPES OF FATALITIES—ALCOHOL INCIDENCE

Table D

| | Number of Cases | Number of Cases Tested | Percentage of Cases Tested | Number Positive of those Tested | Percentage Positive of those Tested |
|--|-----------------|------------------------|----------------------------|---------------------------------|-------------------------------------|
| ACCIDENTS: | | | | | |
| IN THE HOME | 371 | 136 | 36.66 | 49 | 36.03 |
| WHILE AT WORK | 29 | 16 | 55.17 | 0 | 0.00 |
| VEHICULAR | 211 | 144 | 68.25 | 66 | 45.83 |
| IN OTHER PLACES | 245 | 52 | 21.22 | 15 | 28.85 |
| TOTAL | 856 | 348 | 40.65 | 130 | 37.36 |
| HOMICIDES | 362 | 317 | 87.57 | 168 | 53.00 |
| SUICIDES | 233 | 209 | 89.70 | 54 | 25.84 |
| VIOLENCE OF UNDETERMINED ORIGIN | 29 | 14 | 48.28 | 7 | 50.00 |
| TOTAL | 624 | 540 | 86.54 | 229 | 42.41 |
| NATURAL CAUSES | 2,727 | 2,209 | 81.00 | 222 | 10.05 |
| ABORTIONS | 0 | 0 | 0.00 | 0 | 0.00 |
| UNDETERMINED CAUSES | 13 | 6 | 46.15 | 4 | 66.67 |

VEHICULAR FATALITIES DAILY ALCOHOL INCIDENCE

Table E

| DAY | MOTORCYCLIST (1) NUMBER OF CASES | | DRIVER (2)* NUMBER OF CASES | | PASSENGER (3) NUMBER OF CASES | | PEDESTRIAN (4) NUMBER OF CASES | | TOTAL NUMBER OF CASES | |
|-----------|-------------------------------------|----------|--------------------------------|----------|----------------------------------|----------|-----------------------------------|----------|--------------------------|----------|
| | TESTED | POSITIVE | TESTED | POSITIVE | TESTED | POSITIVE | TESTED | POSITIVE | TESTED | POSITIVE |
| SUNDAY | 0 | 0 | 7 | 4 | 6 | 3 | 7 | 3 | 20 | 10 |
| MONDAY | 2 | 1 | 10 | 3 | 6 | 3 | 6 | 3 | 24 | 10 |
| TUESDAY | 0 | 0 | 9 | 1 | 2 | 1 | 9 | 4 | 20 | 6 |
| WEDNESDAY | 1 | 1 | 6 | 2 | 0 | 0 | 1 | 0 | 8 | 3 |
| THURSDAY | 1 | 0 | 13 | 8 | 7 | 2 | 6 | 2 | 27 | 12 |
| FRIDAY | 2 | 1 | 11 | 6 | 0 | 0 | 6 | 2 | 19 | 9 |
| SATURDAY | 2 | 2 | 9 | 5 | 8 | 5 | 7 | 4 | 26 | 16 |
| TOTAL | 8 | 5 | 65 | 29 | 29 | 14 | 42 | 18 | 144 | 66 |

* Includes Bicyclists (7).

(1) SEE TABLE 59--A

(2) SEE TABLE 58 and 59

(3) SEE TABLE 60

(4) SEE TABLE 61

SUMMARY CHART

DISTRIBUTION OF SELECTED CORONER'S CASES IN EACH MUNICIPALITY

COUNTY OF CUYAHOGA

Table F

| CITIES | TOTAL INSIDE CASES | | NATURAL CAUSES | | HOME-WORK OTHER FATALITIES | | VEHICULAR FATALITIES | | HOMICIDE | | SUICIDE | |
|----------------------|--------------------|---------------------|-----------------|---------------------|----------------------------|---------------------|----------------------|---------------------|-----------------|---------------------|-----------------|---------------------|
| | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases |
| Cleveland | 2682 | 63.43 | 1751 | 65.29 | 357 | 13.31 | 110 | 4.10 | 321 | 11.97 | 106 | 3.95 |
| Bay Village | 40 | 0.95 | 26 | 65.00 | 8 | 20.00 | 5 | 12.50 | | | 1 | 2.50 |
| Beachwood | 8 | 0.19 | 5 | 62.50 | 2 | 25.00 | | | | | 1 | 12.50 |
| Bedford | 35 | 0.83 | 30 | 85.71 | 3 | 8.57 | | | | | | |
| Bedford Heights | 13 | 0.31 | 6 | 46.15 | 4 | 30.77 | 2 | 15.38 | | | 1 | 7.69 |
| Berea | 65 | 1.54 | 55 | 84.62 | 5 | 7.69 | | | | | 4 | 6.15 |
| Brecksville | 14 | 0.33 | 6 | 42.86 | 3 | 21.43 | 1 | 7.14 | 1 | 7.14 | 3 | 21.43 |
| Broadview Heights | 8 | 0.19 | 3 | 37.50 | 3 | 37.50 | | | | | 2 | 25.00 |
| Brooklyn | 11 | 0.26 | 7 | 63.64 | | | 4 | 36.36 | | | | |
| Brook Park | 18 | 0.43 | 7 | 38.89 | 7 | 38.89 | | | | | 4 | 22.22 |
| Cleveland Heights | 84 | 0.20 | 50 | 59.52 | 18 | 21.43 | 2 | 2.38 | 4 | 4.76 | 10 | 11.90 |
| East Cleveland | 117 | 2.77 | 81 | 69.23 | 19 | 16.24 | 2 | 1.71 | 9 | 7.69 | 5 | 4.27 |
| Euclid | 140 | 3.31 | 94 | 67.14 | 25 | 17.86 | 3 | 2.14 | 1 | 0.71 | 16 | 11.43 |
| Fairview Park | 24 | 0.57 | 12 | 50.00 | 8 | 33.33 | | | | | 3 | 12.50 |
| Garfield Heights | 78 | 1.84 | 59 | 75.64 | 9 | 11.54 | 3 | 3.85 | 4 | 5.13 | 3 | 3.85 |
| Highland Heights | 4 | 0.09 | 3 | 75.00 | | | | | | | 1 | 25.00 |
| Independence | 5 | 0.12 | | | 2 | 40.00 | 3 | 60.00 | | | | |
| Lakewood | 154 | 3.64 | 118 | 76.62 | 21 | 13.64 | 2 | 1.30 | 4 | 2.60 | 7 | 4.55 |
| Lyndhurst | 17 | 0.40 | 13 | 76.47 | 2 | 11.76 | | | 1 | 5.88 | 1 | 5.88 |
| Maple Heights | 31 | 0.73 | 13 | 41.94 | 12 | 38.71 | 3 | 9.68 | | | 3 | 9.68 |
| Mayfield Heights | 45 | 1.06 | 37 | 82.22 | 3 | 6.67 | 2 | 4.44 | | | 3 | 6.67 |
| Middleburg Heights | 4 | 0.09 | | | 1 | 25.00 | 2 | 50.00 | | | 1 | 25.00 |
| North Olmsted | 20 | 0.47 | 9 | 45.00 | 5 | 25.00 | 3 | 15.00 | 1 | 5.00 | 2 | 10.00 |
| North Royalton | 4 | 0.09 | 1 | 25.00 | 2 | 50.00 | | | 1 | 25.00 | | |
| Olmsted Falls | 3 | 0.07 | 1 | 33.33 | 1 | 33.33 | | | | | 1 | 33.33 |
| Parma | 198 | 4.68 | 148 | 74.75 | 22 | 11.11 | 10 | 5.05 | 2 | 1.01 | 14 | 7.07 |
| Parma Heights | 35 | 0.83 | 26 | 74.29 | 7 | 20.00 | 1 | 2.86 | 1 | 2.86 | | |
| Pepper Pike | 1 | 0.02 | 1 | 100.00 | | | | | | | | |
| Richmond Heights | 11 | 0.26 | 6 | 54.55 | 2 | 18.18 | | | 1 | 9.09 | 2 | 18.18 |
| Rocky River | 28 | 0.66 | 12 | 42.86 | 9 | 32.14 | 1 | 3.57 | 1 | 3.57 | 5 | 17.86 |
| Seven Hills | 11 | 0.26 | 3 | 27.27 | 5 | 45.45 | | | | | 3 | 27.27 |
| Shaker Heights | 35 | 0.83 | 18 | 51.43 | 10 | 28.57 | 2 | 5.71 | 1 | 2.86 | 4 | 11.43 |
| Solon | 13 | 0.31 | 5 | 38.46 | 3 | 23.08 | 3 | 23.08 | 1 | 7.69 | 1 | 7.69 |
| South Euclid | 28 | 0.66 | 16 | 57.14 | 7 | 25.00 | | | 1 | 3.57 | 4 | 14.29 |
| Strongsville | 14 | 0.33 | 4 | 28.57 | 2 | 14.29 | 4 | 28.57 | 1 | 7.14 | 2 | 14.29 |
| University Heights | 9 | 0.21 | 4 | 44.44 | | | 2 | 22.22 | 1 | 11.11 | 2 | 22.22 |
| Warrensville Heights | 74 | 1.75 | 63 | 85.14 | 2 | 2.70 | 3 | 4.05 | 2 | 2.70 | 4 | 5.41 |
| Westlake | 22 | 0.52 | 11 | 50.00 | 7 | 31.82 | 3 | 13.64 | | | 1 | 4.55 |

Not included in statistics are Violence of Undetermined Origin, Undetermined Causes and Out of the County Deaths.

SUMMARY CHART
DISTRIBUTION OF SELECTED CORONER'S CASES IN EACH MUNICIPALITY
COUNTY OF CUYAHOGA

Table F cont

| VILLAGES AND TOWNSHIPS | TOTAL INSIDE CASES | | NATURAL CAUSES | | HOME-WORK OTHER FATALITIES | | VEHICULAR FATALITIES | | HOMICIDE | | SUICIDE | |
|------------------------|--------------------|---------------------|-----------------|---------------------|----------------------------|---------------------|----------------------|---------------------|-----------------|---------------------|-----------------|---------------------|
| | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases | Number of Cases | Percentage of Cases |
| Bentleyville | 1 | 0.02 | | | | | | | | | 1 | 100.00 |
| Bratenahl | 4 | 0.09 | 2 | 50.00 | | | 2 | 50.00 | | | | |
| Brooklyn Heights | 4 | 0.09 | | | 1 | 25.00 | 1 | 25.00 | | | 2 | 50.00 |
| Chagrin Falls | 6 | 0.14 | 4 | 66.67 | 2 | 33.33 | | | | | | |
| Cuyahoga Heights | 6 | 0.14 | 3 | 50.00 | 2 | 33.33 | 1 | 16.67 | | | | |
| Gates Mills | 3 | 0.07 | | | | | 1 | 33.33 | | | 2 | 66.67 |
| Hunting Valley | 1 | 0.02 | | | | | 1 | 100.00 | | | | |
| Mayfield | 2 | 0.05 | | | 1 | 50.00 | | | | | 1 | 50.00 |
| Moreland Hills | 5 | 0.12 | | | 3 | 60.00 | 1 | 20.00 | | | 1 | 20.00 |
| Newburg Heights | 5 | 0.12 | 4 | 80.00 | | | | | | | 1 | 20.00 |
| North Randall | 6 | 0.14 | 5 | 83.33 | 1 | 16.67 | | | | | | |
| Oakwood | 1 | 0.02 | | | | | 1 | 100.00 | | | | |
| Valley View | 7 | 0.17 | 2 | 28.57 | | | 5 | 71.43 | | | | |
| Walton Hills | 3 | 0.07 | | | 2 | 66.67 | | | | | 1 | 33.33 |
| TOWNSHIPS: | | | | | | | | | | | | |
| Olmsted | 6 | 0.14 | 1 | 16.67 | 4 | 66.67 | | | | | 1 | 16.67 |
| River Edge | 1 | 0.02 | 1 | 100.00 | | | | | | | | |
| Warrensville | 3 | 0.07 | 1 | 33.33 | 1 | 33.33 | 1 | 33.33 | | | | |
| Turnpike in County | 6 | 0.14 | | | | | 6 | 100.00 | | | | |

DEATHS IN COUNTY, DEATHS REPORTED TO CORONER

CASES RECEIVED 1943 – 1974

Table G

COUNTY POPULATION 1940: 1, 217, 250

| DEATHS IN COUNTY | TOTAL DEATHS REPORTED TO CORONER'S OFFICE | % OF DEATHS IN COUNTY | CASES ADMITTED TO CORONER'S OFFICE | % OF DEATHS IN COUNTY |
|------------------|---|-----------------------|------------------------------------|-----------------------|
| 1943: 13, 931 | 2, 739 | 19.7% | 1, 434 | 10.3% |
| 1944: 13, 234 | 2, 544 | 19.2% | 1, 420 | 10.7% |
| 1945: 13, 104 | 2, 624 | 20.0% | 1, 478 | 11.3% |
| 1946: 13, 049 | 2, 890 | 22.0% | 1, 588 | 12.0% |
| 1947: 13, 976 | 3, 120 | 22.4% | 1, 904 | 13.6% |
| 1948: 13, 695 | 3, 203 | 23.4% | 1, 924 | 14.0% |
| 1949: 13, 837 | 3, 849 | 25.2% | 2, 012 | 14.4% |

COUNTY POPULATION 1950: 1, 389, 532

| | | | | |
|---------------|--------|-------|--------|--------|
| 1950: 13, 769 | 3, 431 | 24.9% | 2, 218 | 16.8% |
| 1951: 14, 156 | 3, 496 | 24.7% | 2, 213 | 14.7% |
| 1952: 14, 727 | 3, 477 | 23.6% | 2, 183 | 14.8% |
| 1953: 14, 896 | 3, 646 | 24.5% | 2, 392 | 16.0% |
| 1954: 14, 607 | 3, 851 | 26.3% | 2, 767 | 18.9% |
| 1955: 14, 751 | 4, 085 | 27.8% | 2, 945 | 19.95% |
| 1956: 15, 389 | 4, 651 | 30.2% | 3, 259 | 21.1% |
| 1957: 16, 063 | 4, 634 | 28.8% | 3, 274 | 20.3% |
| 1958: 15, 919 | 4, 963 | 31.2% | 3, 602 | 22.6% |
| 1959: 16, 088 | 4, 328 | 26.9% | 3, 626 | 22.5% |

COUNTY POPULATION 1960: 1, 647, 895

| | | | | |
|---------------|--------|-------|--------|-------|
| 1960: 16, 425 | 5, 159 | 31.4% | 3, 513 | 21.4% |
| 1961: 16, 144 | 5, 019 | 31.1% | 3, 662 | 22.7% |
| 1962: 16, 701 | 5, 231 | 31.3% | 3, 883 | 23.3% |
| 1963: 17, 142 | 5, 385 | 31.4% | 4, 083 | 23.8% |
| 1964: 16, 915 | 5, 490 | 32.5% | 4, 037 | 23.9% |
| 1965: 17, 062 | 5, 227 | 30.6% | 4, 012 | 23.5% |
| 1966: 17, 415 | 5, 303 | 30.5% | 4, 136 | 23.7% |
| 1967: 17, 300 | 5, 518 | 31.9% | 4, 141 | 23.9% |
| 1968: 18, 087 | 5, 997 | 33.2% | 4, 455 | 24.6% |
| 1969: 17, 287 | 5, 415 | 31.3% | 4, 436 | 25.7% |

COUNTY POPULATION 1970: 1, 721, 300

| | | | | |
|---------------|--------|-------|--------|-------|
| 1970: 17, 305 | 5, 125 | 29.6% | 4, 314 | 24.9% |
| 1971: 16, 834 | 5, 183 | 30.8% | 4, 246 | 25.2% |
| 1972: 17, 267 | 5, 602 | 32.4% | 4, 384 | 25.4% |
| 1973: 17, 234 | 4, 908 | 28.5% | 4, 321 | 25.1% |
| 1974: ? | 5, 118 | ? | 4, 228 | ? |

? Not available at the time of publication.

POPULATION COUNTY OF CUYAHOGA

1,711,279

| CITIES | |
|------------------------|----------|
| CLEVELAND..... | 696, 987 |
| Bay Village..... | 19, 031 |
| Beachwood..... | 10, 779 |
| Bedford..... | 17, 305 |
| Bedford Heights..... | 17, 686 |
| Berea..... | 23, 588 |
| Brecksville..... | 9, 614 |
| Broadview Heights..... | 12, 030 |
| Brooklyn..... | 13, 733 |
| Brook Park..... | 31, 052 |
| Cleveland Heights..... | 58, 835 |
| East Cleveland..... | 39, 154 |
| Euclid..... | 70, 754 |
| Fairview Park..... | 21, 837 |
| Garfield Heights..... | 40, 586 |
| Highland Heights..... | 6, 139 |
| Independence..... | 6, 984 |
| Lakewood..... | 70, 469 |
| Lyndhurst..... | 22, 275 |
| Maple Heights..... | 34, 981 |
| Mayfield Heights..... | 28, 647 |


| CITIES | |
|---------------------------|----------|
| Middleburg Heights..... | 18, 433 |
| North Olmsted..... | 38, 879 |
| North Royalton..... | 14, 026 |
| Olmsted Falls..... | 7, 244 |
| Parma..... | 108, 110 |
| Parma Heights..... | 27, 304 |
| Pepper Pike..... | 6, 416 |
| Richmond Heights..... | 11, 437 |
| Rocky River..... | 22, 590 |
| Seven Hills..... | 14, 027 |
| Shaker Heights..... | 35, 193 |
| Solon..... | 13, 157 |
| South Euclid..... | 28, 932 |
| Strongsville..... | 22, 340 |
| University Heights..... | 16, 860 |
| Warrensville Heights..... | 19, 169 |
| Westlake..... | 18, 672 |

| VILLAGES | |
|-----------------------|--------|
| Bentleyville..... | 351 |
| Bratenahl..... | 1, 645 |
| Brooklyn Heights..... | 1, 686 |

| VILLAGES | |
|-----------------------|--------|
| Chagrin Falls..... | 4, 871 |
| Cuyahoga Heights..... | 829 |
| Gates Mills..... | 2, 447 |
| Glenwillow..... | 598 |
| Hunting Valley..... | 708 |
| Linndale..... | 136 |
| Mayfield..... | 3, 976 |
| Moreland Hills..... | 3, 309 |
| Newburgh Heights..... | 3, 193 |
| North Randall..... | 1, 152 |
| Oakwood..... | 3, 391 |
| Orange..... | 2, 073 |
| Valley View..... | 1, 434 |
| Walton Hills..... | 2, 544 |
| Woodmere..... | 853 |


| TOWNSHIPS | |
|--------------------|--------|
| Chagrin Falls..... | 90 |
| Olmsted..... | 6, 947 |
| River Edge..... | 607 |
| Warrensville..... | 2, 105 |

TOTAL OF ALL DEATHS IN COUNTY OF CUYAHOGA
FOR A PERIOD OF TWELVE YEARS



? Not available at the time of publication.


**YEARLY AVERAGE OF CORONER'S CASES
FOR A PERIOD OF TWELVE YEARS**



4,233 AVERAGE

| |
|--------------------|
| 1963 - 1974 |
| TOTAL CASES |
| 50,793 |

**CORONER'S CASES
BY MONTH FOR THE YEAR 1974**



352.3 AVERAGE

| |
|--------------------|
| 1974 |
| TOTAL CASES |
| 4,228 |

SUMMARY OF ALL FATALITIES BY TYPE, LOCATION WITH MISCELLANEOUS DATA

Table Number 1

| TYPE OF FATALITY | COUNTY | | | | TOTAL | MISCELLANEOUS DATA | CLEVELAND | OTHER CITIES | REST OF COUNTY | OUT OF COUNTY | TOTAL |
|---------------------------------|-----------|--------------|----------------|---------------|-------|---------------------------------|-----------|--------------|----------------|---------------|-------|
| | CLEVELAND | OTHER CITIES | REST OF COUNTY | OUT OF COUNTY | | | | | | | |
| ACCIDENTS IN THE HOME | 177 | 171 | 11 | 12 | 371 | CASES REPORTED-- ADMITTED | 2682 | 1421 | 70 | 55 | 4228 |
| ACCIDENTS WHILE AT WORK | 17 | 5 | 1 | 6 | 29 | CASES REPORTED--NOT ADMITTED | | | | | 890 |
| VEHICULAR ACCIDENTS* | 110 | 66 | 20 | 15 | 211 | AUTOPSIES** | | | | | 1600 |
| ACCIDENTS IN OTHER PLACES | 163 | 63 | 5 | 14 | 245 | AUTOPSIES (OUTSIDE) | | | | | 36 |
| HOMICIDE | 321 | 38 | | 3 | 362 | UNIDENTIFIED BODIES | | | | | 5 |
| SUICIDE | 106 | 114 | 10 | 3 | 233 | UNIDENTIFIED FOETUSES | | | | | 0 |
| VIOLENCE OF UNDETERMINED ORIGIN | 22 | 5 | | 2 | 29 | IDENTIFIED AND UNCLAIMED BODIES | | | | | 68 |
| TOTAL VIOLENT DEATHS | 916 | 462 | 47 | 55 | 1480 | DEATHS IN CUYAHOGA COUNTY*** | | | | | ? |
| NATURAL CAUSES | 1751 | 953 | 23 | | 2727 | | | | | | |
| NEONATAL & INTRA-UTERINE DEATH | 4 | 4 | | | 8 | | | | | | |
| ABORTIONS | | | | | 0 | | | | | | |
| UNDETERMINED CAUSES | 11 | 2 | | | 13 | | | | | | |

* Vehicular Accidents – Summary Tables #1, 2, 4, 6 and 8 tabulated by date of death – reflecting cases received in 1974

** 1455 performed at Coroner's Office and 145 performed in hospitals.

*** Total Resident Deaths - ? Not available at the time of publication.

Rest of County – includes Turnpikes, Villages and Townships.

TOTAL CASES BY MONTH AND TYPE OF FATALITY

Table Number 2

| TYPE OF FATALITY | JAN. | | FEB. | | MAR. | | APRIL | | MAY | | JUNE | | JULY | | AUG. | | SEPT. | | OCT. | | NOV. | | DEC. | | TOTAL | | GRAND | |
|---------------------------------|------|-----|------|-----|------|-----|-------|-----|-----|-----|------|-----|------|-----|------|-----|-------|-----|------|-----|------|-----|------|-----|-------|------|-------|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| ACCIDENTS IN THE HOME | 14 | 10 | 14 | 19 | 23 | 17 | 20 | 21 | 12 | 13 | 12 | 12 | 5 | 19 | 14 | 16 | 20 | 13 | 16 | 15 | 16 | 18 | 17 | 15 | 183 | 188 | 371 | |
| ACCIDENTS WHILE AT WORK | 4 | | 1 | | 1 | 2 | | 3 | | 3 | | 2 | | | | 3 | | 3 | | 2 | | 5 | | 28 | 1 | 29 | | |
| VEHICULAR ACCIDENTS | 4 | 4 | 14 | 3 | 12 | 5 | 11 | 3 | 18 | 6 | 13 | 7 | 12 | 3 | 11 | 5 | 14 | 7 | 12 | 8 | 16 | 5 | 14 | 4 | 151 | 60 | 211 | |
| ACCIDENTS IN OTHER PLACES | 10 | 8 | 8 | 6 | 15 | 14 | 16 | 10 | 17 | 12 | 10 | 10 | 20 | 14 | 7 | 10 | 5 | 7 | 13 | 5 | 7 | 9 | 7 | 5 | 135 | 110 | 245 | |
| HOMICIDE | 20 | 2 | 17 | 6 | 16 | 5 | 27 | 5 | 18 | 7 | 23 | 3 | 29 | 7 | 25 | 5 | 22 | 8 | 36 | 6 | 25 | 10 | 31 | 9 | 289 | 73 | 362 | |
| SUICIDE | 14 | 6 | 10 | 3 | 14 | 5 | 14 | 9 | 10 | 11 | 12 | 6 | 19 | 8 | 9 | 5 | 10 | 6 | 13 | 10 | 12 | 6 | 20 | 1 | 157 | 76 | 233 | |
| VIOLENCE OF UNDETERMINED ORIGIN | 1 | | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 2 | 4 | | 1 | | | | | 2 | 1 | 3 | | 1 | | 21 | 8 | 29 | | |
| NATURAL CAUSES | 139 | 109 | 122 | 87 | 193 | 76 | 136 | 94 | 141 | 78 | 101 | 86 | 158 | 86 | 116 | 88 | 132 | 88 | 143 | 87 | 141 | 67 | 158 | 101 | 1680 | 1047 | 2727 | |
| ABORTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | |
| NEONATAL & INTRA-UTERINE DEATHS | | | | | 2 | | 1 | 1 | | 1 | | | | | | | | 1 | 1 | | | | 1 | | 5 | 3 | 8 | |
| UNDETERMINED CAUSES | | | | | 3 | | 1 | | | | 4 | | | | 2 | | | 2 | 1 | | | | | 12 | 1 | 13 | | |
| GRAND TOTAL | 206 | 139 | 188 | 125 | 280 | 125 | 230 | 145 | 222 | 130 | 182 | 124 | 246 | 137 | 184 | 129 | 206 | 130 | 241 | 133 | 222 | 115 | 254 | 135 | 2661 | 1567 | 4228 | |

AUTOPSIES BY MONTH AND TYPE OF FATALITY

Table Number 3

| TYPE OF FATALITY | JAN. | | FEB. | | MAR. | | APRIL | | MAY | | JUNE | | JULY | | AUG. | | SEPT. | | OCT. | | NOV. | | DEC. | | TOTAL | | GRAND | | |
|---------------------------------|------|----|------|----|------|----|-------|----|-----|----|------|----|------|----|------|----|-------|----|------|----|------|----|------|----|-------|-----|-------|-----|-------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL |
| ACCIDENTS IN THE HOME | 5 | 1 | 5 | 5 | 5 | | 9 | 5 | 6 | 4 | 3 | 5 | 1 | 6 | 5 | 4 | 10 | 6 | 5 | 3 | 6 | 4 | 7 | 7 | 67 | 50 | 117 | | |
| ACCIDENTS WHILE AT WORK | 1 | | 1 | | | 1 | | | 3 | | 1 | | | | | | 2 | | 1 | | 2 | | 5 | | 16 | 1 | 17 | | |
| VEHICULAR ACCIDENTS | 4 | 4 | 12 | 1 | 11 | 5 | 11 | 3 | 14 | 4 | 9 | 7 | 12 | 3 | 11 | 5 | 13 | 6 | 10 | 9 | 16 | 5 | 13 | 4 | 136 | 56 | 192 | | |
| ACCIDENTS IN OTHER PLACES | 2 | 1 | 6 | 3 | 4 | | 6 | | 9 | 4 | 1 | 2 | 9 | 2 | 3 | 2 | 3 | 1 | 3 | 1 | 4 | 2 | 3 | | 53 | 18 | 71 | | |
| HOMICIDE | 21 | 2 | 16 | 6 | 16 | 4 | 25 | 6 | 19 | 7 | 21 | 2 | 31 | 7 | 25 | 5 | 22 | 7 | 35 | 5 | 25 | 9 | 31 | 9 | 287 | 69 | 356 | | |
| SUICIDE | 2 | 4 | 5 | 1 | 2 | 1 | 5 | 4 | 5 | 2 | 2 | 3 | 3 | 3 | 2 | 3 | 1 | 3 | 4 | 5 | 2 | 2 | 9 | 1 | 42 | 32 | 74 | | |
| VIOLENCE OF UNDETERMINED ORIGIN | 1 | | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | | 1 | | | | | | 1 | 1 | 3 | | | | 14 | 5 | 19 | | |
| NATURAL CAUSES | 37 | 28 | 27 | 20 | 38 | 13 | 29 | 21 | 37 | 11 | 16 | 22 | 42 | 16 | 30 | 20 | 27 | 15 | 38 | 14 | 27 | 18 | 31 | 18 | 379 | 216 | 595 | | |
| ABORTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | | |
| NEONATAL & INTRA-UTERINE DEATHS | | | | | 1 | | 1 | | 1 | | 1 | | | | | | | 1 | | | | | | | 1 | 3 | 4 | | |
| UNDETERMINED CAUSES | | | | | 3 | | 1 | | | | 1 | | | | 2 | | | | 2 | 1 | | | | | 9 | 1 | 10 | | |
| GRAND TOTAL | 73 | 40 | 73 | 37 | 82 | 25 | 88 | 41 | 94 | 34 | 56 | 41 | 99 | 37 | 78 | 39 | 78 | 39 | 99 | 39 | 99 | 39 | 85 | 40 | 99 | 39 | 1004 | 451 | 1455 |

TOTAL CASES BY AGE GROUPS AND TYPE OF FATALITY

Table Number 4

| TYPE OF FATALITY | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND | | |
|---|-------------------|----|-------|----|-------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|-------|-------|-------|----|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | TOTAL | | | |
| | ACCIDENTS: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| In the Home | 2 | 2 | 10 | 7 | 3 | 1 | 3 | 2 | 7 | 2 | 7 | 3 | 10 | 1 | 7 | 2 | 4 | 3 | 11 | 9 | 6 | 7 | 5 | 8 | 9 | 6 | 11 | 4 | 14 | 7 | 13 | 21 | 16 | 24 | 45 | 79 | 183 | 188 | 371 | | |
| While at Work | | | | | | | | | | | 5 | 4 | | | 4 | | 1 | | 2 | 1 | 1 | | 5 | | 2 | | 3 | | | | | | | | | | | 28 | 1 | 29 | |
| Vehicular | | | 4 | 3 | 4 | 8 | 8 | 1 | 18 | 8 | 22 | 7 | 11 | 1 | 5 | 3 | 7 | 3 | 10 | 4 | 11 | 1 | 8 | 2 | 10 | 4 | 8 | 2 | 10 | 2 | 5 | 2 | 2 | 6 | 8 | 3 | 151 | 60 | 211 | | |
| In Other Places | 1 | 2 | 2 | 4 | 3 | 3 | 2 | 1 | 4 | 2 | 10 | 3 | 5 | | 7 | 2 | 5 | 3 | 8 | 4 | 10 | 9 | 10 | 4 | 15 | 1 | 6 | 10 | 13 | 5 | 6 | 8 | 7 | 12 | 21 | 37 | 135 | 110 | 245 | | |
| HOMICIDES: | 2 | 1 | 1 | 2 | 2 | 2 | 4 | 2 | 23 | 7 | 54 | 14 | 48 | 11 | 29 | 6 | 30 | 5 | 25 | 5 | 23 | 3 | 22 | 4 | 11 | 3 | 4 | 2 | 8 | 2 | 2 | 1 | 1 | 2 | | 1 | 289 | 73 | 362 | | |
| SUICIDES: | | | | | | | | | 17 | 5 | 15 | 5 | 21 | 7 | 13 | 5 | 11 | 5 | 9 | 7 | 13 | 6 | 10 | 10 | 15 | 6 | 13 | 10 | 7 | 7 | 5 | 2 | 6 | 1 | 2 | | 157 | 76 | 233 | | |
| VIOLENCE OF UNDETERMINED ORIGIN: | | 1 | 1 | 4 | | | 1 | | 3 | | 2 | | 2 | | 1 | | 2 | | 2 | | 4 | | | | 1 | | 1 | | 2 | | | | | | | 2 | | 21 | 8 | 29 | |
| NATURAL CAUSES: | 37 | 20 | 5 | 7 | 2 | | 6 | 4 | 5 | 2 | 1 | 10 | 8 | 8 | 17 | 10 | 29 | 16 | 55 | 29 | 113 | 51 | 172 | 81 | 229 | 90 | 237 | 99 | 212 | 112 | 202 | 134 | 154 | 135 | 196 | 239 | 1680 | 047 | 2727 | | |
| ABORTIONS: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| NEONATAL AND INTRA-UTERINE DEATHS: | 5 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 3 | 8 | |
| UNDETERMINED CAUSES | | | | | | | 1 | | 1 | | | 1 | | | | | 1 | 1 | 1 | | 2 | | | | | | | | 2 | | 1 | | | | 2 | | 12 | 1 | 13 | | |
| GRAND TOTAL | 47 | 29 | 23 | 27 | 14 | 14 | 25 | 10 | 78 | 26 | 116 | 42 | 110 | 28 | 83 | 28 | 90 | 36 | 123 | 59 | 183 | 77 | 232 | 109 | 292 | 110 | 282 | 128 | 267 | 137 | 234 | 168 | 186 | 180 | 276 | 359 | 2661 | 1567 | 4228 | | |

AUTOPSIES BY AGE GROUPS AND TYPE OF FATALITY

Table Number 5

| TYPE OF FATALITY | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND | | | |
|---|-------------------|----|-------|----|-------|----|---------|---|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|-------|-------|-------|----|---|--|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | TOTAL | | | | |
| | ACCIDENTS: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| In the Home | 2 | 2 | 6 | 3 | | | 1 | | 5 | 2 | 5 | 2 | 9 | 1 | 3 | 2 | 1 | | 5 | 7 | 5 | 5 | 3 | 3 | 3 | 5 | 3 | 2 | 4 | 3 | 3 | 5 | 4 | 3 | 5 | 5 | 67 | 50 | 117 | | | |
| While at Work | | | | | | | | | | | 2 | | 1 | | 2 | | 1 | | 2 | 1 | 1 | | 2 | | 1 | | 3 | | 1 | | | | | | | | | 16 | 1 | 17 | | |
| Vehicular | | | 4 | 3 | 4 | 8 | 7 | | 16 | 7 | 21 | 6 | 9 | | 4 | 3 | 5 | 3 | 8 | 4 | 11 | 1 | 8 | 2 | 8 | 4 | 8 | 2 | 8 | 2 | 5 | 2 | 2 | 6 | 8 | 3 | 136 | 56 | 192 | | | |
| In Other Places | | | 1 | 1 | 1 | 1 | 2 | 1 | 3 | 2 | 8 | | 2 | | 7 | 2 | 3 | 1 | 4 | 3 | 3 | 3 | 3 | | 4 | | 3 | 1 | 3 | 2 | | | 3 | | 3 | 1 | 53 | 18 | 71 | | | |
| HOMICIDE: | 2 | 1 | 1 | 2 | 2 | 2 | 4 | 2 | 23 | 7 | 54 | 14 | 48 | 11 | 29 | 5 | 29 | 4 | 24 | 5 | 23 | 3 | 22 | 4 | 10 | 3 | 4 | 1 | 8 | 2 | 2 | 1 | 2 | 1 | | 1 | 287 | 69 | 356 | | | |
| SUICIDE: | | | | | | | | 6 | 4 | 6 | 1 | 7 | 3 | 3 | 2 | 1 | 1 | 5 | 4 | 2 | | 3 | 5 | 5 | 4 | 2 | 3 | | 5 | 2 | | | | | | | 42 | 32 | 74 | | | |
| VIOLENCE OF UNDETERMINED ORIGIN: | | 1 | | 3 | | | | 1 | | 2 | | 2 | | 1 | | 2 | | 1 | | 3 | | | | 1 | | | 1 | | | | | | | | | 1 | | 14 | 5 | 19 | | |
| NATURAL CAUSES: | 32 | 19 | 3 | 5 | | | 4 | 2 | 4 | 2 | | 8 | 5 | 7 | 17 | 10 | 26 | 16 | 40 | 23 | 65 | 34 | 67 | 34 | 46 | 18 | 24 | 8 | 14 | 7 | 15 | 8 | 7 | 5 | 10 | 10 | 379 | 216 | 595 | | | |
| ABORTIONS: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | |
| NEONATAL AND INTRA-UTERINE DEATHS: | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 4 | | |
| UNDETERMINED CAUSES: | | | | | | | 1 | | 1 | | | 1 | | | | | 1 | 1 | 1 | | 1 | | | | | | | | | | 1 | | | | | 2 | | 9 | 1 | 10 | | |
| GRAND TOTAL | 37 | 26 | 15 | 17 | 7 | 11 | 19 | 5 | 59 | 24 | 98 | 31 | 84 | 22 | 66 | 24 | 69 | 26 | 90 | 47 | 114 | 46 | 108 | 48 | 78 | 34 | 47 | 18 | 38 | 21 | 28 | 16 | 18 | 15 | 29 | 20 | 1004 | 451 | 1455 | | | |

GEOGRAPHICAL LOCATION-ALL FATALITIES

SUMMARY

| CITIES | VIOLENT DEATHS | | | | | | | | | | Table Number 6 | | | | | GRAND TOTAL |
|----------------------|----------------|---------------|------------|-----------------|-----------------|----------------|------------|---------------------|----------------------|--------------------|----------------|-----------|-----------------------------|---------------------|-------------|-------------|
| | ACCIDENTS | | | | | OTHER VIOLENCE | | | | | NATURAL CAUSES | ABORTIONS | LIVE BIRTH AND FOETAL DEATH | UNDETERMINED CAUSES | TOTAL | |
| | IN THE HOME | WHILE AT WORK | VEHICULAR | IN OTHER PLACES | TOTAL ACCIDENTS | HOMICIDE | SUICIDE | UNDETERMINED ORIGIN | TOTAL OTHER VIOLENCE | TOTAL ALL VIOLENCE | | | | | | |
| Cleveland | 177 | 17 | 110 | 163 | 467 | 321 | 106 | 22 | 449 | 916 | 1751 | | 4 | 11 | 1766 | 2682 |
| Bay Village | 5 | | 5 | 3 | 13 | | 1 | | 1 | 14 | 26 | | | | 26 | 40 |
| Beachwood | 1 | | | 1 | 2 | | 1 | | 1 | 3 | 5 | | | | 5 | 8 |
| Bedford | 2 | 1 | | | 3 | | | 1 | 1 | 4 | 30 | | 1 | | 31 | 35 |
| Bedford Heights | 4 | | 2 | | 6 | | 1 | | 1 | 7 | 6 | | | | 6 | 13 |
| Berea | 2 | 2 | | 1 | 5 | | 4 | | 4 | 9 | 55 | | 1 | | 56 | 65 |
| Brecksville | 2 | | 1 | 1 | 4 | 1 | 3 | | 4 | 8 | 6 | | | | 6 | 14 |
| Broadview Heights | 3 | | | | 3 | | 2 | | 2 | 5 | 3 | | | | 3 | 8 |
| Brooklyn | | | 4 | | 4 | | | | | 4 | 7 | | | | 7 | 11 |
| Brookpark | 4 | 1 | | 2 | 7 | | 4 | | 4 | 11 | 7 | | | | 7 | 18 |
| Cleveland Heights | 12 | | 2 | 6 | 20 | 4 | 10 | | 14 | 34 | 50 | | | | 50 | 84 |
| East Cleveland | 10 | | 2 | 9 | 21 | 9 | 5 | | 14 | 35 | 81 | | | 1 | 82 | 117 |
| Euclid | 14 | 1 | 3 | 10 | 28 | 1 | 16 | 1 | 18 | 46 | 94 | | | | 94 | 140 |
| Fairview Park | 7 | | | 1 | 8 | | 3 | | 3 | 11 | 12 | | 1 | | 13 | 24 |
| Garfield Heights | 9 | | 3 | | 12 | 4 | 3 | | 7 | 19 | 59 | | | | 59 | 78 |
| Highland Heights | | | | | | | 1 | | 1 | 1 | 3 | | | | 3 | 4 |
| Independence | 1 | | 3 | 1 | 5 | | | | | 5 | | | | | | 5 |
| Lakewood | 12 | | 2 | 9 | 23 | 4 | 7 | 2 | 13 | 36 | 118 | | | | 118 | 154 |
| Lyndhurst | 2 | | | | 2 | 1 | 1 | | 2 | 4 | 13 | | | | 13 | 17 |
| Maple Heights | 12 | | 3 | | 15 | | 3 | | 3 | 18 | 13 | | | | 13 | 31 |
| Mayfield Heights | 2 | | 2 | 1 | 5 | | 3 | | 3 | 8 | 37 | | | | 37 | 45 |
| Middleburg Heights | 1 | | 2 | | 3 | | 1 | | 1 | 4 | | | | | | 4 |
| North Olmsted | 3 | | 3 | 2 | 8 | 1 | 2 | | 3 | 11 | 9 | | | | 9 | 20 |
| North Royalton | 2 | | | | 2 | 1 | | | 1 | 3 | 1 | | | | 1 | 4 |
| Olmsted Falls | 1 | | | | 1 | | 1 | | 1 | 2 | 1 | | | | 1 | 3 |
| Parma | 17 | | 10 | 5 | 32 | 2 | 14 | | 16 | 48 | 148 | | 1 | 1 | 150 | 198 |
| Parma Heights | 6 | | 1 | 1 | 8 | 1 | | | 1 | 9 | 26 | | | | 26 | 35 |
| Pepper Pike | | | | | | | | | | | 1 | | | | 1 | 1 |
| Richmond Heights | 2 | | | | 2 | 1 | 2 | | 3 | 5 | 6 | | | | 6 | 11 |
| Rocky River | 7 | | 1 | 2 | 10 | 1 | 5 | | 6 | 16 | 12 | | | | 12 | 28 |
| Seven Hills | 5 | | | | 5 | | 3 | | 3 | 8 | 3 | | | | 3 | 11 |
| Shaker Heights | 9 | | 2 | 1 | 12 | 1 | 4 | | 5 | 17 | 18 | | | | 18 | 35 |
| Solon | 3 | | 3 | | 6 | 1 | 1 | | 2 | 8 | 5 | | | | 5 | 13 |
| South Euclid | 7 | | | | 7 | 1 | 4 | | 5 | 12 | 16 | | | | 16 | 28 |
| Strongsville | 1 | | 4 | 1 | 6 | 1 | 2 | 1 | 4 | 10 | 4 | | | | 4 | 14 |
| University Heights | | | 2 | | 2 | 1 | 2 | | 3 | 5 | 4 | | | | 4 | 9 |
| Warrensville Heights | 1 | | 3 | 1 | 5 | 2 | 4 | | 6 | 11 | 63 | | | | 63 | 74 |
| Westlake | 2 | | 3 | 5 | 10 | | 1 | | 1 | 11 | 11 | | | | 11 | 22 |
| TOTAL CITIES | 348 | 22 | 176 | 226 | 772 | 359 | 220 | 27 | 606 | 1378 | 2704 | | 8 | 13 | 2725 | 4103 |

GEOGRAPHICAL LOCATION-ALL FATALITIES

SUMMARY

| VILLAGES AND TOWNSHIPS | VIOLENT DEATHS | | | | | | | | | | | | | | | |
|------------------------|----------------|---------------|-----------|-----------------|-----------------|----------------|----------|---------------------|----------------------|--------------------|----------------|-----------|-----------------------------|---------------------|-----------|-------------|
| | ACCIDENTS | | | | | OTHER VIOLENCE | | | | | | | | | | |
| | IN THE HOME | WHILE AT WORK | VEHICULAR | IN OTHER PLACES | TOTAL ACCIDENTS | HOMICIDE | SUICIDE | UNDETERMINED ORIGIN | TOTAL OTHER VIOLENCE | TOTAL ALL VIOLENCE | NATURAL CAUSES | ABORTIONS | LIVE BIRTH AND FOETAL DEATH | UNDETERMINED CAUSES | TOTAL | GRAND TOTAL |
| Bentleyville | | | | | | | 1 | | 1 | 1 | | | | | 1 | |
| Bratenahl | | | 2 | | 2 | | | | 2 | 2 | 2 | | | | 2 | 4 |
| Brooklyn Heights | 1 | | 1 | | 2 | | 2 | | 2 | 4 | | | | | | 4 |
| Chagrin Falls | 1 | | | 1 | 2 | | | | | 2 | 4 | | | | 4 | 6 |
| Cuyahoga Heights | | 1 | 1 | 1 | 3 | | | | | 3 | 3 | | | | 3 | 6 |
| Gates Mills | | | 1 | | 1 | | 2 | | 2 | 3 | | | | | | 3 |
| Hunting Valley | | | 1 | | 1 | | | | | 1 | | | | | | 1 |
| Mayfield | 1 | | | | 1 | | 1 | | 1 | 2 | | | | | | 2 |
| Moreland Hills | 2 | | 1 | 1 | 4 | | 1 | | 1 | 5 | | | | | | 5 |
| Newburg Heights | | | | | | | 1 | | 1 | 1 | 4 | | | | 4 | 5 |
| North Randall | | | | 1 | 1 | | | | | 1 | 5 | | | | 5 | 6 |
| Oakwood | | | 1 | | 1 | | | | | 1 | | | | | | 1 |
| Valley View | | | 5 | | 5 | | | | | 5 | 2 | | | | 2 | 7 |
| Walton Hills | 2 | | | | 2 | | 1 | | 1 | 3 | | | | | | 3 |
| TOTAL VILLAGES | 7 | 1 | 13 | 4 | 25 | | 9 | | 9 | 34 | 20 | | | | 20 | 54 |
| TOWNSHIPS: | | | | | | | | | | | | | | | | |
| Olmsted | 4 | | | | 4 | | 1 | | 1 | 5 | 1 | | | | 1 | 6 |
| River Edge | | | | | | | | | | | 1 | | | | 1 | 1 |
| Warrensville | | | 1 | 1 | 2 | | | | | 2 | 1 | | | | 1 | 3 |
| TOTAL TOWNSHIPS | 4 | | 1 | 1 | 6 | | 1 | | 1 | 7 | 3 | | | | 3 | 10 |

Table Number 7

GEOGRAPHICAL LOCATION-ALL FATALITIES SUMMARY

| TOTALS | VIOLENT DEATHS | | | | | | | | | | | | | | TOTAL | GRAND TOTAL |
|--------------------|----------------|---------------|------------|-----------------|-----------------|----------------|------------|---------------------|----------------------|--------------------|----------------|-----------|-----------------------------|---------------------|-------------|-------------|
| | ACCIDENTS | | | | | OTHER VIOLENCE | | | | | | | | | | |
| | IN THE HOME | WHILE AT WORK | VEHICULAR | IN OTHER PLACES | TOTAL ACCIDENTS | HOMICIDE | SUICIDE | UNDETERMINED ORIGIN | TOTAL OTHER VIOLENCE | TOTAL ALL VIOLENCE | NATURAL CAUSES | ABORTIONS | LIVE BIRTH AND FOETAL DEATH | UNDETERMINED CAUSES | | |
| TOTAL CITIES | 348 | 22 | 176 | 226 | 772 | 359 | 220 | 27 | 606 | 1378 | 2704 | | 8 | 13 | 2725 | 4103 |
| Villages | 7 | 1 | 13 | 4 | 25 | | 9 | | 9 | 34 | 20 | | | | 20 | 54 |
| Townships | 4 | | 1 | 1 | 6 | | 1 | | 1 | 7 | 3 | | | | 3 | 10 |
| Out of County | 12 | 6 | 15 | 14 | 47 | 3 | 3 | 2 | 8 | 55 | | | | | | 55 |
| Turnpike in County | | | 6 | | 6 | | | | | 6 | | | | | | 6 |
| Unknown | | | | | | | | | | | | | | | | 0 |
| GRAND TOTAL | 371 | 29 | 211 | 245 | 856 | 362 | 233 | 29 | 624 | 1480 | 2727 | | 8 | 13 | 2748 | 4228 |

Table Number 7 A

ACCIDENTAL FATALITIES BY MONTH

Table Number 8

| MONTH | HOME ACCIDENTS | | | | | | ACCIDENTS WHILE AT WORK | | | | | | VEHICULAR ACCIDENTS | | | | | | OTHER ACCIDENTS | | | | | | TOTALS | | | | | | | | | | | | |
|--------------|----------------|--------------|----------|-----------|---------------|------------|-------------------------|--------------|----------|-----------|------------------|---------------|---------------------|------------|--------------|-----------|-----------|------------------|-----------------|----------------------|------------|-----------|--------------|----------|-----------|---------------|------------|------------|--------------|----------|-----------|------------------|---------------|----------------------|-------------|--|----|
| | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | OUT OF COUNTY | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | TURNPIKE IN CTY. | OUT OF COUNTY | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | TURNPIKE IN CTY. | OUT OF COUNTY | TURNPIKE OUT OF CTY. | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | OUT OF COUNTY | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | TURNPIKE IN CTY. | OUT OF COUNTY | TURNPIKE OUT OF CTY. | GRAND TOTAL | | |
| JANUARY | 12 | 12 | | | | 24 | 2 | 1 | | | | 1 | 4 | 4 | 4 | | | | | | 8 | 12 | 5 | | | | 1 | 18 | 30 | 22 | | | | | 2 | | 54 |
| FEBRUARY | 14 | 17 | 1 | | 1 | 33 | 1 | | | | | | 1 | 6 | 7 | | | | 4 | | 17 | 8 | 2 | 1 | | | 3 | 14 | 29 | 26 | 2 | | | | 8 | | 65 |
| MARCH | 16 | 15 | 1 | 2 | 6 | 40 | 1 | | | | | | 1 | 8 | 7 | | | | 2 | | 17 | 17 | 10 | | | | 2 | 29 | 42 | 32 | 1 | 2 | | | 10 | | 87 |
| APRIL | 16 | 24 | 1 | | | 41 | 1 | | | | | 1 | 2 | 7 | 5 | | | | | 2 | 14 | 15 | 10 | 1 | | | | 26 | 39 | 39 | 2 | | | | 3 | | 83 |
| MAY | 10 | 12 | 1 | | 2 | 25 | 2 | 1 | | | | | 3 | 13 | 7 | 1 | | | 3 | | 24 | 23 | 4 | 1 | | | 1 | 29 | 48 | 24 | 3 | | 3 | 3 | | | 81 |
| JUNE | 6 | 16 | 1 | 1 | | 24 | | 1 | | | | 2 | 3 | 12 | 5 | | | | | 3 | 20 | 15 | 5 | | | | | 20 | 33 | 27 | 1 | 1 | | | 5 | | 67 |
| JULY | 8 | 14 | 1 | 1 | | 24 | 2 | | | | | | 2 | 9 | 4 | | | | 1 | 1 | 15 | 26 | 6 | | | | 2 | 34 | 45 | 24 | 1 | 1 | 1 | 3 | | | 75 |
| AUGUST | 23 | 7 | | | | 30 | | | | | | | | 10 | 3 | 2 | | | 1 | | 16 | 10 | 5 | | | | 2 | 17 | 43 | 15 | 2 | | 1 | 2 | | | 63 |
| SEPTEMBER | 19 | 11 | | | 3 | 33 | 2 | | 1 | | | | 3 | 11 | 6 | 4 | | | | | 21 | 8 | 2 | | 1 | 1 | 1 | 12 | 40 | 19 | 5 | 1 | | | 4 | | 69 |
| OCTOBER | 18 | 13 | | | | 31 | 1 | | | | | 2 | 3 | 10 | 5 | 1 | 1 | 1 | 2 | | 20 | 12 | 5 | | | | 1 | 18 | 41 | 23 | 1 | 1 | 1 | 5 | | | 72 |
| NOVEMBER | 17 | 17 | | | | 34 | 2 | | | | | | 2 | 13 | 6 | 1 | | | 1 | | 21 | 10 | 5 | 1 | | | | 16 | 42 | 28 | 2 | | | | 1 | | 73 |
| DECEMBER | 18 | 13 | 1 | | | 32 | 3 | 2 | | | | | 5 | 7 | 7 | 4 | | | | | 18 | 7 | 4 | | | | 1 | 12 | 35 | 26 | 5 | | | | 1 | | 67 |
| TOTAL | 177 | 171 | 7 | 4 | 12 | 371 | 17 | 5 | 1 | | | 6 | 29 | 110 | 66 | 13 | 1 | 6 | 15 | 211 | 163 | 63 | 4 | 1 | 14 | 245 | 467 | 305 | 25 | 6 | 6 | 47 | | | 856 | | |


HOMICIDES, SUICIDES, VIOLENCE OF UNDETERMINED ORIGIN—FATALITIES BY MONTH

Table Number 9

| MONTH | HOMICIDES | | | | | | SUICIDES | | | | | | VIOLENCE OF UNDETERMINED ORIGIN | | | | | | TOTAL | | | | | GRAND TOTAL |
|-----------|-----------|--------------|----------|-----------|---------------|-------|-----------|--------------|----------|-----------|---------------|-------|---------------------------------|--------------|----------|-----------|---------------|-------|-----------|--------------|----------|-----------|---------------|-------------|
| | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | OUT OF COUNTY | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | OUT OF COUNTY | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | OUT OF COUNTY | TOTAL | CLEVELAND | OTHER CITIES | VILLAGES | TOWNSHIPS | OUT OF COUNTY | |
| JANUARY | 19 | 2 | | | 1 | 22 | 13 | 7 | | | | 20 | 1 | | | | | 1 | 33 | 9 | | | 1 | 43 |
| FEBRUARY | 21 | 2 | | | | 23 | 7 | 6 | | | | 13 | 2 | 1 | | | | 3 | 30 | 9 | | | | 39 |
| MARCH | 19 | 2 | | | | 21 | 9 | 8 | | 1 | 1 | 19 | 4 | | | | | 4 | 32 | 10 | | 1 | 1 | 44 |
| APRIL | 27 | 3 | | | 2 | 32 | 8 | 14 | 1 | | | 23 | 4 | | | | | 4 | 39 | 17 | 1 | | 2 | 59 |
| MAY | 21 | 4 | | | | 25 | 9 | 11 | 1 | | | 21 | 3 | | | | 2 | 5 | 33 | 15 | 1 | | 2 | 51 |
| JUNE | 21 | 5 | | | | 26 | 4 | 14 | | | | 18 | 3 | 1 | | | | 4 | 28 | 20 | | | | 48 |
| JULY | 33 | 3 | | | | 36 | 15 | 9 | 2 | | 1 | 27 | | 1 | | | | 1 | 48 | 13 | 2 | | 1 | 64 |
| AUGUST | 25 | 5 | | | | 30 | 9 | 4 | | | 1 | 14 | | | | | | | 34 | 9 | | | 1 | 44 |
| SEPTEMBER | 27 | 3 | | | | 30 | 7 | 9 | | | | 16 | | | | | | | 34 | 12 | | | | 46 |
| OCTOBER | 39 | 3 | | | | 42 | 9 | 13 | 1 | | | 23 | 3 | | | | | 3 | 51 | 16 | 1 | | | 68 |
| NOVEMBER | 33 | 2 | | | | 35 | 6 | 10 | 2 | | | 18 | 2 | 1 | | | | 3 | 41 | 13 | 2 | | | 56 |
| DECEMBER | 36 | 4 | | | | 40 | 10 | 9 | 2 | | | 21 | | 1 | | | | 1 | 46 | 14 | 2 | | | 62 |
| TOTAL | 321 | 38 | | | 3 | 362 | 106 | 114 | 9 | 1 | 3 | 233 | 22 | 5 | | | 2 | 29 | 449 | 157 | 9 | 1 | 8 | 624 |

ACCIDENTS IN THE HOME


FOR A PERIOD OF TWELVE YEARS



332.7 AVERAGE

| | NUMBER | PER CENT |
|---------|-----------|----------|
| SEX | MALE | 183 |
| | FEMALE | 188 |
| RACE | WHITE | 303 |
| | NON-WHITE | 68 |
| ALCOHOL | TESTED | 136 |
| | POSITIVE | 49 |
| AUTOPSY | AUTOPSIED | 117 |

BY MONTH FOR THE YEAR 1974




30.9 AVERAGE

1974
TOTAL CASES
371

DEATHS RESULTING FROM ACCIDENTAL FALLS IN THE HOME

FOR A PERIOD OF TWELVE YEARS



FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

MONTHLY ALCOHOL INCIDENCE

Table Number 10

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | |
|--------------|------------|------------|------------|-----------|-----------|-----------|-----------|---------------|----------|-----------|------------|-----------------|------------|-----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|------------------|----------|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| JANUARY | 24 | 14 | 10 | 8 | 4 | 6 | 6 | | | 5 | 8 | 4 | 8 | | | 1 | | 9 | 2 | 6 | 2 | 3 | | | | | | | 1 | | | | 1 | | 1 | | |
| FEBRUARY | 33 | 14 | 19 | 8 | 6 | 6 | 12 | | 1 | 8 | 13 | 6 | 12 | 1 | 1 | 1 | | 6 | 6 | 5 | 5 | 1 | 1 | | | | 1 | | | | | 1 | | | | | |
| MARCH | 40 | 23 | 17 | 8 | 8 | 11 | 7 | 4 | 2 | 12 | 16 | 9 | 16 | 2 | | 1 | | 11 | 1 | 8 | | 3 | 1 | | 1 | | | | | | | | | | 2 | | |
| APRIL | 41 | 20 | 21 | 8 | 8 | 12 | 13 | | | 8 | 14 | 8 | 13 | | | 1 | 12 | 7 | 5 | 4 | 7 | 3 | | 1 | | 1 | 3 | | | 1 | 1 | | | | 3 | | |
| MAY | 25 | 12 | 13 | 6 | 4 | 5 | 8 | 1 | 1 | 9 | 10 | 7 | 10 | 1 | | 1 | | 3 | 3 | 3 | 3 | | | | | | | | | | | | | | | | |
| JUNE | 24 | 12 | 12 | 2 | 4 | 10 | 8 | | | 10 | 7 | 7 | 7 | 1 | | 2 | | 2 | 5 | 2 | 2 | | 3 | | | 1 | | | | 1 | | | | | 1 | | |
| JULY | 24 | 5 | 19 | 1 | 7 | 4 | 12 | | | 4 | 16 | 1 | 12 | 3 | 4 | | 1 | 3 | | 2 | 1 | 1 | | | | | | 1 | | | | | | | 1 | | |
| AUGUST | 30 | 14 | 16 | 13 | 10 | 1 | 6 | | | 7 | 11 | 5 | 11 | 1 | | 1 | | 7 | 5 | 4 | 2 | 3 | 3 | | | 1 | 1 | | | | 1 | 1 | | 1 | 1 | | |
| SEPTEMBER | 33 | 20 | 13 | 13 | 6 | 6 | 5 | 1 | 2 | 11 | 9 | 7 | 8 | 3 | 1 | 1 | | 9 | 4 | 7 | 3 | 2 | 1 | | | 1 | | 1 | | | | 1 | | | | | |
| OCTOBER | 31 | 16 | 15 | 9 | 9 | 7 | 6 | | | 9 | 12 | 8 | 10 | | 2 | 1 | | 7 | 3 | 2 | 3 | 5 | | 1 | | | 1 | | 1 | | | | 1 | | 1 | | |
| NOVEMBER | 34 | 16 | 18 | 8 | 9 | 8 | 9 | | | 6 | 14 | 5 | 11 | 1 | 1 | | 2 | 10 | 4 | 7 | 4 | 3 | | | | 1 | | | | | | | 1 | | 1 | | |
| DECEMBER | 32 | 17 | 15 | 9 | 9 | 8 | 6 | | | 8 | 8 | 6 | 8 | 2 | | | 9 | 7 | 3 | 5 | 6 | 2 | | | 1 | 1 | | | 2 | | 1 | | | 2 | 1 | | |
| TOTAL | 371 | 183 | 188 | 93 | 84 | 84 | 98 | 6 | 6 | 97 | 138 | 73 | 126 | 15 | 9 | 9 | 3 | 86 | 50 | 52 | 35 | 34 | 15 | 1 | 2 | 3 | 4 | 7 | 1 | 5 | 3 | 3 | 1 | 4 | 1 | 11 | 3 |

FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

AGE-RACE-ALCOHOL INCIDENCE

Table Number 11

| AGE | RACE | TOTAL | NOT TESTED | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | |
|--------------|-----------|-------|------------|-----|-------|-----|-----------------|-----|-----------|---|-------|--------|-------|----|------|----|------|--------|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|---------------|----|---|
| | | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M |
| Under 1 Year | White | 3 | 2 | 1 | 2 | 1 | | | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | White | 11 | 7 | 4 | 6 | 4 | | | 6 | 4 | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| | Non-White | 6 | 3 | 3 | 3 | 1 | | | 3 | 1 | | | | 2 | | 2 | | | | | | | | | | | | | | | | | |
| 5 - 9 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 4 | 3 | 1 | 3 | 1 | | | 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | White | 4 | 3 | 1 | 1 | | | | 1 | | | | 2 | 1 | 2 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 15 - 19 | White | 7 | 5 | 2 | | | | | | | | 5 | 2 | 5 | 1 | | 1 | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 2 | | | | | | | | | 2 | | 2 | | | | | | | | | | | | | | | | | | | |
| 20 - 24 | White | 6 | 4 | 2 | | 1 | | 1 | | | | 4 | 1 | 1 | 1 | 3 | | | | 1 | | 1 | | 1 | | | | | | | | | |
| | Non-White | 4 | 3 | 1 | 1 | | | | | 1 | | 2 | 1 | 2 | | | 1 | | | | | 1 | | | | | | | | | | | |
| 25 - 29 | White | 8 | 7 | 1 | | | | | | | | 7 | 1 | 5 | | 2 | 1 | 1 | | | 1 | | | | | | | | | 1 | | | |
| | Non-White | 3 | 3 | | | | | | | | | 3 | | 2 | | 1 | | | | | | 1 | | | | | | | | | | | |
| 30 - 34 | White | 3 | 3 | | | | | | | | | 3 | | | | 3 | | | | | 1 | | 1 | | | | | | | 1 | | | |
| | Non-White | 6 | 4 | 2 | 1 | | 1 | | | | | 3 | 2 | 1 | 2 | 2 | | | | | 1 | | | | | | | | | 1 | | | |
| 35 - 39 | White | 6 | 4 | 2 | 1 | 1 | 1 | 1 | | | | 3 | 1 | 2 | | 1 | 1 | | 1 | | | | 1 | | | | | | | | | | |
| | Non-White | 1 | | 1 | | | | | | | | | 1 | | | | 1 | | | | 1 | | | | | | | | | | | | |
| 40 - 44 | White | 12 | 5 | 7 | | 2 | | 1 | | | 1 | 5 | 5 | 2 | 3 | 3 | 2 | | | | | | | | | 1 | | 2 | 2 | | | | |
| | Non-White | 8 | 6 | 2 | 4 | | 4 | | | | | 2 | 2 | 1 | | 1 | 2 | | | | 1 | 1 | | | 1 | | | | | | | | |
| 45 - 49 | White | 7 | 5 | 2 | 1 | | 1 | | | | | 4 | 2 | 1 | 2 | 3 | | | | | | | | | | | 1 | | 2 | | | | |
| | Non-White | 6 | 1 | 5 | | 2 | | 2 | | | | 1 | 3 | 1 | 3 | | | | | | | | | | | | | | | | | | |
| 50 - 54 | White | 10 | 4 | 6 | 1 | 3 | 1 | 3 | | | | 3 | 3 | 1 | 2 | 2 | 1 | | | 1 | | | | | | 1 | | 1 | | | | | |
| | Non-White | 3 | 1 | 2 | | 2 | | 2 | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| 55 - 59 | White | 12 | 7 | 5 | 3 | 2 | 3 | 2 | | | | 4 | 3 | 2 | | 2 | 3 | | | | | | 1 | | 1 | | 1 | 1 | 1 | | | | |
| | Non-White | 3 | 2 | 1 | | | | | | | | 2 | 1 | 1 | 1 | 1 | | | | | | | | | 1 | | | | | | | | |
| 60 - 64 | White | 13 | 10 | 3 | 5 | 3 | 5 | 3 | | | | 5 | | 2 | | 3 | | | | | | 1 | | 1 | | | | | 1 | | | | |
| | Non-White | 2 | 1 | 1 | | 1 | | 1 | | | | 1 | | | | 1 | | | | | | 1 | | | | | | | | | | | |
| 65 - 69 | White | 17 | 12 | 5 | 8 | 3 | 4 | 3 | | 4 | | 4 | 2 | 3 | 2 | 1 | | | | 1 | | | | | | | | | | | | | |
| | Non-White | 4 | 2 | 2 | | 1 | | 1 | | | | 2 | 1 | 1 | 1 | 1 | | | | | 1 | | | | | | | | | | | | |
| 70 - 74 | White | 31 | 12 | 19 | 7 | 17 | 6 | 17 | | 1 | | 5 | 2 | 2 | 1 | 3 | 1 | | | 1 | | | 1 | | | 1 | | 1 | | | | | |
| | Non-White | 3 | 1 | 2 | | 2 | | 2 | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| 75 - 79 | White | 36 | 14 | 22 | 11 | 17 | 10 | 17 | | 1 | | 3 | 5 | 3 | 4 | | 1 | | | | | 1 | | | | | | | | | | | |
| | Non-White | 4 | 2 | 2 | 1 | 1 | 1 | 1 | | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | |
| 80 - over | White | 117 | 44 | 73 | 37 | 65 | 36 | 63 | | 1 | 2 | 7 | 8 | 7 | 8 | | | | | | | | | | | | | | | | | | |
| | Non-White | 7 | 1 | 6 | 1 | 6 | | 6 | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | White | 303 | 148 | 155 | 83 | 119 | 67 | 111 | 9 | 5 | 7 | 3 | 65 | 36 | 39 | 25 | 26 | 11 | | 1 | 2 | 1 | 2 | 3 | 1 | 5 | 1 | 2 | 1 | 4 | 1 | 10 | 3 |
| | Non-White | 68 | 35 | 33 | 14 | 19 | 5 | 15 | 6 | 4 | 2 | | 21 | 14 | 14 | 10 | 7 | 4 | | | | 1 | 2 | 4 | | 2 | 1 | | | | 1 | | |
| GRAND TOTAL | | 371 | 183 | 188 | 97 | 138 | 72 | 126 | 15 | 9 | 9 | 3 | 86 | 50 | 53 | 35 | 33 | 15 | | 1 | 2 | 2 | 4 | 7 | 1 | 5 | 3 | 3 | 1 | 4 | 1 | 11 | 3 |

FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

MODE-ALCOHOL INCIDENCE

Table Number 12

| MODE | TOTAL | NOT TESTED | | | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | |
|------------------|------------|------------|------------|-----------|-----------|-----------|-----------|---------------|----------|-----------|------------|-----------------|------------|-----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|------------------|----------|--|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| Asphyxiations | 13 | 7 | 6 | 2 | 3 | 5 | 3 | | | 3 | 4 | | 1 | 3 | 3 | | | 4 | 2 | 2 | 2 | 2 | | 1 | | | | | 1 | | | | | | | | | |
| Burns | 25 | 11 | 14 | 5 | 9 | 4 | 4 | 2 | 1 | 5 | 10 | 3 | 8 | 1 | 2 | 1 | | 6 | 4 | 3 | 4 | 3 | | | | | 1 | | | | | | | | | | 2 | |
| Carbon Monoxide | 44 | 33 | 11 | 15 | 6 | 17 | 4 | 1 | 1 | 6 | 1 | 1 | | 5 | 1 | | 27 | 10 | 11 | 5 | 16 | 5 | | 1 | 1 | 1 | 4 | | 2 | 1 | 2 | | 2 | | 5 | 2 | | |
| Electrocutions | 2 | 2 | | | | 2 | | | | | | | | | | | 2 | | 2 | | | | | | | | | | | | | | | | | | | |
| Explosions | 1 | 1 | | 1 | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Falls | 232 | 95 | 137 | 46 | 56 | 48 | 77 | 1 | 4 | 76 | 119 | 66 | 115 | 3 | 2 | 7 | 2 | 19 | 18 | 16 | 14 | 3 | 4 | | | 1 | 1 | | 1 | | | 1 | 1 | | 1 | 1 | | |
| Firearms | 8 | 6 | 2 | 5 | | 1 | 2 | | | 2 | | | | 2 | | | | 4 | 2 | 2 | | 2 | 2 | | 1 | | 1 | | | | | | | | | 2 | | |
| Poisonings | 43 | 25 | 18 | 17 | 10 | 7 | 8 | 1 | | 2 | 4 | 1 | 2 | | 1 | 1 | 1 | 23 | 14 | 15 | 10 | 8 | 4 | | | 1 | 1 | 2 | | 2 | 2 | | 2 | | 1 | 1 | | |
| Struck by Object | 1 | 1 | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| Miscellaneous | 2 | 2 | | 1 | | | | 1 | | 2 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 371 | 183 | 188 | 93 | 84 | 84 | 98 | 6 | 6 | 97 | 138 | 73 | 126 | 15 | 9 | 9 | 3 | 86 | 50 | 52 | 35 | 34 | 15 | 1 | 2 | 3 | 4 | 7 | 1 | 5 | 3 | 3 | 1 | 4 | 1 | 11 | 3 | |

FATALITIES RESULTING FROM ACCIDENTS IN THE HOME
MODE-ALCOHOL INCIDENCE
FIREARMS

Table Number 13-A

| MODE | TOTAL | NOT TESTED | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | |
|------------------------|----------|------------|----------|----------|---|----------|----------|---------------|---|----------|---|-----------------|---|-----------|---|--------|---|----------|----------|----------|---|----------|----------|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Firearms | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Self-Inflicted: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Handling Gun | 5 | 3 | 2 | 3 | | | 2 | | | 1 | | | | 1 | | | | | 2 | 2 | | | 2 | 2 | 1 | | 1 | | | | | | | | | 2 | |
| Russian Roulette | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| TOTAL | 6 | 4 | 2 | 4 | | | 2 | | | 1 | | | | 1 | | | | 3 | 2 | 1 | | 2 | 2 | 1 | | 1 | | | | | | | | | | 2 | |
| Inflicted by | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Others: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Shot by Juvenile | 1 | 1 | | | | 1 | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Shot by Male | 1 | 1 | | 1 | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 2 | 2 | | 1 | | 1 | | | | 1 | | | | 1 | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |

FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

MODE-AGE GROUPS

Table Number 15

| MODE | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND |
|------------------|--------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | | |
| Asphyxiation | | | 2 | 3 | | | 1 | | 2 | | | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | 1 | | 1 | 7 | 6 | 13 | |
| Burns | | | | 1 | 1 | | | 2 | 1 | | | | | | | 1 | | 1 | | 2 | 1 | 2 | 1 | | 1 | 1 | 2 | | 3 | 3 | 2 | | | | 11 | 14 | 25 | | |
| Carbon monoxide | | | 3 | 2 | 2 | 1 | 2 | | | | 2 | 1 | 1 | | 2 | 2 | 2 | 3 | 1 | 1 | | 1 | | 2 | 2 | 4 | 2 | 1 | 4 | 1 | 1 | | 1 | | 33 | 11 | 44 | | |
| Electrocutions | | | | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | 2 | | 2 | |
| Explosions | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| Falls | 2 | 2 | 2 | | | | | | | | | | | 1 | | | 3 | 3 | 1 | 3 | 2 | 3 | 5 | 4 | 4 | 4 | 10 | 3 | 9 | 17 | 12 | 20 | 44 | 78 | 95 | 137 | 232 | | |
| Firearms | | | 2 | | | | | 1 | 1 | | | 1 | 1 | 1 | | | | | 1 | | | | | | | | | | | | | | | | 6 | 2 | 8 | | |
| Poisonings | | | | 1 | | | | 2 | 1 | 5 | 2 | 7 | | 3 | 2 | | 1 | 3 | 5 | 3 | 2 | 1 | 3 | | | 1 | | | | | 1 | | | | 25 | 18 | 43 | | |
| Struck by Object | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| Miscellaneous | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | 2 | | 2 | |
| TOTAL | 2 | 2 | 10 | 7 | 3 | 1 | 3 | 2 | 7 | 2 | 7 | 3 | 10 | 1 | 7 | 2 | 4 | 3 | 11 | 9 | 6 | 7 | 5 | 8 | 9 | 6 | 11 | 4 | 14 | 7 | 13 | 21 | 16 | 24 | 45 | 79 | 183 | 188 | 371 |

FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

FALLS-AGE GROUPS


Table Number 17

| FALLS BY CODE* | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | |
|-------------------------------|--------------|----------|----------|---|-------|---|---------|---|---------|---|---------|---|---------|---|----------|---|---------|---|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|----|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| E 880 - On Stairs | | | | | | | | | | | | | | | 1 | | | | | 2 | 1 | | | 1 | 2 | 1 | 2 | 1 | | 1 | | | 2 | 3 | 1 | 10 | 8 | 20 | 16 | 36 | |
| E 881 - Ladders | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 2 | | 2 | |
| E 882 - From Building | | | | 1 | | | | | | | | | | | | | | | | 1 | | | | | 1 | 1 | | 1 | 1 | | | | | | | | | 3 | 3 | 6 | |
| E 884 - One Level to Another: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adult's Arms | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 2 |
| Auto | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 |
| Bassinet | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Bed | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | 1 | | 1 | 7 | 9 | 8 | 11 | 19 | |
| Chair | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | | 2 | | 2 | 1 | 2 | 3 | 7 | 5 | 12 | |
| Commode | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | 1 | | | | | 1 | 1 | 2 | |
| Couch | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1 | |
| Dressing Table | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| Pail | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1 |
| Stool | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1 |
| Toy Tractor | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Walker | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 | | | | | 2 | 2 | 3 | 3 | 6 |
| Wheelchair | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | | 2 | 2 |
| E 885 - Same Level | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 2 | | 1 | 2 | 1 | 2 | 2 | 3 | 2 | 6 | 12 | 6 | 13 | 18 | 49 | 39 | 83 | 122 | |
| E 887 - Unspecified | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | | | | 1 | 3 | 1 | 6 | 5 | 11 | 16 |
| TOTAL | 2 | 2 | 2 | | | | | | | | | | | | 1 | | | | | 3 | 3 | 1 | 3 | 2 | 3 | 5 | 4 | 4 | 4 | 10 | 3 | 9 | 17 | 12 | 20 | 44 | 78 | 95 | 137 | 232 | |

* International Classification of Diseases by World Health Organization: Volume 1.

ACCIDENTS WHILE AT WORK *


FOR A PERIOD OF TWELVE YEARS



35.9 AVERAGE

| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 28 | 97 |
| | FEMALE | 1 | 3 |
| RACE | WHITE | 24 | 83 |
| | NON-WHITE | 5 | 17 |
| ALCOHOL | TESTED | 16 | 55 |
| | POSITIVE | 0 | 0 |
| AUTOPSY | AUTOPSIED | 17 | 59 |

BY MONTH FOR THE YEAR 1974




2.4 AVERAGE

1974
TOTAL CASES
29

* Previously entitled: Accidents in Industry

DEATHS RESULTING FROM ACCIDENTAL FALLS WHILE AT WORK*

FOR A PERIOD OF TWELVE YEARS



* Previously entitled: Accidents in Industry

TOTAL NO. OF DEATHS RESULTING FROM ACCIDENTS OF ALL TYPES
 TOTAL NO. OF DEATHS FROM FALLS

FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK *

MONTHLY ALCOHOL INCIDENCE

Table Number 18

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | |
|--------------|-----------|------------|----------|-----------|----------|----------|---|---------------|-----------|-----------|---|-----------------|---|-----------|---|--------|-----------|----------|-----------|----------|---|--------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| JANUARY | 4 | 4 | | 2 | | 1 | | 1 | | 1 | 1 | | | | | | | 3 | 3 | | | | | | | | | | | | | | | | | | |
| FEBRUARY | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| MARCH | 1 | | 1 | | 1 | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| APRIL | 2 | 2 | | 1 | | | 1 | | 1 | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| MAY | 3 | 3 | | 2 | | 1 | | | 1 | 1 | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | | |
| JUNE | 3 | 3 | | | | 1 | | 2 | | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JULY | 2 | 2 | | 2 | | | | | 1 | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEPTEMBER | 3 | 3 | | 2 | | 1 | | | 1 | 1 | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | | |
| OCTOBER | 3 | 3 | | 1 | | | | 2 | | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOVEMBER | 2 | 2 | | 2 | | | | | 1 | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| DECEMBER | 5 | 5 | | 3 | | 2 | | | 1 | 1 | | | | | | | | 4 | 4 | | | | | | | | | | | | | | | | | | |
| TOTAL | 29 | 28 | 1 | 16 | 1 | 6 | | 6 | 13 | 13 | | | | | | | 15 | 1 | 15 | 1 | | | | | | | | | | | | | | | | | |

* Previously entitled: Accidents in Industry.

FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK *

MODE-ALCOHOL INCIDENCE

Table Number 20

| MODE | TOTAL | NOT TESTED | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | |
|------------------|-----------|------------|----------|-----------|----------|----------|---|---------------|---|-----------|-----------|-----------------|---|-----------|---|--------|-----------|----------|-----------|----------|---|--------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Asphyxiation | 2 | 2 | | 2 | | | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | | |
| Burns | 10 | 10 | | 4 | | | | 6 | | 8 | 8 | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | | |
| Crushing | 6 | 6 | | 3 | | 3 | | | | 2 | 2 | | | | | | | 4 | 4 | | | | | | | | | | | | | | | | | | |
| Electrocution | 3 | 3 | | 1 | | 2 | | | | | | | | | | | | 3 | 3 | | | | | | | | | | | | | | | | | | |
| Explosion | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| Falls | 4 | 4 | | 3 | | 1 | | | | 3 | 3 | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| Struck by object | 2 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | |
| Miscellaneous | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| TOTAL | 29 | 28 | 1 | 16 | 1 | 6 | | 6 | | 13 | 13 | | | | | | 15 | 1 | 15 | 1 | | | | | | | | | | | | | | | | | |

* Previously entitled: Accidents in Industry.

FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK*

MODE-AGE GROUPS

Table Number 22

| MODE | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | | | | |
|------------------|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|-------|---|-------------|----|---|----|---|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | | |
| | Asphyxiation | | | | | | | | | | | | | | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | 2 | | 2 | | |
| Burns | | | | | | | | | | | 1 | | 2 | | 3 | | | | | 1 | | | | 2 | | 1 | | | | | | | | | | | | | | 10 | | 10 | | |
| Crushing | | | | | | | | | | | 3 | | | | | | 1 | | | | | | 1 | | 1 | | | | | | | | | | | | | | | 6 | | 6 | | |
| Electrocution | | | | | | | | | | | 1 | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | 3 | | 3 | | |
| Explosion | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| Falls | | | | | | | | | | | | | 1 | | | | | | | 1 | | | | | | | 1 | | 1 | | | | | | | | | | | | 4 | | 4 | |
| Struck by object | | | | | | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 1 | 2 | |
| Miscellaneous | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | 1 | | 1 |
| TOTAL | | | | | | | | | | | 5 | | 4 | | 4 | | 1 | | 2 | 1 | 1 | | 5 | | 2 | | 3 | | 1 | | | | | | | | | | | 28 | 1 | 29 | | |

FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK*

FALLS-ALCOHOL INCIDENCE

Table Number 23

| FALLS BY CODE** | TOTAL | NOT TESTED | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-------|------------|---|-----------------|---|-----------|---|-------|---|-------|---|------|---|--------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | | | | | | | | | | | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | | | | | | | | | |
| E 881 -- Ladder | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E 883 -- Into hole | 1 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>E 884 -- One level to another:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Scaffold | 1 | 1 | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E 885 -- Same level | 1 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 4 | 4 | | | 3 | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

*Previously entitled: Accidents in Industry.

**International Classification of Diseases by World Health Organization: Volume 1.

FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK*

FALLS – AGE GROUPS

Table Number 24


| FALLS BY CODE** | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | | | |
|---|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|-------|---|-------------|---|---|---|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | |
| E 881 – Ladder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | |
| E 883 – Into hole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| E 884 – One level to another. Scaffold | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| E 885 – Same level | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| TOTAL | | | | | | | | | | | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 | 4 | | 4 |

*Previously entitled: Accidents in Industry.

**International Classification of Diseases by World Health Organization: Volume 1.


ACCIDENTS IN OTHER PLACES

FOR A PERIOD OF TWELVE YEARS




| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 135 | 55 |
| | FEMALE | 110 | 45 |
| RACE | WHITE | 202 | 82 |
| | NON-WHITE | 43 | 18 |
| ALCOHOL | TESTED | 52 | 21 |
| | POSITIVE | 15 | 29 |
| AUTOPSY | AUTOPSIED | 71 | 29 |

BY MONTH FOR THE YEAR 1974



1974
TOTAL CASES
245

ACCIDENTS IN OTHER PLACES FOR A PERIOD OF TWELVE YEARS



FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

MONTHLY ALCOHOL INCIDENCE

Table Number 25

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | |
|--------------|------------|------------|------------|-----------|-----------|-----------|-----------|---------------|----------|-----------|-----------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|----------|---------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| JANUARY | 18 | 10 | 8 | 7 | 5 | 2 | 3 | 1 | | 9 | 6 | 8 | 5 | | | 1 | 1 | 1 | 2 | | 2 | 1 | | 1 | | | | | | | | | | | | | |
| FEBRUARY | 14 | 8 | 6 | 5 | 3 | 1 | 2 | 2 | 1 | 5 | 5 | 3 | 3 | 1 | 1 | 1 | 1 | 3 | 1 | 3 | 1 | | | | | | | | | | | | | | | | |
| MARCH | 29 | 15 | 14 | 9 | 8 | 4 | 6 | 2 | | 13 | 13 | 10 | 11 | | | 3 | 2 | 2 | 1 | 1 | 1 | 1 | | | | | | | 1 | | | | | | | | |
| APRIL | 26 | 16 | 10 | 10 | 5 | 6 | 5 | | | 12 | 10 | 4 | 4 | 1 | 2 | 7 | 4 | 4 | | 2 | | 2 | | | | | 1 | | | | | | | | 1 | | |
| MAY | 29 | 17 | 12 | 15 | 8 | 1 | 4 | 1 | | 8 | 11 | 3 | 7 | 1 | 1 | 4 | 3 | 9 | 1 | 7 | 1 | 2 | | | | 1 | 1 | | | | | | | | | | |
| JUNE | 20 | 10 | 10 | 8 | 7 | 2 | 3 | | | 10 | 10 | 10 | 8 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| JULY | 34 | 20 | 14 | 15 | 11 | 3 | 3 | 2 | | 13 | 13 | 10 | 10 | 3 | 3 | | | 7 | 1 | 4 | 1 | 3 | | 2 | | | | | | | | | 1 | | | | |
| AUGUST | 17 | 7 | 10 | 5 | 5 | 1 | 4 | 1 | 1 | 3 | 8 | 3 | 8 | | | | | 4 | 2 | 2 | 2 | 2 | | | | | 1 | | | | | | | | 1 | | |
| SEPTEMBER | 12 | 5 | 7 | 4 | 4 | 1 | 2 | | 1 | 2 | 6 | 1 | 6 | | | 1 | | 3 | 1 | 2 | 1 | 1 | | | | | 1 | | | | | | | | | | |
| OCTOBER | 18 | 13 | 5 | 9 | 3 | 3 | 2 | 1 | | 10 | 4 | 10 | 3 | | 1 | | | 3 | 1 | 2 | 1 | 1 | | 1 | | | | | | | | | | | | | |
| NOVEMBER | 16 | 7 | 9 | 5 | 5 | 2 | 4 | | | 6 | 8 | 5 | 5 | | | 1 | 3 | 1 | 1 | | 1 | 1 | | 1 | | | | | | | | | | | | | |
| DECEMBER | 12 | 7 | 5 | 5 | 2 | 1 | 3 | 1 | | 4 | 4 | 3 | 3 | | | 1 | 1 | 3 | 1 | 2 | 1 | 1 | | | | | 1 | | | | | | | | | | |
| TOTAL | 245 | 135 | 110 | 97 | 66 | 27 | 41 | 11 | 3 | 95 | 98 | 70 | 73 | 6 | 9 | 19 | 16 | 40 | 12 | 25 | 12 | 15 | | 5 | | 1 | | 4 | | 2 | | | | 1 | 2 | | |

FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

AGE-RACE-ALCOHOL INCIDENCE

Table Number 26

| AGE | RACE | TOTAL | NOT TESTED | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | |
|--------------|-----------|-------|------------|-----|-------|----|-----------------|----|-----------|---|--------|----|-------|----|------|----|--------|----|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|---------------|---|
| | | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Under 1 Year | White | 3 | 1 | 2 | 1 | 2 | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | White | 5 | 2 | 3 | 2 | 3 | | | | 1 | 3 | 1 | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| 5 - 9 | White | 5 | 2 | 3 | 2 | 3 | 1 | 1 | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | White | 2 | 2 | | 2 | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| 15 - 19 | White | 5 | 3 | 2 | 1 | | | | | | 1 | | 2 | 2 | 2 | 2 | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | |
| 20 - 24 | White | 5 | 4 | 1 | 1 | 1 | | 1 | | 1 | | 3 | 2 | 1 | | | | | | 1 | | | | | | | | | | | | |
| | Non-White | 8 | 6 | 2 | 2 | 2 | 2 | 2 | | | | 4 | 1 | 3 | | | | | | | | | | | | | 1 | | | | | |
| 25 - 29 | White | 2 | 2 | | | | | | | | | 2 | | | 2 | | | | | 1 | | | 1 | | | | | | | | | |
| | Non-White | 3 | 3 | | 1 | | 1 | | | | | 2 | 1 | 1 | | | | | | | | | | | | | | | | 1 | | |
| 30 - 34 | White | 5 | 4 | 1 | 2 | | 2 | | | | | 2 | 1 | 2 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 4 | 3 | 1 | | | | | | | | 3 | 1 | 1 | 1 | 2 | | | | | | | | | | 1 | | | | | 1 | |
| 35 - 39 | White | 6 | 3 | 3 | 1 | 2 | | 1 | | 1 | 1 | 2 | 1 | 2 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 2 | | 2 | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40 - 44 | White | 8 | 6 | 2 | 3 | 2 | 2 | 2 | | 1 | | 3 | | 3 | | | | | | | | | | | | | | | | | | |
| | Non-White | 4 | 2 | 2 | 1 | | 1 | | | | | 1 | 2 | 1 | 2 | | | | | | | | | | | | | | | | | |
| 45 - 49 | White | 13 | 7 | 6 | 5 | 5 | 4 | 4 | | 1 | 1 | 2 | 1 | 2 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 6 | 3 | 3 | 1 | 3 | 1 | 2 | | | 1 | 2 | | | | 2 | | | | 2 | | | | | | | | | | | | |
| 50 - 54 | White | 12 | 10 | 2 | 7 | 2 | 5 | 2 | | 2 | | 3 | | 1 | 2 | | | | | | | 1 | | | | | | | | | | |
| | Non-White | 2 | | 2 | | 2 | | | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| 55 - 59 | White | 13 | 12 | 1 | 9 | 1 | 6 | | | 3 | 1 | 3 | | 2 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 3 | 3 | | 2 | | 1 | | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| 60 - 64 | White | 12 | 4 | 8 | 2 | 8 | 2 | 6 | | | 2 | 2 | | 2 | | | | | | | | | | | | | | | | | | |
| | Non-White | 4 | 2 | 2 | 2 | 2 | 2 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| 65 - 69 | White | 17 | 13 | 4 | 11 | 4 | 8 | 2 | | 3 | 2 | 2 | | 2 | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 - 74 | White | 14 | 6 | 8 | 6 | 8 | 4 | 6 | | | 2 | 2 | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 - 79 | White | 19 | 7 | 12 | 7 | 9 | 5 | 8 | | 2 | 1 | | 3 | | 3 | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 - over | White | 56 | 19 | 37 | 19 | 36 | 19 | 34 | | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 2 | | 2 | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | White | 202 | 107 | 95 | 81 | 86 | 58 | 67 | 5 | 7 | 18 | 12 | 26 | 9 | 20 | 9 | 6 | | | 1 | | 1 | | 3 | | 1 | | | | | | |
| | Non-White | 43 | 28 | 15 | 14 | 12 | 12 | 6 | 1 | 2 | 1 | 4 | 14 | 3 | 5 | 3 | 9 | | | | | | | | | | | | 1 | | 2 | |
| GRAND TOTAL | | | 245 | 135 | 110 | 95 | 98 | 70 | 73 | 6 | 9 | 19 | 16 | 40 | 12 | 25 | 12 | 15 | | | 5 | | 1 | | 4 | | 2 | | | 1 | 2 | |

FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

MODE-ALCOHOL INCIDENCE

Table Number 27

| MODE | TOTAL | NOT TESTED | | | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | |
|--------------------------|------------|------------|------------|-----------|-----------|-----------|-----------|---------------|----------|-----------|-----------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|--|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| Airplane | 6 | 6 | | 4 | | | | 2 | | | | | | | | | | 6 | 6 | | | | | | | | | | | | | | | | | | | |
| Asphyxiations | 21 | 17 | 4 | 9 | 2 | 6 | 2 | 2 | | 7 | 2 | 1 | | 3 | 2 | 3 | | 10 | 2 | 4 | 2 | 6 | | 3 | | | | | | | | | | 1 | | 2 | | |
| Burns | 7 | 5 | 2 | 3 | 2 | 1 | | 1 | | 5 | 1 | 5 | 1 | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Carbon Monoxide | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | 1 | | | | | | | | | | | |
| Cuts and Stabs | 1 | | 1 | | | | 1 | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Electrocutions | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | |
| Exposures | 3 | 3 | | 3 | | | | | | | | | | | | | | 3 | | 2 | | 1 | | | | | | | | | | | | | | | | |
| Falls | 103 | 44 | 59 | 21 | 26 | 17 | 30 | 6 | 3 | 35 | 55 | 32 | 49 | 1 | 3 | 2 | 3 | 9 | 4 | 7 | 4 | 2 | | 1 | | | | | | | | | | | | | | |
| Firearms | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | |
| Poisonings | 5 | 5 | | 5 | | | | | | 1 | | 1 | | | | | | 4 | | 3 | | 1 | | | | | | | | | | | | | | | | |
| Railroad | 5 | 4 | 1 | 4 | 1 | | | | | | | | | | | | | 4 | 1 | 2 | 1 | 2 | | 1 | | 1 | | | | | | | | | | | | |
| Therapeutic Complication | 89 | 48 | 41 | 45 | 35 | 3 | 6 | | | 47 | 37 | 31 | 20 | 2 | 4 | 14 | 13 | 1 | 4 | 1 | 4 | | | | | | | | | | | | | | | | | |
| Miscellaneous | 2 | | 2 | | | | 2 | | | | 2 | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 245 | 135 | 110 | 97 | 66 | 27 | 41 | 11 | 3 | 95 | 98 | 70 | 73 | 6 | 9 | 19 | 16 | 40 | 12 | 25 | 12 | 15 | | 5 | | 1 | | 4 | | 2 | | | | 1 | | 2 | | |

FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

MODE-ALCOHOL INCIDENCE

Table Number 28

| MODE | TOTAL | NOT TESTED | | | | | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | |
|-------------------------|-------|------------|---|--------|---|--------|---|---------------|---|-------|---|-----------------|---|-----------|---|-------|---|--------|---|------|---|------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|---------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Airplane: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plane Crashed | 6 | 6 | | 4 | | | | 2 | | | | | | | | | | 6 | | 6 | | | | | | | | | | | | | | | | | |
| TOTAL | 6 | 6 | | 4 | | | | 2 | | | | | | | | | | 6 | | 6 | | | | | | | | | | | | | | | | | |
| Asphyxiation: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aspiration of food | 1 | 1 | | | | | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Compression | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | 1 | |
| Drowning | 19 | 15 | 4 | 8 | 2 | 6 | 2 | 1 | | 6 | 2 | | | 3 | 2 | 3 | | 9 | 2 | 4 | 2 | 5 | | | | | | | | | | | | 1 | 1 | | |
| TOTAL | 21 | 17 | 4 | 9 | 2 | 6 | 2 | 2 | | 7 | 2 | 1 | | 3 | 2 | 3 | | 10 | 2 | 4 | 2 | 6 | | | | | | | | | | | 1 | 2 | | | |
| Burns: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Conflagration | 1 | | 1 | | 1 | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | |
| Hot Object | 1 | 1 | | 1 | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidental | 5 | 4 | 1 | 2 | 1 | 1 | | 1 | | 4 | 1 | 4 | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 7 | 5 | 2 | 3 | 2 | 1 | | 1 | | 5 | 1 | 5 | 1 | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | |
| Carbon Monoxide: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Auto Exhaust | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | 1 | |
| TOTAL | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | |
| Cuts and Stabs: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nail | 1 | | 1 | | | | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | | 1 | | | | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Electrocution: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Live Wire | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | 1 | |
| TOTAL | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | |
| Exposure: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| To Cold | 3 | 3 | | 3 | | | | | | | | | | | | | | 3 | | 2 | | 1 | | | | | | | | | | | | | | 1 | |
| TOTAL | 3 | 3 | | 3 | | | | | | | | | | | | | | 3 | | 2 | | 1 | | | | | | | | | | | | | | | |
| Firearms: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Handling | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | 1 | |
| TOTAL | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | |

FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

MODE-AGE GROUPS

Table Number 30

| MODE | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND | | | | |
|---------------------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|---|----------|----------|----------|----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|-----------|----------|----------|----------|----------|-----------|-----------|-----------|------------|------------|------------|----|----|---|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | TOTAL | | | | | |
| Airplane | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | 6 | 6 | | | | |
| Asphyxiation | | | | | 2 | 1 | 1 | 1 | 3 | 2 | 3 | | 2 | | 2 | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | 17 | 4 | 21 | | |
| Burns | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 2 | 7 | | |
| Carbon Monoxide | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| Cuts and Stabs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| Electrocutions | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| Exposures | | | | | | | | | | | | | | | | 1 | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | 3 | 3 | |
| Falls | | | | 2 | | | 1 | | 1 | | | | | | 3 | 1 | | | 1 | 1 | 3 | 1 | | | 5 | | 2 | 3 | 2 | 3 | 2 | 4 | 4 | 9 | 20 | 35 | 44 | 59 | 103 | | | | |
| Firearms | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| Poisoning | | | | | | | | | | 3 | | | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 5 | |
| Railroad | | | | | | | | | | 1 | | | | | 1 | | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | 4 | 1 | 5 |
| Therapeutic Complications | 1 | 2 | 2 | 2 | 1 | 2 | | | | | 2 | 3 | | | | | 2 | 2 | 3 | 3 | 5 | 8 | 6 | 4 | 9 | 1 | 3 | 5 | 9 | 2 | 4 | 4 | 1 | 1 | | | 2 | 48 | 41 | 89 | | | |
| Miscellaneous | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 |
| TOTAL | 1 | 2 | 2 | 4 | 3 | 3 | 2 | 1 | 4 | 2 | 10 | 3 | 5 | | 7 | 2 | 5 | 3 | 8 | 4 | 10 | 9 | 10 | 4 | 15 | 1 | 6 | 10 | 13 | 5 | 6 | 8 | 7 | 12 | 21 | 37 | 135 | 110 | 245 | | | | |

FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

FALLS-ALCOHOL INCIDENCE

Table Number 31

| FALLS BY CODE * | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | |
|--------------------------------------|------------|------------|-----------|-----------|-----------|-----------------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| E 880 - On Stairs | 12 | 7 | 5 | 4 | 5 | 4 | 3 | | 1 | | 1 | 3 | | 1 | | 2 | 1 | | | | 1 | | | | | | | | | | |
| E 882 - From Building | 3 | 3 | | 2 | | 1 | | 1 | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| E 883 - Into Sewer | 1 | | 1 | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| <u>E 884 - One level to another:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bed | 14 | 5 | 9 | 5 | 8 | 4 | 7 | | | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | |
| Chair | 6 | 1 | 5 | 1 | 5 | 1 | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| Stool | 1 | 1 | | 1 | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| Walker | 4 | | 4 | | 4 | | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Wheelchair | 3 | 2 | 1 | 2 | 1 | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| E 885 - Same Level | 47 | 21 | 26 | 18 | 24 | 18 | 23 | | 1 | | | 3 | 2 | 3 | 2 | | | | | | | | | | | | | | | | |
| E 886 - Pushed | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>E 887 - Unspecified:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unknown | 11 | 3 | 8 | 2 | 7 | 1 | 6 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | |
| TOTAL | 103 | 44 | 59 | 36 | 55 | 32 | 49 | 1 | 3 | 2 | 3 | 9 | 4 | 7 | 4 | 2 | 1 | | | | | 1 | | | | | | | | | |

* International Classification of Diseases by World Health Organization: Volume 1.

FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

FALLS—AGE GROUPS


Table Number 32

| FALLS BY CODE* | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND | |
|-------------------------------|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|----|-------|----|-------|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E 880 - On Stairs | | | | 1 | | | | | | | | | | | 1 | | | | | | | 2 | | | | 1 | 1 | 1 | 1 | | | | 2 | 1 | 7 | 5 | 12 | | | |
| E 882 - From Building | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 3 | | 3 | | |
| E 883 - Into Sewer | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| E 884 - One level to another: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bed | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | 1 | 1 | | 1 | 2 | 2 | 6 | 5 | 9 | 14 | |
| Chair | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 | 4 | 1 | 5 | 6 | |
| Stool | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| Walker | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | 4 | 4 | |
| Wheelchair | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2 | 1 | 3 | |
| E 885 - Same Level | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | | | | 3 | | 1 | 2 | 1 | | | 3 | 2 | 3 | 12 | 17 | 21 | 26 | 47 | |
| E 886 - Pushed | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | 1 |
| E 887 - Unspecified | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unknown | | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | | 1 | | | | 1 | 1 | 2 | | | 3 | 3 | 8 | 11 | |
| TOTAL | | | | 2 | | | 1 | | 1 | | | | | | 3 | 1 | | | 1 | 1 | 3 | 1 | | | 5 | | 2 | 3 | 2 | 3 | 2 | 4 | 4 | 9 | 20 | 35 | 44 | 59 | 103 | |

* International Classification of Diseases by World Health Organization: Volume 1.

VEHICULAR ACCIDENTS


FOR A PERIOD OF TWELVE YEARS



236.7 AVERAGE

| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 147 | 72 |
| | FEMALE | 57 | 28 |
| RACE | WHITE | 156 | 76 |
| | NON-WHITE | 48 | 24 |
| ALCOHOL | TESTED | 144 | 71 |
| | POSITIVE | 66 | 46 |
| AUTOPSY | AUTOPSIED | 192 | 94 |

BY MONTH FOR THE YEAR 1974



17.0 AVERAGE


1974
TOTAL CASES
204

DISTRIBUTION OF VEHICULAR FATALITIES

Map 4

TRAFFIC

| | |
|------------------------|------------|
| CLEVELAND | 102 |
| OTHER CITIES | 62 |
| VILLAGES AND TOWNSHIPS | 14 |
| TURNPIKES IN COUNTY | 6 |
| OUT OF COUNTY | 15 |
| TOTAL | 199 |



APPROXIMATE PERCENT OF ALCOHOL CONCENTRATION IN BLOOD*

| | | | | | | | | | | | |
|-----------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| BODY WEIGHT IN POUNDS | 100 | 0.038 | 0.075 | 0.113 | 0.150 | 0.188 | 0.225 | 0.263 | 0.300 | 0.338 | 0.375 |
| | 120 | 0.031 | 0.063 | 0.094 | 0.125 | 0.156 | 0.188 | 0.219 | 0.250 | 0.281 | 0.313 |
| | 140 | 0.027 | 0.054 | 0.080 | 0.107 | 0.134 | 0.161 | 0.188 | 0.214 | 0.241 | 0.268 |
| | 150 | 0.025 | 0.051 | 0.075 | 0.101 | 0.126 | 0.151 | 0.176 | 0.201 | 0.226 | 0.251 |
| | 160 | 0.023 | 0.047 | 0.070 | 0.094 | 0.117 | 0.141 | 0.164 | 0.188 | 0.211 | 0.234 |
| | 180 | 0.021 | 0.042 | 0.063 | 0.083 | 0.104 | 0.125 | 0.146 | 0.167 | 0.188 | 0.208 |
| | 200 | 0.019 | 0.038 | 0.056 | 0.075 | 0.094 | 0.113 | 0.131 | 0.150 | 0.169 | 0.188 |
| | 220 | 0.017 | 0.034 | 0.051 | 0.068 | 0.085 | 0.102 | 0.119 | 0.136 | 0.153 | 0.170 |
| | 240 | 0.016 | 0.031 | 0.047 | 0.063 | 0.078 | 0.094 | 0.109 | 0.125 | 0.141 | 0.156 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

TOTAL NUMBER OF DRINKS**

- * If these drinks were not taken within one hour deduct one drink from the total number of drinks for each hour that elapsed between the first and last drink.
- ** A drink is defined as one ounce of 100 proof of "hard liquor" (whiskey, vodka, gin, etc.) or twelve ounces of 4% beer or three ounces of fortified wine.

PHARMACOLOGICAL EFFECT OF ALCOHOL

SOMESTHETO-PSYCHIC AREA

AFFECTED BY 0.10-0.30% ALCOHOL

DULLED OR DISTORTED SENSIBILITIES

PSYCHOMOTOR AREA


AFFECTED BY 0.10-0.20% ALCOHOL

APRAXIA TREMORS
 AGRAPHLA SLURRED SPEECH
 ATAXIA LOSS OF SKILL

FRONTAL LOBE

AFFECTED BY 0.01-0.10% ALCOHOL

REACTION IS COLORED BY
 INDIVIDUAL'S PERSONALITY
 REMOVAL OF INHIBITIONS
 LOSS OF SELF CONTROL
 WEAKNESS OF WILL POWER
 DEVELOPMENT OF EUPHORIA
 FEELING OF WELL BEING
 EXALTATION
 INCREASED CONFIDENCE
 EXPANSIVENESS
 GENEROSITY
 ALTERED JUDGEMENT
 INCREASED GOOD FELLOWSHIP
 LOQUACIOUSNESS
 DULLING OF ATTENTION



VISUO-PSYCHIC AREAS

AFFECTED BY 0.20-0.30% ALCOHOL

DISTURBANCE OF:

| | |
|------------------|----------|
| COLOR PERCEPTION | FORM |
| DIMENSIONS | MOTION |
| DIPLOPIA | DISTANCE |

CEREBELLUM

AFFECTED BY 0.15-0.35% ALCOHOL

DISTURBANCE OF EQUILIBRIUM

"THE ACTION OF ALCOHOL ON THE
 BRAIN IS FROM FIRST TO LAST
 LIKE THAT OF A NARCOTIC DRUG"

DIENCEPHALON


AFFECTED BY 0.25-0.40% ALCOHOL

APATHY
 INERTIA
 TREMORS
 CESSATION OF AUTOMATIC MOVEMENTS
 SWEATING
 DILATION OF SURFACE CAPILLARIES
 STUPOR
 COMA





MEDULLA

AFFLICTED BY 0.40-0.50% ALCOHOL


DEPRESSION OF RESPIRATION
 PERIPHERAL COLLAPSE
 SUBNORMAL TEMPERATURE
 DEATH



VEHICULAR FATALITIES DAILY INCIDENCE



VEHICULAR FATALITIES DAILY ALCOHOL INCIDENCE








* INCLUDES 10 MOTORCYCLE DRIVERS
AND 7 BICYCLE DRIVERS

| | | |
|--------------|---------------|-----------------|
| DRIVERS: | 73 | 34 |
| PASSENGERS: | 29 | 14 |
| PEDESTRIANS: | 42 | 18 |
| TOTAL | 144 | 66 |
| | TESTED | POSITIVE |

VEHICULAR FATALITIES

AGE GROUPS—CLASSIFICATION OF VICTIMS



VEHICULAR FATALITIES

CLASSIFICATION OF VICTIMS-ALCOHOL INCIDENCE

Table Number 33

| CLASSIFICATION | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|------------|------------|-----------|-----------|-----------|-----------|-----------|---------------|----------|-----------|----------|-----------|-----------|-----------------|----------|-----------|-----------|--------|----------|------------|-----------|-----------|-----------|-----------|----------|----------------|----------|----------------|---|----------------|----------|----------------|---|----------------|----------|----------------|----------|------------------|----------|---|---|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| BICYCLIST | 7 | 7 | | | | 4 | | 3 | | | | | | 5 | 1 | | 4 | | | | 2 | | 2 | | | | | | | | | | | | | | | | | | |
| DRIVER* | 87 | 73 | 14 | 37 | 4 | 25 | 7 | 7 | 3 | 4 | | | | 13 | 3 | 13 | 2 | | | 1 | 60 | 11 | 28 | 9 | 32 | 2 | 4 | | 3 | | 5 | | 4 | | 8 | 1 | 7 | | 1 | 1 | |
| PASSENGER | 45 | 23 | 22 | 13 | 6 | 9 | 14 | 1 | | | | | | 2 | 7 | 9 | 5 | 4 | 2 | 5 | | 16 | 13 | 6 | 9 | 10 | 4 | 2 | 2 | 4 | | 1 | 1 | | | | | 2 | | 1 | 1 |
| PEDESTRIAN | 65 | 44 | 21 | 31 | 15 | 12 | 6 | 1 | | | | | | 14 | 9 | 6 | 3 | 8 | 6 | | 30 | 12 | 14 | 10 | 16 | 2 | 2 | | | | 2 | | 2 | | 5 | | 2 | 1 | 3 | 1 | |
| TOTAL | 204 | 147 | 57 | 81 | 25 | 50 | 27 | 12 | 3 | 4 | 2 | 39 | 21 | 25 | 9 | 14 | 11 | | 1 | 108 | 36 | 50 | 28 | 58 | 8 | 8 | 2 | 7 | | 8 | 1 | 6 | | 13 | 1 | 11 | 1 | 5 | 3 | | |

* Includes (10) Motorcyclist Drivers

MONTHLY ALCOHOL INCIDENCE

Table Number 34

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|------------|------------|-----------|-----------|-----------|-----------|-----------|---------------|----------|-----------|----------|-----------|-----------|-----------------|----------|-----------|-----------|--------|----------|------------|-----------|-----------|-----------|-----------|----------|----------------|----------|----------------|---|----------------|----------|----------------|---|----------------|----------|----------------|----------|------------------|----------|---|---|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| JANUARY | 6 | 3 | 3 | 2 | | 1 | 3 | | | | | | | 1 | | | 1 | | | | 2 | 3 | 1 | 2 | 1 | 1 | | | | | | | | | | | | 1 | | | 1 |
| FEBRUARY | 18 | 14 | 4 | 6 | | 5 | 4 | 3 | | | | | | 3 | 1 | 3 | 1 | | | | 11 | 3 | 6 | 2 | 5 | 1 | | 1 | 1 | | | | | 1 | | 1 | | 2 | | | |
| MARCH | 16 | 11 | 5 | 6 | 3 | 4 | 1 | 1 | 1 | | | | | 4 | 1 | 2 | 1 | 2 | | | 7 | 4 | 2 | 3 | 5 | 1 | 1 | | | | | | | 1 | | 1 | 1 | 2 | | | |
| APRIL | 14 | 12 | 2 | 5 | 2 | 5 | | 2 | | | | | | 3 | 1 | 3 | 1 | | | | 9 | 1 | 5 | 1 | 4 | | 2 | 1 | | | | | 1 | | | | | | | | |
| MAY | 24 | 15 | 9 | 10 | 4 | 4 | 3 | | | 1 | 2 | | | 1 | 5 | 1 | 2 | 1 | 3 | | 14 | 4 | 7 | 2 | 7 | 2 | 1 | 1 | 1 | | 2 | 1 | | | 1 | | | | | 1 | |
| JUNE | 14 | 12 | 2 | 8 | | 2 | 1 | 2 | 1 | | | | | 4 | 1 | 1 | 1 | 3 | | | 8 | 1 | 5 | 1 | 3 | | | | 1 | | 1 | | 1 | | 1 | | | | | | |
| JULY | 16 | 12 | 4 | 8 | 3 | 3 | 1 | | | 1 | | | | 5 | 1 | 2 | 1 | 3 | | | 7 | 3 | 2 | 3 | 5 | | | 3 | | 2 | | | | | | | | | | | |
| AUGUST | 16 | 12 | 4 | 5 | 4 | 6 | | | | 1 | | | | 4 | 3 | 2 | | 2 | 3 | | 8 | 1 | 6 | 1 | 2 | | 1 | | | | | | | | | | 1 | | | | |
| SEPTEMBER | 19 | 12 | 7 | 8 | 2 | 4 | 5 | | | | | | | 2 | 4 | 1 | 1 | 1 | 3 | | 10 | 3 | 4 | 3 | 6 | | | 3 | | 1 | | | | | | 1 | | 1 | | 1 | |
| OCTOBER | 23 | 14 | 9 | 7 | 5 | 4 | 3 | 2 | 1 | 1 | | | | 5 | 3 | 5 | 1 | | 2 | | 9 | 6 | 4 | 3 | 5 | 3 | 1 | | 1 | | | | | | 1 | 1 | 2 | | | | 2 |
| NOVEMBER | 20 | 16 | 4 | 10 | 2 | 5 | 2 | 1 | | | | | | 2 | 1 | 1 | | 1 | | 1 | 14 | 3 | 6 | 3 | 8 | | 2 | | | | | | 2 | | 2 | | 1 | | | 1 | |
| DECEMBER | 18 | 14 | 4 | 6 | | 7 | 4 | 1 | | | | | | 4 | | 4 | | | | | 10 | 4 | 2 | 4 | 8 | | | | | | | | | 6 | | 2 | | | | | |
| TOTAL | 204 | 147 | 57 | 81 | 25 | 50 | 27 | 12 | 3 | 4 | 2 | 39 | 21 | 25 | 9 | 14 | 11 | | 1 | 108 | 36 | 50 | 28 | 58 | 8 | 8 | 2 | 7 | | 8 | 1 | 6 | | 13 | 1 | 11 | 1 | 5 | 3 | | |

VEHICULAR FATALITIES DAILY ALCOHOL INCIDENCE

Table Number 35

| DAY | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | |
|--------------|------------|------------|-----------|-----------------|-----------|-----------|----------|-----------|-----------|-------|----------|------------|-----------|-----------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|------------------|----------|----------|---|-----------|----------|-----------|----------|----------|----------|
| | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | 0.05% 0.09% | 0.10% 0.14% | 0.15% 0.19% | 0.20% 0.24% | 0.25% 0.29% | 0.30% or over | | | | | | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| SUNDAY | 31 | 22 | 9 | 8 | 3 | 4 | 1 | 4 | 2 | | | 14 | 6 | 6 | 4 | 8 | 2 | | 1 | 1 | | | 1 | | 2 | | 2 | 1 | 2 | | |
| MONDAY | 31 | 19 | 12 | 3 | 4 | 1 | 4 | 2 | | | | 16 | 8 | 7 | 7 | 9 | 1 | 1 | | 2 | | 1 | | | 5 | 1 | | | | | |
| TUESDAY | 25 | 16 | 9 | 4 | 1 | 4 | | | 1 | | | 12 | 8 | 7 | 7 | 5 | 1 | 3 | | | | | | | | | 2 | | 1 | | |
| WEDNESDAY | 19 | 15 | 4 | 8 | 3 | 3 | 1 | 5 | 2 | | | 7 | 1 | 4 | 1 | 3 | | | 1 | | 2 | | | | | | | | | | |
| THURSDAY | 38 | 25 | 13 | 4 | 7 | 4 | 2 | | 5 | | | 21 | 6 | 11 | 4 | 10 | 2 | 2 | 1 | 1 | | 1 | 1 | | 3 | | 2 | | 1 | | |
| FRIDAY | 24 | 19 | 5 | 3 | 2 | 2 | 1 | 1 | 1 | | | 16 | 3 | 7 | 3 | 9 | | 2 | | | 2 | | 2 | | 1 | | 1 | | 1 | | |
| SATURDAY | 36 | 31 | 5 | 9 | 1 | 7 | | 2 | | 1 | | 22 | 4 | 8 | 2 | 14 | 2 | | | 2 | | 3 | | 2 | | 2 | | 4 | | 1 | 2 |
| TOTAL | 204 | 147 | 57 | 39 | 21 | 25 | 9 | 14 | 11 | | 1 | 108 | 36 | 50 | 28 | 58 | 8 | 8 | 2 | 7 | | 8 | 1 | 6 | | 13 | 1 | 11 | 1 | 5 | 3 |

VEHICULAR FATALITIES AGE-RACE-ALCOHOL INCIDENCE

Table Number 36

| AGE | RACE | TOTAL | NOT TESTED | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | |
|--------------|-----------|-------|------------|----|-------|----|-----------------|---|-----------|----|-------|----|-------|----|--------|----|------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Under 1 Year | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | White | 4 | 4 | | 4 | | | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 3 | | 3 | | 3 | | | | 3 | | | | | | | | | | | | | | | | | | | | | | |
| 5 - 9 | White | 4 | 1 | 3 | 1 | 3 | | | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 8 | 3 | 5 | 3 | 5 | | | 3 | 5 | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | White | 9 | 8 | 1 | 6 | | | | 6 | | | | 2 | 1 | 2 | | | | | | | 1 | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 - 19 | White | 22 | 14 | 8 | 1 | 3 | 1 | 3 | | | | 13 | 5 | 8 | 4 | 5 | 1 | 2 | 1 | 2 | | 1 | | | | | | | | | | |
| | Non-White | 4 | 4 | | | | | | | | | 4 | | 3 | | 1 | | | | | | 1 | | | | | | | | | | |
| 20 - 24 | White | 25 | 19 | 6 | 3 | | 3 | | | | | 16 | 6 | 6 | 4 | 10 | 2 | 2 | | 2 | | 2 | | 1 | 2 | 1 | 1 | 1 | | | | |
| | Non-White | 3 | 2 | 1 | 1 | | 1 | | | | | 1 | 1 | | 1 | 1 | | | | | | 1 | | | | | | | | | | |
| 25 - 29 | White | 10 | 9 | 1 | 1 | | 1 | | | | | 8 | 1 | 3 | | 5 | 1 | | 1 | 1 | | 2 | | 1 | | 1 | | | | | | |
| | Non-White | 2 | 2 | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | | | | | | | |
| 30 - 34 | White | 5 | 4 | 1 | | | | | | | | 4 | 1 | 1 | 1 | 3 | | 1 | | | | 1 | | | | 1 | | | | | | |
| | Non-White | 3 | 1 | 2 | | | | | | | | 1 | 2 | | 1 | 1 | 1 | | | | | | | 1 | | | | 1 | | | | |
| 35 - 39 | White | 8 | 6 | 2 | 1 | | 1 | | | | | 5 | 2 | 3 | 2 | 2 | | | | | | 1 | | 1 | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | 1 | | | | | |
| 40 - 44 | White | 8 | 6 | 2 | 1 | | 1 | | | | | 5 | 2 | 1 | 1 | 4 | 1 | | | 1 | | | | 1 | | 2 | | 1 | | | | |
| | Non-White | 5 | 4 | 1 | | | | | | | | 4 | 1 | 1 | 1 | 3 | | | | | 1 | | 1 | | | 1 | | | | | | |
| 45 - 49 | White | 10 | 9 | 1 | 2 | | 2 | | | | | 7 | 1 | 3 | 1 | 4 | | | | | | | | 1 | | 2 | | 1 | | | | |
| | Non-White | 2 | 2 | | 1 | | 1 | | | | | 1 | | | | 1 | | | | 1 | | | | | | | | | | | | |
| 50 - 54 | White | 6 | 4 | 2 | | 1 | | 1 | | | | 4 | 1 | 2 | 1 | 2 | | | | | | | | 2 | | | | | | | | |
| | Non-White | 4 | 4 | | 1 | | 1 | | | | | 3 | | 1 | | 2 | | | | | | | | 1 | | | 1 | | | | | |
| 55 - 59 | White | 6 | 5 | 1 | 1 | | 1 | | | | | 4 | 1 | 1 | 1 | 3 | | 1 | | | | | | | | 1 | | 1 | | | | |
| | Non-White | 7 | 4 | 3 | 1 | | 1 | | | | | 3 | 3 | 1 | 2 | 2 | 1 | | | | | | | | 1 | | 1 | 1 | | | | |
| 60 - 64 | White | 8 | 6 | 2 | | | | | | | | 6 | 2 | 4 | 2 | 2 | | | | | | | | | 1 | | 1 | | | | | |
| | Non-White | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65 - 69 | White | 9 | 7 | 2 | 2 | 1 | 2 | 1 | | | | 5 | 1 | 2 | 1 | 3 | | 1 | | | | | | | 1 | | 1 | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| 70 - 74 | White | 5 | 4 | 1 | 1 | | 1 | | | | | 3 | 1 | 1 | 1 | 2 | | | | 1 | | 1 | | | | | | | | | | |
| | Non-White | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 - 79 | White | 8 | 2 | 6 | 2 | 3 | 2 | 2 | | | 1 | | 3 | | 3 | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 - over | White | 9 | 7 | 2 | 3 | 1 | 3 | 1 | | | | 4 | 1 | 4 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| TOTAL | White | 156 | 115 | 41 | 29 | 12 | 18 | 8 | 11 | 3 | | 1 | 86 | 29 | 41 | 23 | 45 | 6 | 7 | 2 | 7 | | 5 | 1 | 4 | | 10 | 1 | 10 | 1 | 2 | 1 |
| | Non-White | 48 | 32 | 16 | 10 | 9 | 7 | 1 | 3 | 8 | | | 22 | 7 | 9 | 5 | 13 | 2 | 1 | | | | 3 | | 2 | | 3 | | 1 | 3 | 2 | |
| GRAND TOTAL | | 204 | 147 | 57 | 39 | 21 | 25 | 9 | 14 | 11 | | 1 | 108 | 36 | 50 | 28 | 58 | 8 | 8 | 2 | 7 | | 8 | 1 | 6 | | 13 | 1 | 11 | 1 | 5 | 3 |

VEHICULAR FATALITIES NON-TRAFFIC ALCOHOL INCIDENCE

Table Number 38

| TYPE | TOTAL | NOT TESTED | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | |
|--|-------|------------|---|--------|---|--------|---|---------------|---|-----------|---|-------|---|-----------------|---|-----------|---|-------|---|--------|---|------|---|------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|--|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| COLLISION: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Auto-Pedestrian</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Struck by auto on private property | 2 | 2 | | 1 | | 1 | | | | | | 1 | 1 | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| <u>Truck-Pedestrian</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Struck by truck on private property | 2 | 2 | | 2 | | | | | | | | | | | | | | | | 2 | 1 | | 1 | | | | | | | | | | | | | | | | |
| TOTAL | 4 | 4 | | 3 | | 1 | | | | | | 1 | 1 | | | | | | 3 | 2 | | 1 | | | | | | | | | | | | | | | | | |
| NON-COLLISION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Auto-Driver</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Head was crushed between auto and building while backing car out of driveway | 1 | 1 | | 1 | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | |
| TOTAL | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | |

VEHICULAR FATALITIES TRAFFIC-COLLISION-ALCOHOL INCIDENCE

Table Number 3

| TYPE | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-------|------------|----|--------|----|--------|----|---------------|---|-----------|---|--------|----|-----------------|---|-----------|----|--------|----|-------|----|------|----|------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------------|---|-------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0. or | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | | | |
| Pedestrian: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Auto | 57 | 37 | 20 | 25 | 15 | 11 | 5 | 1 | | | | 12 | 9 | 4 | 3 | 8 | 6 | | | 25 | 11 | 10 | 9 | 15 | 2 | 2 | | | | 2 | | 1 | | 5 | | 2 | 1 | 3 | |
| Bus | 1 | | 1 | | | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| Motorcycle | 1 | 1 | | 1 | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tractor-Trailer | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Truck | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Auto-Auto: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 26 | 20 | 6 | 12 | 3 | 7 | 2 | 1 | 1 | | | 6 | | 6 | | | | | 14 | 6 | 6 | 6 | 8 | | 1 | | | | | | | | 1 | | 2 | | 4 | | |
| Passenger | 20 | 9 | 11 | 6 | 3 | 3 | 8 | | | | | 2 | 5 | 2 | 2 | | 3 | | 7 | 6 | 3 | 5 | 4 | 1 | 1 | | 2 | | | | | | | | | | 1 | | |
| Auto-Bicyclist: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 4 | 4 | | | | 1 | | | 3 | | | 2 | | | | 2 | | | 2 | | 2 | | | | | | | | | | | | | | | | | | |
| Auto-Bus: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | |
| Auto-Fixed Object: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 29 | 23 | 6 | 11 | 1 | 9 | 4 | 2 | 1 | 1 | | 3 | 2 | 3 | 1 | | | 1 | 20 | 4 | 8 | 2 | 12 | 2 | | | 2 | | | | | | | | | | | 1 | |
| Passenger | 13 | 6 | 7 | 4 | 3 | 2 | 4 | | | | | 1 | 4 | 1 | 2 | | 2 | | 5 | 3 | 1 | 3 | 4 | | 1 | | 1 | | | | | | | | | | | 1 | |
| Auto-Motorcycle: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyclist | 5 | 5 | | 4 | | 1 | | | | | | 2 | | 2 | | | | | 3 | | 2 | | 1 | | | | | | | | | | | | | | | | |
| Auto-Parked-Auto: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | 1 |
| Auto-Tractor-Trailer: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 2 | 2 | | | | 1 | | | | | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | | | | | | | |
| Passenger | 6 | 2 | 4 | 1 | | 1 | 2 | | | | | | | | | | | | 2 | 4 | 1 | 1 | 1 | 3 | | 2 | | | | | | | | | | | | 1 | |
| Auto-Train: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Auto-Truck: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 7 | 7 | | 2 | | 3 | | 2 | | | | 2 | | 2 | | | | | 5 | | 4 | | 1 | | 1 | | | | | | | | | | | | | | |
| Passenger | 1 | 1 | | | | 1 | | | | | | 1 | | | | | 1 | | | | 4 | | | | | | | | | | | | | | | | | | |
| Bicycle-Bicycle: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 1 | 1 | | | | 1 | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bus-Truck: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Passenger | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | | | 1 | | | | 1 | | | | | | | | | | | | |
| Motorcycle-Fixed Object: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyclist | 3 | 3 | | 1 | | 1 | | 1 | | | | | | | | | | | 3 | | | | 3 | | 1 | | | | | | | | | | | | | | 1 |
| Motorcycle-Truck: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyclist | 1 | 1 | | | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Train-Bicycle: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 1 | 1 | | | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Truck-Bicycle: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 1 | 1 | | | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Truck-Tractor-Trailer: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| Truck-Fixed Object: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 4 | 4 | | 2 | | 1 | | | | | | | | | | | | | 4 | | 2 | | 2 | | | | | | | | | | | | | | | | 1 |
| Passenger | 1 | 1 | | 1 | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | |
| TOTAL | 192 | 137 | 55 | 75 | 25 | 48 | 26 | 10 | 2 | 4 | 2 | 35 | 20 | 22 | 8 | 13 | 11 | | 1 | 102 | 35 | 47 | 27 | 55 | 8 | 7 | 2 | 6 | | 8 | 1 | 5 | | 13 | 1 | 11 | 1 | 5 | |

VEHICULAR FATALITIES TRAFFIC-COLLISION-ALCOHOL INCIDENCE PEDESTRIANS

Table Number 39 A

| TYPE | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-----------|------------|-----------|-----------|-----------|-----------|----------|---------------|---|-----------|---|-----------|----------|-----------------|----------|-----------|----------|--------|---|-----------|-----------|-----------|-----------|-----------|----------|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|----------|------------------|----------|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| <u>Pedestrian:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Auto | 57 | 37 | 20 | 25 | 15 | 11 | 5 | 1 | | | | 12 | 9 | 4 | 3 | 8 | 6 | | | 25 | 11 | 10 | 9 | 15 | 2 | | | | | 2 | | 1 | | 5 | | 2 | 1 | 3 | 1 |
| Bus | 1 | | 1 | | | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| Motorcycle | 1 | 1 | | 1 | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tractor-Trailer | 1 | 1 | | 1 | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| Truck | 1 | 1 | | 1 | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| TOTAL | 61 | 40 | 21 | 28 | 15 | 11 | 6 | 1 | | | | 13 | 9 | 5 | 3 | 8 | 6 | | | 27 | 12 | 12 | 10 | 15 | 2 | | | | | 2 | | 1 | | 5 | | 2 | 1 | 3 | 1 |

VEHICULAR FATALITIES TRAFFIC-COLLISION-ALCOHOL INCIDENCE ALL DRIVERS

Table Number 39 B

| TYPE | TOTAL | NOT TESTED | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-----------|------------|-----------|-----------|----------|-----------|----------|---------------|----------|-----------|---|-----------|----------|-----------------|----------|-----------|---|-------|----------|-----------|-----------|-----------|----------|-----------|----------|----------------|---|----------------|---|----------------|---|----------------|----------|----------------|----------|----------------|----------|------------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| <u>Drivers:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Auto-Auto:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Drivers | 26 | 20 | 6 | 12 | 3 | 7 | 2 | 1 | 1 | | | 6 | 6 | | | | | | | 14 | 6 | 6 | 6 | 8 | 1 | | | | | | | | | 1 | 2 | 4 | | | |
| <u>Auto-Bicycle:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 4 | 4 | | | | | | | 1 | | | 3 | | | | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| <u>Auto-Bus:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | 1 | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | 1 | | |
| <u>Auto-Fixed Object:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 29 | 23 | 6 | 11 | 1 | 9 | 4 | 2 | 1 | 1 | | 3 | 2 | 3 | 1 | | | | 1 | 20 | 4 | 8 | 2 | 12 | 2 | | | 2 | | 3 | | 1 | | 4 | 1 | 1 | | 1 | 1 |
| <u>Auto-Motorcycle:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyclist | 5 | 5 | | | 4 | | | | 1 | | | | | 2 | | 2 | | | | 3 | | 2 | | 1 | | | | | | | | | | | | | | | |
| <u>Auto-Parked Auto:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | 1 | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 |
| <u>Auto-Tractor-</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Trailer:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 2 | 2 | | | | | | | | | | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | | | | | 1 | |
| <u>Auto-Train:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| <u>Auto-Truck:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 7 | 7 | | | 2 | | | | | | | 2 | | 2 | | | | | | 5 | | 4 | | 1 | | 1 | | | | | | | | | | | | | |
| <u>Bicycle-Bicycle:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 1 | 1 | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Bus-Truck:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | 1 | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| <u>Motorcycle-Fixed Object:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyclist | 3 | 3 | | | 1 | | | | | | | | | | | | | | | 3 | | | | 3 | | 1 | | | | | | | | | | | 1 | | |
| <u>Motorcycle-Truck:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyclist | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| <u>Train-Bicycle:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| <u>Truck-Bicycle:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| <u>Truck-Tractor-</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Trailer:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| <u>Truck-Fixed Object:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 4 | 4 | | | 2 | | | | | | | | | | | | | | | 4 | | 2 | | 2 | | | | | | | | | | | | | 1 | | |
| TOTAL | 89 | 77 | 12 | 35 | 4 | 29 | 6 | 9 | 2 | 4 | | 18 | 2 | 14 | 1 | 4 | | | 1 | 59 | 10 | 29 | 8 | 30 | 2 | 3 | | 2 | | 5 | | 4 | 8 | 1 | 7 | | 1 | 1 | |

VEHICULAR FATALITIES

ROAD CONDITIONS—ALCOHOL INCIDENCE

Table Number 43

| ROAD | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | |
|--------------|------------|------------|-----------|-----------|-----------|-----------|-----------|---------------|----------|-----------|----------|-----------|-----------|-----------------|----------|-----------|-----------|----------|------------|-----------|-----------|-----------|-----------|----------|----------|-------------|----------|-------------|----------|-------------|-----------|-------------|-----------|-------------|----------|-------------|---|---------------|--|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| DRY | 141 | 104 | 37 | 58 | 17 | 32 | 15 | 10 | 3 | 4 | 2 | 31 | 17 | 18 | 7 | 13 | 9 | 1 | 73 | 20 | 30 | 17 | 43 | 3 | 6 | 1 | 6 | 7 | 1 | 4 | 6 | 1 | 10 | 4 | | | | | |
| ICE | 1 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SNOW | 7 | 5 | 2 | 2 | | 2 | 2 | 1 | | | | 3 | 1 | 3 | 1 | | | | 2 | 1 | 1 | 1 | 1 | | | 1 | | | | | | | | | | | | | |
| WET | 52 | 36 | 16 | 21 | 8 | 15 | 8 | | | | 4 | 3 | 3 | 1 | 1 | 2 | | 32 | 13 | 18 | 8 | 14 | 5 | 2 | 1 | | 1 | 2 | 7 | 1 | 1 | 1 | 3 | | | | | | |
| UNKNOWN | 3 | 2 | 1 | | | 1 | 1 | 1 | | | 1 | | 1 | | | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | |
| TOTAL | 204 | 147 | 57 | 81 | 25 | 50 | 27 | 12 | 3 | 4 | 2 | 39 | 21 | 25 | 9 | 14 | 11 | 1 | 108 | 36 | 50 | 28 | 58 | 8 | 8 | 2 | 7 | 8 | 1 | 6 | 13 | 1 | 11 | 1 | 5 | 3 | | | |

VEHICULAR FATALITIES

LIGHT CONDITIONS—ALCOHOL INCIDENCE

Table Number 44

| LIGHT | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|------------|------------|-----------|-----------|-----------|-----------|-----------|---------------|----------|-----------|----------|-----------|-----------|-----------------|----------|-----------|-----------|----------|------------|-----------|-----------|-----------|-----------|----------|----------|-------------|----------|-------------|----------|-------------|-----------|-------------|-----------|-------------|----------|-------------|--|---------------|--|
| | | Total | | Cleve. | | County | | Out Of County | | Turn-Pike | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| DAY | 85 | 59 | 26 | 35 | 14 | 18 | 9 | 4 | 1 | 2 | 2 | 27 | 16 | 15 | 7 | 12 | 9 | | 32 | 10 | 21 | 8 | 11 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | | | 3 | 2 | | | | | |
| NIGHT WITH STREET LIGHTS | 100 | 75 | 25 | 46 | 10 | 28 | 15 | 1 | | | 10 | 4 | 8 | 1 | 2 | 2 | 1 | 65 | 21 | 22 | 15 | 43 | 6 | 7 | 1 | 4 | 6 | 4 | 11 | 1 | 8 | 1 | 3 | 3 | | | | | |
| NIGHT WITHOUT STREET LIGHTS | 17 | 12 | 5 | | 1 | 4 | 2 | 6 | 2 | 2 | 1 | 1 | 1 | 1 | | | | 11 | 4 | 7 | 4 | 4 | | 1 | | 1 | 2 | | | | | | | | | | | | |
| UNKNOWN | 2 | 1 | 1 | | | 1 | 1 | | | 1 | | 1 | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 204 | 147 | 57 | 81 | 25 | 50 | 27 | 12 | 3 | 4 | 2 | 39 | 21 | 25 | 9 | 14 | 11 | 1 | 108 | 36 | 50 | 28 | 58 | 8 | 8 | 2 | 7 | 8 | 1 | 6 | 13 | 1 | 11 | 1 | 5 | 3 | | | |

VEHICULAR FATALITIES

CLASSIFICATION OF VICTIMS-AGE GROUPS

Table Number 45

| CLASSIFICATION | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND |
|----------------|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|-------|-------|-------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | TOTAL | |
| | BICYCLIST | | | | | | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 |
| DRIVER | | | | | | | | | 9 | 3 | 14 | 3 | 3 | | 5 | 1 | 4 | 2 | 3 | | 6 | | 5 | 1 | 3 | 2 | 3 | 1 | 2 | | 1 | | 2 | 1 | 3 | | 63 | 14 | 77 |
| CYCLIST DRIVER | | | | | | | | 2 | | 1 | | 4 | | | | | | 2 | | 1 | | | | | | | | | | | | | | | | | 10 | | 10 |
| PASSENGER | | | 2 | 1 | | 4 | | 1 | 5 | 5 | 3 | 3 | 2 | 1 | | 1 | 2 | | 3 | 3 | 2 | | | | 1 | 2 | | | 1 | 1 | | | 2 | | | | 23 | 22 | 45 |
| PEDESTRIAN | | | 2 | 2 | 4 | 4 | 2 | | 2 | | 3 | 1 | 2 | | | 1 | 1 | | 2 | | 2 | 1 | 3 | 1 | 5 | 2 | 2 | 1 | 5 | 1 | 3 | 2 | 1 | 3 | 5 | 2 | 44 | 21 | 65 |
| TOTAL | | | 4 | 3 | 4 | 8 | 8 | 1 | 18 | 8 | 21 | 7 | 11 | 1 | 5 | 3 | 7 | 2 | 10 | 3 | 11 | 1 | 8 | 2 | 9 | 4 | 7 | 2 | 8 | 2 | 5 | 2 | 3 | 6 | 8 | 2 | 147 | 57 | 204 |

VEHICULAR FATALITIES

MONTH AND AGE GROUPS

Table Number 46

| MONTH | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND | | | |
|--------------|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|-------|-------|-------|----|----|----|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | TOTAL | | | | |
| | JANUARY | | | | | | | 1 | | | | | | | | 1 | | | | 1 | 1 | | | | | | | 1 | | | | | | | | 1 | | | 3 | 3 | 6 | |
| FEBRUARY | | | | | | | 2 | | 1 | | | 1 | 4 | 1 | | 1 | | 1 | | 2 | 1 | | | 1 | | 1 | | | 1 | 1 | | | | | | | | 14 | 4 | 18 | | |
| MARCH | | | 1 | | | | 1 | | 1 | 1 | 2 | | | | 1 | | | | 1 | | | | 1 | 1 | 3 | 2 | | | | | | 1 | | | | | | 11 | 5 | 16 | | |
| APRIL | | | | | | | | 2 | 1 | 2 | | | | | | | | | 2 | 1 | 1 | | 1 | | | | | 2 | | | | | | | 2 | | | | 12 | 2 | 14 | |
| MAY | | | | 1 | 1 | 2 | | 1 | 4 | 2 | 1 | | 1 | | 2 | 1 | | | | 2 | | | 1 | | | | | | | 2 | 1 | | 1 | | 1 | | | 15 | 9 | 24 | | |
| JUNE | | | | | 1 | | 2 | | 3 | 1 | 3 | | | | | | | | 3 | | | | | 1 | | | | | | | | | | | | | | | 12 | 2 | 14 | |
| JULY | | | | | 1 | | 2 | | 5 | | 1 | | 1 | | | | | | | | | | | | | 2 | | | | | 1 | 2 | 1 | | | | | | 12 | 4 | 16 | |
| AUGUST | | | 2 | | | 3 | | | 1 | 1 | | 1 | | 1 | | 2 | | | | | | | | | | 1 | 1 | | 1 | | | | 1 | | 1 | | | | 12 | 4 | 16 | |
| SEPTEMBER | | | | 1 | 1 | 2 | | | 3 | 3 | | 1 | | | | 1 | | 1 | | 1 | | 1 | | 1 | | | | | | | | 1 | 2 | | | | | 12 | 7 | 19 | | |
| OCTOBER | | | | 1 | | 1 | | | | 3 | 2 | 1 | | | 1 | 1 | | 1 | | 2 | | 2 | | 2 | 1 | 1 | | 1 | | | 1 | 1 | | | 1 | | | | 14 | 9 | 23 | |
| NOVEMBER | | | 1 | | | | | 1 | | 4 | 1 | 2 | | | | 1 | | 1 | | 1 | | | | 1 | 3 | | | 1 | | | | 2 | 1 | | | | | | | 16 | 4 | 20 |
| DECEMBER | | | | | | | | 1 | | 2 | 1 | | | | 1 | 1 | 1 | 2 | | 1 | | | 2 | 1 | | | 1 | 1 | 1 | | | 1 | | 1 | | | | | | 14 | 4 | 18 |
| TOTAL | | | 4 | 3 | 4 | 8 | 8 | 1 | 18 | 8 | 21 | 7 | 11 | 1 | 5 | 3 | 7 | 2 | 10 | 3 | 11 | 1 | 8 | 2 | 9 | 4 | 7 | 2 | 8 | 2 | 5 | 2 | 3 | 6 | 8 | 2 | 147 | 57 | 204 | | | |

AUTOPSIES-VEHICULAR FATALITIES

MONTH AND AGE GROUPS

Table Number 47

| MONTH | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | | |
|-----------|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|----|-------|----|-------------|----|----|----|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| JANUARY | | | | | | | 1 | | | | | | | | | 1 | | | | 1 | 1 | | | | | 1 | | | | | | | | | | 1 | 1 | 4 | 4 | 8 | | |
| FEBRUARY | | | | | | | 2 | | 1 | | 1 | | 3 | | | | | | 1 | | 1 | 1 | | | 1 | | 1 | | 1 | | | | | | | | | 12 | 1 | 13 | | |
| MARCH | | | 1 | | | | 1 | | | 1 | 1 | 2 | | | | 1 | | | | 1 | 1 | | | 1 | | | 3 | | 2 | 1 | | | | | | | | | 11 | 5 | 16 | |
| APRIL | | | | | | | | 2 | 1 | 2 | | | | | | | | | 2 | 1 | 1 | | | 1 | | | 1 | | | | 1 | | | | 1 | 1 | | | 11 | 3 | 14 | |
| MAY | | | | 1 | 1 | | | | 3 | | 1 | | 1 | | | 1 | | | | | 2 | | | 1 | | | | 1 | | 2 | 1 | | | 1 | 1 | 1 | 14 | 4 | 18 | | | |
| JUNE | | | | | 1 | 2 | 1 | | 2 | 2 | 3 | | | | | | | | 1 | 2 | 1 | | | | 1 | | | | | | | | | | | | | | 9 | 7 | 16 | |
| JULY | | | | | 1 | | 2 | | 5 | | 1 | | 1 | | | | | | | | | | | 1 | | | 2 | | | | 1 | 1 | | | | | | | 12 | 3 | 15 | |
| AUGUST | | | 2 | | | 3 | | | 1 | | 1 | | 1 | | | 1 | | 1 | | | | | | | | 1 | 1 | | 1 | | 1 | 1 | | | | 1 | | | 11 | 5 | 16 | |
| SEPTEMBER | | | | 1 | 1 | 2 | | | | 3 | 3 | | | | | | 2 | | 1 | | 1 | | 1 | | 1 | | | | | | | | 1 | | 2 | | | | 13 | 6 | 19 | |
| OCTOBER | | | | 1 | | 1 | | | | | 2 | 2 | 1 | | | 1 | 1 | | 1 | | | 2 | | 1 | | | 1 | 1 | | 1 | | | | 1 | 2 | | | | | 10 | 9 | 19 |
| NOVEMBER | | | | | | | | 1 | | 4 | 1 | 2 | | | | 1 | | 1 | | 1 | | | 1 | 4 | | | 1 | | | | | 2 | 1 | 1 | 1 | 16 | 5 | 21 | | | | |
| DECEMBER | | | 1 | | | | | 1 | | 2 | 1 | | | | | 1 | 1 | 1 | 1 | | 1 | | 2 | | 1 | | 1 | 1 | 1 | | | | | | 1 | | | | 13 | 4 | 17 | |
| TOTAL | | | 4 | 3 | 4 | 8 | 7 | | 16 | 7 | 21 | 6 | 9 | | 4 | 3 | 5 | 3 | 8 | 4 | 11 | 1 | 8 | 2 | 8 | 4 | 8 | 2 | 8 | 2 | 5 | 2 | 2 | 6 | 8 | 3 | 136 | 56 | 192 | | | |

VEHICULAR FATALITIES

MAJOR INJURY AND SURVIVAL INTERVAL

Table Number 48

| MAJOR INJURY | BICYCLIST | | | | | DRIVER** | | | | | PASSENGER | | | | | PEDESTRIAN | | | | | TOTAL | | | | | | | | | | |
|--|-----------|------|-------------------|--------------|------------|----------------|-------|------|-------------------|--------------|------------|----------------|-------|------|-------------------|--------------|------------|----------------|-------|------|-------------------|--------------|------------|----------------|-----|-----|----|----|----|----|---|
| | TOTAL | DOA* | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA* | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA* | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA* | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | | | | | | | |
| TO BRAIN: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| With Fracture of Skull only | 5 | | 2 | 1 | 2 | | 14 | 9 | 4 | | | 1 | 13 | 9 | 2 | | | 2 | 16 | 10 | 4 | | | 1 | 1 | 48 | 28 | 12 | 1 | 5 | 2 |
| With Fracture of Skull and Body Fractures | | | | | | 2 | 2 | | | | | | 1 | 1 | | | | | 3 | 1 | | | | 1 | 1 | 6 | 4 | | 1 | 1 | |
| Without Fracture of Skull | 1 | | | | 1 | | 7 | | 1 | 1 | 2 | 3 | 4 | | | | 2 | 2 | 6 | 2 | | | | 2 | 2 | 18 | 2 | 1 | 1 | 7 | 7 |
| Without Fracture of Skull but Body Fractures | | | | | | 1 | | | | | 1 | 1 | | | | 1 | | | | | | 1 | | | 2 | | | | 1 | 1 | |
| TOTAL | 6 | | 2 | 1 | 3 | | 24 | 11 | 5 | 1 | 2 | 5 | 19 | 10 | 2 | | 5 | 2 | 25 | 13 | 4 | | 4 | 4 | 74 | 34 | 13 | 2 | 14 | 11 | |
| TO SPINAL CORD: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| With Fracture of Vertebra | | | | | | 9 | 5 | 1 | | 2 | 1 | 3 | 2 | | | | 1 | 5 | 3 | 1 | | | 1 | | 17 | 10 | 2 | | 2 | 3 | |
| Without Fracture of Vertebra | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | 9 | 5 | 1 | | 2 | 1 | 3 | 2 | | | | 1 | 5 | 3 | 1 | | | 1 | | 17 | 10 | 2 | | 2 | 3 | |
| TO CHEST: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| With Fracture of Thoracic Cage | | | | | | 16 | 8 | 6 | | 1 | 1 | 4 | 4 | | | | | 6 | 4 | 1 | | | 1 | | 26 | 16 | 7 | | 1 | 2 | |
| Without Fracture of Thoracic Cage | | | | | | 8 | 7 | 1 | | | | 1 | 1 | | | | | | | | | | | | 9 | 8 | 1 | | | | |
| TOTAL | | | | | | 24 | 15 | 7 | | 1 | 1 | 5 | 5 | | | | | 6 | 4 | 1 | | | 1 | | 35 | 24 | 8 | | 1 | 2 | |
| TO ABDOMEN: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| With Fracture of Pelvis | | | | | | 7 | 1 | 3 | 1 | 1 | 1 | 1 | | 1 | | | 1 | 3 | | 1 | | | 2 | | 5 | 2 | 2 | | 1 | 2 | |
| Without Fracture of Pelvis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | 7 | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 1 | | 1 | 1 | 6 | 2 | 2 | | | 2 | | 16 | 3 | 6 | 1 | 2 | 4 | |
| TO EXTREMITIES | | | | | | | | | | | | 2 | | | | | | 2 | 2 | | 1 | | | 1 | 4 | | 1 | 3 | | | |
| MULTIPLE INJURIES: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| To Chest and Abdomen | | | | | | 1 | 1 | | | | | 1 | | 1 | | | | | | | | | | | 2 | 1 | 1 | | | | |
| To Trunk and Extremities | | | | | | 2 | 1 | 1 | | | | 2 | 1 | 1 | | | | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 1 | 1 | 1 | |
| TOTAL | | | | | | 3 | 2 | 1 | | | | 3 | 1 | 2 | | | | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 11 | 4 | 4 | 1 | 1 | 1 | |
| MISCELLANEOUS INJURIES: | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GRAND TOTAL | 7 | 1 | 2 | 1 | 3 | | 87 | 43 | 25 | 2 | 8 | 9 | 45 | 25 | 6 | | 8 | 6 | 65 | 31 | 16 | 1 | 7 | 10 | 204 | 100 | 49 | 4 | 26 | 25 | |

* DOA - Dead on arrival at hospital
 ** Includes 10 Motorcyclists (Drivers)

NOTE: "MAJOR INJURY" signifies most severe injury to which death is attributed and is not to be construed as the only injuries. In "MULTIPLE INJURY" classification the majority of cases received such severe injury to chest and abdomen or to trunk and extremities, that no one injury could be assigned as the cause of death.

VEHICULAR FATALITIES MAJOR INJURY AND SURVIVAL INTERVAL-AGE GROUPS*

Table Number 49

| AGE | BRAIN * | | | | | SPINAL CORD | | | | | CHEST * | | | | | ABDOMEN | | | | | EXTREMITIES | | | | | MULTIPLE INJURIES | | | | | MISCELLANEOUS * | | | | | TOTAL | | | | | | | | |
|--------------|-----------|-----------|-----------------------------------|------------|----------------|-------------|-----------|-----------------------------------|------------|----------------|----------|-----------|------------------------------------|--------------|----------------|----------|-----------|-----------------------------------|------------|----------------|-------------|----------|-----------------------------------|------------|----------------|-------------------|-----------|------------------------------------|------------|----------------|-----------------|----------|-----------------------------------|------------|----------------|-----------|----------|----------|------------|------------|-----------|----------|-----------|-----------|
| | TOTAL | DOA * | LESS THAN 12 HRS. 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA * | LESS THAN 12 HRS.* 12 - 24 HRS. | 1 - 7 DAYS * | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS.* 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | | | | | | | | | |
| 1 - 4 | 2 | 1 | | | 1 | 1 | | | | | 2 | 2 | | | 1 | | 1 | | | | | | | | | | 1 | | 1 | | | 7 | 3 | 3 | | | 1 | | | | | | | |
| 5 - 9 | 7 | 1 | 3 | | 2 | 1 | | | | | | | | | 1 | 1 | | | | | | | | | | | 1 | | | | | 12 | 3 | 4 | 1 | 3 | 1 | | | | | | | |
| 10 - 14 | 8 | 2 | 2 | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | | | 9 | 3 | 2 | 1 | 3 | | | | | | | | |
| 15 - 19 * | 11 | 5 | 2 | | 3 | 1 | 1 | | | 1 | | 3 | 1 | 2 | | 4 | | 2 | 1 | 1 | | | | | | 2 | 1 | 1 | | 5 | 1 | 4 | | 26 | 8 | 11 | 1 | 5 | 1 | | | | | |
| 20 - 24 * | 12 | 3 | 3 | 1 | 3 | 2 | 1 | 1 | | | | 6 | 6 | | | 2 | 1 | | | 1 | | | | | | | 1 | | 1 | | 6 | 5 | | 1 | 28 | 16 | 4 | 1 | 4 | 3 | | | | |
| 25 - 29 * | 7 | 6 | 1 | | | | | | | | | 1 | | | | | | | | | | | | | | | 4 | 2 | 2 | | | | 12 | 8 | 3 | | | 1 | | | | | | |
| 30 - 34 | 2 | 2 | | | | 1 | 1 | | | | | 3 | 2 | 1 | | | | | | | | | | | | | | 2 | 1 | 1 | | | 8 | 6 | 2 | | | | | | | | | |
| 35 - 39 | 1 | 1 | | | | | | | | | | 2 | 2 | | | 1 | 1 | | | | | | | | | | 1 | | 1 | | 4 | 2 | 1 | | 1 | 9 | 6 | 2 | | 1 | | | | |
| 40 - 44 * | 4 | 4 | | | | 1 | 1 | | | | | 4 | 4 | | | 1 | | | | 1 | | | | | | | 1 | 1 | | | 2 | 1 | 1 | | 13 | 11 | 1 | | | 1 | | | | |
| 45 - 49 * | 1 | 1 | | | | 4 | 2 | | | 1 | 1 | 2 | 2 | | | | | | | | | | | | | | 5 | 3 | 1 | | 1 | 12 | 8 | 1 | | 2 | 1 | | | | | | | |
| 50 - 54 | 5 | 3 | | 1 | 1 | | | | | | | 1 | 1 | | | 2 | | 2 | | | | | | | | | | 2 | 2 | | | 10 | 6 | 2 | | 1 | 1 | | | | | | | |
| 55 - 59 | 4 | 2 | 1 | | 1 | 1 | 1 | | | | | 3 | 2 | 1 | | 1 | | | 1 | | | | | | | | 1 | 1 | | | 3 | 3 | | | 13 | 9 | 2 | | | 2 | | | | |
| 60 - 64 | 2 | 1 | | | 1 | 1 | 1 | | | | | 3 | 2 | 1 | | | | | | | | | | | | | 1 | 1 | | | 2 | 2 | | | 9 | 6 | 2 | | | 1 | | | | |
| 65 - 69 | 2 | 1 | | 1 | | 3 | 2 | | | | | 1 | 1 | | | | | | | 2 | | 1 | | | | | | 2 | 1 | 1 | | | 10 | 4 | 3 | | 1 | 2 | | | | | | |
| 70 - 74 | 1 | | 1 | | | | | | | | | 1 | | | | 1 | 1 | | | | | | | | | | 1 | 1 | 1 | | 2 | | 1 | | 1 | 7 | 1 | 2 | | 1 | 3 | | | |
| 75 - 79 | 2 | 1 | | | 1 | 1 | | | | | | 1 | 1 | | | 1 | | | | | | | | | | | 1 | 1 | | | 1 | | 2 | | 2 | 9 | 1 | 1 | | 3 | 4 | | | |
| 80 - over | 3 | | | 1 | 2 | 2 | 1 | 1 | | | | 2 | | | | 1 | | | | | | | | | | | 1 | 1 | | 1 | | 10 | 1 | 4 | | 1 | 4 | | | | | | | |
| TOTAL | 74 | 34 | 13 | 2 | 14 | 11 | 17 | 10 | 2 | 2 | 3 | 35 | 24 | 8 | 1 | 2 | 16 | 3 | 6 | 1 | 2 | 4 | 4 | 4 | 1 | 3 | 11 | 4 | 4 | 1 | 1 | 1 | 1 | 47 | 25 | 15 | 6 | 1 | 204 | 100 | 49 | 4 | 26 | 25 |

* Includes (10) Motorcyclist Drivers

15 - 19 (2) - chest and miscellaneous

20 - 24 (1) - brain

25 - 29 (4) - brain, chest, and (2) miscellaneous

40 - 44 (2) - brain and chest

45 - 49 (1) - miscellaneous

VEHICULAR FATALITIES

MAJOR INJURY AND SURVIVAL INTERVAL-AGE GROUPS

DRIVER*

Table Number 50

| AGE | BRAIN * | | | | | SPINAL CORD | | | | | CHEST * | | | | | ABDOMEN | | | | | EXTREMITIES | | | | | MULTIPLE INJURIES | | | | | MISCELLANEOUS * | | | | | TOTAL | | | | | |
|--------------|-----------|-----------|-------------------|--------------|------------|----------------|----------|----------|-------------------|--------------|------------|----------------|-----------|----------|---------------------|--------------|--------------|----------------|----------|----------|-------------------|--------------|------------|----------------|----------|-------------------|-------------------|--------------|------------|----------------|-----------------|----------|--------------------|--------------|------------|----------------|-----------|----------|-------------------|--------------|------------|
| | TOTAL | DOA * | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA * | LESS THAN 12 HRS. * | 12 - 24 HRS. | 1 - 7 DAYS * | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS.* | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS |
| 15 - 19* | 3 | | 2 | | | 1 | 1 | | | | 1 | | 3 | 1 | 2 | | | 2 | | 1 | 1 | | | | | | | | | 5 | 1 | 4 | | | 14 | 2 | 9 | 1 | 1 | 1 | |
| 20 - 24* | 7 | 1 | 3 | 1 | 1 | 1 | | | | | | 5 | 5 | | | | 2 | 1 | | | | 1 | | | | | | | 4 | 3 | | | 1 | 18 | 10 | 3 | 1 | 2 | 2 | | |
| 25 - 29* | 3 | 3 | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | 3 | 1 | 2 | | | 7 | 4 | 2 | | 1 | | | |
| 30 - 34 | 2 | 2 | | | | | 1 | 1 | | | | 2 | 1 | 1 | | | | | | | | | | | | | | | 1 | 1 | | | | 6 | 5 | 1 | | | | | |
| 35 - 39 | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | 1 | | 1 | | | 3 | 1 | 1 | | 1 | 6 | 3 | 2 | | 1 | | |
| 40 - 44* | 3 | 3 | | | | | | | | | | 1 | 1 | | | | | | | | | | | | 1 | 1 | | | | | | | 5 | 5 | | | | | | | |
| 45 - 49* | | | | | | | 2 | 1 | | 1 | | 2 | 2 | | | | | | | | | | | | | | | 3 | 1 | 1 | | 1 | 7 | 4 | 1 | | 2 | | | | |
| 50 - 54 | 3 | 1 | | | 1 | 1 | | | | | | 1 | 1 | | | | 2 | | 2 | | | | | | | | | | | | | | 6 | 2 | 2 | | 1 | 1 | | | |
| 55 - 59 | 1 | | | | | 1 | 1 | 1 | | | | 1 | | 1 | | | 1 | | | | | | | | | | | 1 | 1 | | | | 5 | 2 | 1 | | | 2 | | | |
| 60 - 64 | 1 | 1 | | | | | | | | | | 3 | 2 | 1 | | | | | | | | | | | | | | | | | | | 4 | 3 | 1 | | | | | | |
| 65 - 69 | | | | | | | 1 | 1 | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | 2 | 1 | 1 | | | | | | | |
| 70 - 74 | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | 1 | 1 | | | | | | | |
| 75 - 79 | 1 | | | | | 1 | 1 | | | | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | 3 | | 1 | | | | | 2 | | |
| 80 - over | | | | | | | 2 | 1 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | 3 | 1 | 1 | | | | | | 1 | |
| TOTAL | 24 | 11 | 5 | 1 | 2 | 5 | 9 | 5 | 1 | 2 | 1 | 24 | 15 | 7 | 1 | 1 | 7 | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 3 | 2 | 1 | 20 | 9 | 8 | 2 | 1 | 87 | 43 | 25 | 2 | 8 | 9 | |

* Includes 10 Motorcyclist Drivers
 15 - 19 (2) - chest and miscellaneous
 20 - 24 (1) - brain
 25 - 29 (4) - brain, chest and (2) miscellaneous
 40 - 44 (2) - brain and chest
 45 - 49 (1) - miscellaneous

VEHICULAR FATALITIES

MAJOR INJURY AND SURVIVAL INTERVAL-AGE GROUPS

PEDESTRIAN

Table Number 52

| AGE | BRAIN | | | | | SPINAL CORD | | | | | CHEST | | | | | ABDOMEN | | | | | EXTREMITIES | | | | | MULTIPLE INJURIES | | | | | MISCELLANEOUS | | | | | TOTAL | | | | | | | | |
|--------------|-----------|-----------|-------------------|--------------|------------|----------------|----------|----------|-------------------|--------------|------------|----------------|----------|-----|-------------------|--------------|------------|----------------|-------|----------|-------------------|--------------|------------|----------------|----------|-------------------|-------------------|--------------|------------|----------------|---------------|----------|-------------------|--------------|------------|----------------|----------|----------|-----------|-----------|-----------|----------|----------|-----------|
| | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | | | | | | | | |
| 1 - 4 | 1 | | | | 1 | 1 | | 1 | | | | 1 | 1 | | | | | | 1 | | | | | | | | | | | | | | 4 | 1 | 2 | | 1 | | | | | | | |
| 5 - 9 | 4 | 1 | 2 | | 1 | | | | | | | 1 | 1 | | | | | | 1 | | | 1 | | 2 | 1 | | 1 | | | | 8 | 2 | 3 | 1 | 1 | 1 | | | | | | | | |
| 10 - 14 | 2 | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | | | 1 | | | | | | | | | |
| 15 - 19 | 2 | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | | | 1 | | | | | | | | | |
| 20 - 24 | 3 | 2 | | | 1 | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | 4 | 3 | | | | 1 | | | | | | | | | |
| 25 - 29 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | |
| 30 - 34 | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | 1 | | 1 | | | | | | | | | | | |
| 35 - 39 | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| 40 - 44 | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | 2 | 1 | 1 | | | | | | | | | | | |
| 45 - 49 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | | | | 3 | 3 | | | | | | | | | | | | |
| 50 - 54 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | | | | 4 | 4 | | | | | | | | | | | | |
| 55 - 59 | 2 | 1 | 1 | | | | | | | | 2 | 2 | | | | | | | | | | | | 1 | 1 | | | | | 2 | 2 | | | 7 | 6 | 1 | | | | | | | | |
| 60 - 64 | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | 1 | | 1 | | | | 1 | 1 | | | 3 | 2 | 1 | | | | | | | | |
| 65 - 69 | 1 | 1 | | | | 2 | 1 | | | 1 | | | | | | | 1 | | 1 | | | | | | 2 | 1 | 1 | | | | 6 | 3 | 2 | | | 1 | | | | | | | | |
| 70 - 74 | 1 | | 1 | | | | | | | 1 | | | 1 | 1 | | | | | | | | | | | 1 | | 1 | | | | 5 | | 2 | | | 3 | | | | | | | | |
| 75 - 79 | 1 | 1 | | | | | | | | | | 1 | | | | | | | 1 | | | | | 1 | | | | 1 | | | 4 | 1 | | | 2 | 1 | | | | | | | | |
| 80 - over | 3 | | | 1 | 2 | | | | | | 1 | 1 | | | 1 | | | | 1 | | | | | 1 | 1 | 1 | | | | 7 | | 3 | | 1 | 3 | | | | | | | | | |
| TOTAL | 25 | 13 | 4 | 4 | 4 | 5 | 3 | 1 | | 1 | 6 | 4 | 1 | | 1 | 6 | 2 | 2 | | 2 | 2 | | 1 | | 1 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16 | 8 | 6 | 2 | 65 | 31 | 16 | 1 | 7 | 10 |

VEHICULAR FATALITIES
MAJOR INJURY AND SURVIVAL INTERVAL-AGE GROUPS
BICYCLIST

Table Number 53

| AGE | BRAIN | | | | | | MISCELLANEOUS | | | | | | TOTAL | | | | | |
|--------------|----------|-----|----------------------|--------------|------------|-------------------|---------------|----------|----------------------|--------------|------------|-------------------|----------|----------|----------------------|--------------|------------|-------------------|
| | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE | TOTAL | DOA | LESS THAN 12 HRS. | 12 - 24 HRS. | 1 - 7 DAYS | 8 DAYS OR MORE |
| 10 - 14 | 5 | | 2 | 1 | 2 | | 1 | 1 | | | | | 6 | 1 | 2 | 1 | 2 | |
| 65 - 69 | 1 | | | | 1 | | | | | | | | 1 | | | | 1 | |
| TOTAL | 6 | | 2 | 1 | 3 | | 1 | 1 | | | | | 7 | 1 | 2 | 1 | 3 | |

VEHICULAR FATALITIES

GEOGRAPHICAL LOCATION-TYPE OF ACCIDENT

CLASSIFICATION OF VICTIMS

Table Number 54

| CITIES | AUTO | | | | | | | | BICYCLE | | BUS | MOTORCYCLE | | | TRUCK | | | TRAIN | NON-COLLISION | | | TOTALS | | | | GRAND TOTAL | | | | | |
|---------------------|------|---|---------|---|-----|---|--------------|---|------------|---|------------|------------|---|-------|-------|---------|---|-------|---------------|---|-------|--------|----------|---|------------|-------------|-------------|---|-----------|---|---|
| | AUTO | | BICYCLE | | BUS | | FIXED OBJECT | | MOTORCYCLE | | PEDESTRIAN | TRUCK | | TRAIN | | BICYCLE | | AUTO | MOTORCYCLE | | TRUCK | | DRIVERS* | | PASSENGERS | | PEDESTRIANS | | BICYCLIST | | |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | | F | M | F | M | F |
| Cleveland: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 13 | 3 | | | 1 | | 11 | 1 | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Passenger | 6 | 3 | | | | | 4 | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Motorcyclist | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | | | | |
| Bay Village: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bedford Heights: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brecksville: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brooklyn: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cleveland Heights: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| East Cleveland: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Euclid: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Garfield Heights: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Independence: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lakewood: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maple Heights: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mayfield Heights: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passenger | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Middleburg Heights: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| North Olmsted: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

VEHICULAR FATALITIES

GEOGRAPHICAL LOCATION—TYPE OF ACCIDENT

CLASSIFICATION OF VICTIMS

Table Number 54 cont

| CITIES | AUTO | | | | | | | | BICYCLE | | BUS | MOTORCYCLE | | | TRUCK | | | TRAIN | NON-COLLISION | | | TOTALS | | | | GRAND TOTAL | | | | | | |
|------------------------------|------|----|---------|---|-----|---|--------------|----|------------|---|------------|------------|-------|---------|-------|-------|------------|-------|---------------|------------|---------|--------|------|------------|-------|-------------|----------|------------|------------|------------|-----|----|
| | AUTO | | BICYCLE | | BUS | | FIXED OBJECT | | MOTORCYCLE | | PEDESTRIAN | TRUCK | TRAIN | BICYCLE | | TRUCK | PEDESTRIAN | BUS | FIXED OBJECT | PEDESTRIAN | BICYCLE | | AUTO | MOTORCYCLE | TRUCK | | DRIVERS* | PASSENGERS | PEDESTRIAN | BICYCLISTS | | |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | | F | M | F | M | F | M |
| <u>Parma:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Driver | 1 | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Passenger | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| Pedestrian | | | | | | | | | | 3 | 2 | | | | | | | | | | | | | | | | | 3 | 2 | | | 5 |
| <u>Parma Heights:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| <u>Rocky River:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <u>Shaker Heights:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bicyclist | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Passenger | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <u>Solon:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Passenger | | | | | | | | 1 | | | | | | | | | | | 1 | | | | | | | | | | | | | 1 |
| <u>Strongsville:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Passenger | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pedestrian | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| <u>University Heights:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pedestrian | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| <u>Warrensville Heights:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Passenger | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| <u>Westlake:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Driver | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pedestrian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| CLEVELAND | 19 | 6 | | | 1 | | 15 | 4 | 3 | | 26 | 15 | 2 | | | | | 1 | | 1 | 1 | | | | | | | | | | 106 | |
| OTHER CITIES | 7 | 7 | 1 | | | | 9 | 7 | | | 12 | 5 | 5 | 2 | 1 | | | | | | | | | | | | | | | | | 63 |
| GRAND TOTAL | 26 | 13 | 1 | | 1 | | 24 | 11 | 3 | | 38 | 20 | 7 | 2 | 1 | | | 1 | 1 | | | | | | | | | | | | 169 | |

* Includes 6 Motorcyclists.

VEHICULAR FATALITIES GEOGRAPHICAL LOCATION-TYPE OF ACCIDENT CLASSIFICATION OF VICTIMS

Table Number 55

| VILLAGES AND TOWNSHIPS | AUTO | | | | | | | | MOTORCYCLE | | | | TRUCK | | | | TOTAL | | | | GRAND TOTAL | |
|--|----------|----------|--------------|----------|------------|---|----------|----------|--------------|---|----------|---|--------------|---|----------|---|-----------|----------|-----------|----------|-------------|-----------|
| | AUTO | | FIXED OBJECT | | MOTORCYCLE | | TRUCK | | FIXED OBJECT | | TRUCK | | FIXED OBJECT | | TRUCK | | DRIVER* | | PASSENGER | | | |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| <u>Bratenahl:</u> Driver | | | | | | | | | | 1 | | | | | | | | 1 | | | | 1 |
| Passenger | | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 |
| <u>Brooklyn Heights:</u> Driver | 1 | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| <u>Cuyahoga Heights:</u> Driver | | | 1 | | | | | | | | | | | | | | | 1 | | | | 1 |
| <u>Gates Mills:</u> Driver | 1 | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| <u>Hunting Valley:</u> Driver | | | 1 | | | | | | | | | | | | | | | 1 | | | | 1 |
| <u>Moreland Hills:</u> Passenger | | | | | | | 1 | | | | | | | | | | | | 1 | | | 1 |
| <u>Oakwood:</u> Driver | | | | 1 | | | | | | | | | | | | | | | 1 | | | 1 |
| <u>Valley View:</u> Driver | 1 | | | | 1 | | 1 | | | | 1 | | | | | | | 4 | | | | 4 |
| Passenger | | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 |
| TOWNSHIPS: <u>Warrensville:</u> Passenger | | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 |
| TURNPIKE: Driver | | | 1 | | | | 1 | | | | | | 1 | | 1 | | | 4 | | | | 4 |
| Passenger | | | | | | | | 2 | | | | | | | | | | | | 2 | | 2 |
| TOTALS: Villages: | 3 | 2 | 2 | 1 | 1 | | 2 | | 1 | | 1 | | | | | | 9 | 1 | 1 | 2 | | 13 |
| Townships: | | 1 | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Turnpike in County: | | | 1 | | | | 1 | 2 | | | | | 1 | | 1 | | 4 | | | 2 | | 6 |
| GRAND TOTAL | 3 | 3 | 3 | 1 | 1 | | 3 | 2 | 1 | | 1 | | 1 | | 1 | | 13 | 1 | 1 | 5 | | 20 |

* Includes (3) Motorcycle Drivers

**VEHICULAR FATALITIES
GEOGRAPHICAL LOCATION—TYPE OF ACCIDENT
CLASSIFICATION OF VICTIMS**


Table Number 56

| | AUTO | | | | | | | | | | MTC. CYCLE | | NON- COLLISION | | TOTAL | | | | | | | | | | GRAND TOTAL |
|---------------|------|---|---------|---|--------------|---|------------|---|-------|---|---------------|---|-------------------|---|-----------|---|---------|---|-----------|---|-------------|---|----|--|----------------|
| | AUTO | | BICYCLE | | FIXED OBJECT | | PEDESTRIAN | | TRUCK | | FIXED OBJECT | | AUTO | | BICYCLIST | | DRIVER* | | PASSENGER | | PEDESTRIANS | | | | |
| OUT OF COUNTY | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| BICYCLIST | | | 3 | | | | | | | | | | | | 3 | | | | | | | | 3 | | |
| DRIVER | 1 | 1 | | | 2 | 1 | | | 2 | | | | 1 | 1 | | | 6 | 3 | | | | | 9 | | |
| PASSENGER | | | | | | | | | | | | | 1 | | | | | 1 | | | | | 1 | | |
| PEDESTRIAN | | | | | | | 1 | | | | | | | | | | | | | | 1 | | 1 | | |
| MOTORCYCLIST | | | | | | | | | | | 1 | | | | | | 1 | | | | | | 1 | | |
| GRAND TOTAL | 1 | 1 | 3 | | 2 | 1 | 1 | | 2 | | 1 | | 2 | 1 | 3 | | 7 | 3 | 1 | | 1 | | 15 | | |

* Includes (1) Motorcyclist

HOMICIDES


FOR A PERIOD OF TWELVE YEARS



245.7 AVERAGE

| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 289 | 80 |
| | FEMALE | 73 | 20 |
| RACE | WHITE | 90 | 25 |
| | NON-WHITE | 272 | 75 |
| ALCOHOL | TESTED | 317 | 88 |
| | POSITIVE | 168 | 53 |
| AUTOPSY | AUTOPSIED | 356 | 98 |

BY MONTH FOR THE YEAR 1974




30.2 AVERAGE

1974
TOTAL CASES
362

HOMICIDE DISTRIBUTION

Map 5



HOMICIDES

MONTHLY ALCOHOL INCIDENCE

Table Number 64

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | |
|-----------|-------|------------|----|--------|----|--------|----|---------------|---|-------|----|-----------------|---|-----------|---|-------|----|--------|----|------|----|------|----|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| JANUARY | 22 | 20 | 2 | 17 | 2 | 2 | | 1 | | 4 | | 3 | | | | 1 | | 16 | 2 | 7 | 2 | 9 | | | | | 4 | | 1 | | 1 | | 2 | | 1 | | |
| FEBRUARY | 23 | 17 | 6 | 16 | 5 | 1 | 1 | | | 2 | 1 | 2 | | | 1 | | 15 | 5 | 8 | 4 | 7 | 1 | 1 | | 1 | | 3 | | | 1 | | | | | 2 | | |
| MARCH | 21 | 16 | 5 | 15 | 4 | 1 | 1 | | | 2 | 2 | 2 | | | 1 | | 14 | 3 | 6 | 1 | 8 | 2 | 1 | | 1 | 1 | 3 | | 2 | 1 | | | 1 | | | | |
| APRIL | 32 | 27 | 5 | 23 | 4 | 2 | 1 | 2 | | 2 | | | | | 1 | 2 | 25 | 5 | 9 | 3 | 16 | 2 | 1 | | 2 | 1 | 4 | | 4 | | 2 | | 1 | 1 | 2 | | |
| MAY | 25 | 18 | 7 | 14 | 7 | 4 | | | | 5 | | 2 | | | 1 | 2 | 13 | 6 | 5 | 4 | 8 | 2 | 2 | 1 | 2 | | 1 | | | 2 | | 1 | 1 | | | | |
| JUNE | 26 | 23 | 3 | 20 | 1 | 3 | 2 | | | 3 | 1 | 1 | | | 2 | 1 | 20 | 2 | 5 | 2 | 15 | | 2 | | 1 | | 1 | | 3 | | 3 | | 1 | | 4 | | |
| JULY | 36 | 29 | 7 | 28 | 5 | 1 | 2 | | | 5 | 1 | 2 | | | 2 | 1 | 24 | 6 | 9 | 3 | 15 | 3 | 3 | 1 | | | 3 | 1 | 4 | 1 | 2 | | 1 | | 2 | | |
| AUGUST | 30 | 25 | 5 | 20 | 5 | 5 | | | | 3 | | | | | 1 | 2 | 22 | 5 | 6 | 3 | 16 | 2 | 1 | 1 | 3 | | 3 | 1 | 4 | | 2 | | 1 | | 2 | | |
| SEPTEMBER | 30 | 22 | 8 | 20 | 7 | 2 | 1 | | | 1 | 1 | | 1 | | 1 | | 21 | 7 | 8 | 5 | 13 | 2 | 1 | 1 | 2 | | 3 | 1 | 2 | | 1 | | 1 | | 3 | | |
| OCTOBER | 42 | 36 | 6 | 35 | 4 | 1 | 2 | | | 3 | 2 | 1 | 2 | 2 | | | 33 | 4 | 17 | 3 | 16 | 1 | 4 | | 2 | | 2 | | 1 | | 2 | 1 | 3 | | 2 | | |
| NOVEMBER | 35 | 25 | 10 | 25 | 8 | | 2 | | | | 3 | | | | 2 | 1 | 25 | 7 | 13 | 4 | 12 | 3 | 1 | | 1 | | 2 | | 3 | | 3 | | 2 | | | 3 | |
| DECEMBER | 40 | 31 | 9 | 28 | 8 | 3 | 1 | | | 2 | 1 | 1 | | | 1 | 1 | 29 | 8 | 17 | 5 | 12 | 3 | 2 | | 1 | | 4 | 1 | | | 1 | 1 | | 1 | 4 | | |
| TOTAL | 362 | 289 | 73 | 261 | 60 | 25 | 13 | 3 | | 32 | 13 | 14 | 3 | 7 | 7 | 11 | 3 | 257 | 60 | 110 | 39 | 147 | 21 | 19 | 4 | 16 | 2 | 33 | 4 | 24 | 3 | 19 | 2 | 14 | 3 | 22 | 3 |

HOMICIDES AGE-RACE-ALCOHOL INCIDENCE

Table Number 65

| AGE | RACE | TOTAL | NOT TESTED | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | |
|--------------|-----------|-------|------------|----|-------|----|-----------------|---|-----------|---|-------|--------|-----|------|-----|------|-----|----------------|----|----------------|----|----------------|----|----------------|----|----------------|----|----------------|----|------------------|----|---|
| | | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Under 1 Year | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 3 | 2 | 1 | 2 | 1 | | | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | White | 2 | 1 | 1 | 1 | 1 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| 5 - 9 | White | 2 | 1 | 1 | 1 | 1 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 1 | 1 | 1 | 1 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | White | 1 | 1 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| | Non-White | 5 | 3 | 2 | 1 | 2 | | | 1 | 2 | | 2 | 2 | | | | | | | | | | | | | | | | | | | |
| 15 - 19 | White | 6 | 5 | 1 | | 1 | | | | | | 5 | 2 | | 3 | | | 1 | | | | | | | | | | 1 | | | | |
| | Non-White | 24 | 18 | 6 | 1 | | 1 | | | | | 17 | 6 | 16 | 5 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | |
| 20 - 24 | White | 17 | 15 | 2 | 2 | | | | | 2 | | 13 | 2 | 9 | 1 | 4 | 1 | 1 | 1 | | | 1 | 1 | | | | 1 | | | | | |
| | Non-White | 51 | 39 | 12 | 2 | 1 | 1 | 1 | | 1 | | 37 | 11 | 18 | 9 | 19 | 2 | 3 | 1 | 1 | | 6 | 1 | 4 | | 2 | | 2 | 1 | | | |
| 25 - 29 | White | 13 | 11 | 2 | 1 | | | | | 1 | | 10 | 2 | 1 | 1 | 9 | 1 | 2 | 1 | 1 | | 2 | | 1 | 2 | | | | 1 | | | |
| | Non-White | 46 | 37 | 9 | 5 | | 3 | | | 2 | | 32 | 9 | 13 | 6 | 19 | 3 | 1 | | 1 | | 7 | 2 | 2 | 1 | 6 | | | 2 | | | |
| 30 - 34 | White | 9 | 7 | 2 | 1 | | 1 | | | | | 6 | 2 | 1 | 2 | 5 | | 2 | | | | | | | | | 2 | 1 | | | | |
| | Non-White | 26 | 22 | 4 | 1 | 1 | 1 | 1 | | | | 21 | 3 | 5 | | 16 | 3 | | | 2 | | 6 | 1 | 3 | 2 | 1 | | 1 | 3 | | | |
| 35 - 39 | White | 7 | 6 | 1 | | 1 | | | | 1 | | 6 | | 3 | | 3 | | 1 | 1 | | | | | | | | | | 1 | | | |
| | Non-White | 28 | 24 | 4 | | | | | | | | 24 | 4 | 6 | 1 | 18 | 3 | 1 | | 2 | 1 | 3 | | 4 | | 2 | | 2 | 2 | 4 | | |
| 40 - 44 | White | 7 | 5 | 2 | 1 | | 1 | | | | | 4 | 2 | 2 | 1 | 2 | 1 | | | | | | | | | 1 | 1 | | 1 | | | |
| | Non-White | 23 | 20 | 3 | | | | | | | | 20 | 3 | 7 | 2 | 13 | 1 | 2 | | | | 4 | | 3 | | 1 | 1 | 1 | 2 | | | |
| 45 - 49 | White | 6 | 6 | | 1 | | | | | 1 | | 5 | | 2 | | 3 | | | 2 | | | | | | | | | 1 | | | | |
| | Non-White | 20 | 17 | 3 | 3 | | 2 | | | 1 | | 14 | 3 | 4 | 2 | 10 | 1 | 1 | | 3 | | 2 | | 2 | | | | 2 | 1 | | | |
| 50 - 54 | White | 7 | 5 | 2 | | | | | | | | 5 | 2 | 2 | 2 | 3 | | | | | | 1 | | | | 1 | | | 1 | | | |
| | Non-White | 19 | 17 | 2 | 5 | | 3 | | | 2 | | 12 | 2 | 6 | 1 | 6 | 1 | 1 | | 1 | | 1 | | | 1 | | 1 | 1 | 1 | | | |
| 55 - 59 | White | 4 | 3 | 1 | | | | | | | | 3 | 1 | 2 | 1 | 1 | | | | | | | | | | 1 | | | | | | |
| | Non-White | 10 | 8 | 2 | 1 | | | | | 1 | | 7 | 2 | 2 | 1 | 5 | 1 | 3 | | | | | | 2 | | | | | 1 | | | |
| 60 - 64 | White | 4 | 2 | 2 | | | | | | | | 2 | 2 | 2 | 2 | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 2 | | | | | | | | | 2 | | | | 2 | | | | | | | | 1 | | | | | 1 | | | |
| 65 - 69 | White | 2 | 1 | 1 | | | | | | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 8 | 7 | 1 | 2 | | 1 | | 1 | | | 5 | 1 | 3 | | 2 | 1 | | | 1 | | | | | 1 | | | | 1 | | | |
| 70 - 74 | White | 1 | | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 2 | | | | | | | | | 2 | | | | 2 | | | | | | 1 | | | | | | | 1 | | | |
| 75 - 79 | White | 1 | | 1 | | 1 | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 1 | 1 | | | | | | | | 1 | 1 | | 1 | 1 | | | | | | | | | | | | | 1 | | | |
| 80 - over | White | 1 | | 1 | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | White | 90 | 69 | 21 | 8 | 6 | 2 | 1 | 2 | 2 | 4 | 3 | 61 | 15 | 28 | 11 | 33 | 4 | 6 | 2 | 6 | | 3 | | 3 | | 5 | 1 | 4 | 1 | 6 | |
| | Non-White | 272 | 220 | 52 | 24 | 7 | 12 | 2 | 5 | 5 | 7 | | 196 | 45 | 82 | 28 | 114 | 17 | 13 | 2 | 10 | 2 | 30 | 4 | 24 | 3 | 14 | 1 | 10 | 2 | 16 | 3 |
| GRAND TOTAL | | 362 | 289 | 73 | 32 | 13 | 14 | 3 | 7 | 7 | 11 | 3 | 257 | 60 | 110 | 39 | 147 | 21 | 19 | 4 | 16 | 2 | 33 | 4 | 24 | 3 | 19 | 2 | 14 | 3 | 22 | 3 |

HOMICIDES MODE-ALCOHOL INCIDENCE

Table Number 66

| MODE | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|------------|-----------|------------|-----------|-----------|-----------|---------------|---|----------|---|-----------|-----------|-----------------|----------|-----------|----------|-----------|----------|------------|-----------|------------|-----------|------------|-----------|-------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|----------|---------------|----------|--|---|---|
| | | Total | | Cleve. | | County | | Out Of County | | Un-Known | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | |
| Arson | 1 | 1 | | 1 | | | | | | | | 1 | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blunt Violence | 19 | 11 | 8 | 9 | 7 | 2 | 1 | | | | | 4 | 3 | 1 | | 3 | 2 | | 1 | 7 | 5 | 5 | 5 | 2 | | | 1 | | | | | | | | | | 1 | | | | | |
| Cutting-Stabbing | 28 | 20 | 8 | 17 | 7 | 3 | 1 | | | | | | 1 | | | 1 | | | | 20 | 7 | 5 | 4 | 15 | 3 | | 1 | 2 | | | 3 | | 2 | 1 | 3 | | 3 | | 3 | | 2 | 1 |
| Drowning | 1 | 1 | | | | 1 | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Firearms | 301 | 254 | 47 | 232 | 36 | 19 | 11 | 3 | | | | 25 | 7 | 13 | 3 | 3 | 2 | 9 | 2 | 229 | 40 | 100 | 24 | 129 | 16 | 19 | 2 | 13 | 2 | 30 | 4 | 22 | 1 | 15 | 2 | 11 | 3 | 19 | 2 | | | |
| Ligature | 3 | 1 | 2 | 1 | 2 | | | | | | | | | | | | | | | 1 | 2 | | 1 | 1 | 1 | | | | | | | | | | | | | | | | | |
| Starvation | 1 | | 1 | | 1 | | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Strangulation | 8 | 1 | 7 | 1 | 7 | | | | | | | 1 | 1 | | | 1 | 1 | | | 6 | | 5 | | | 1 | 1 | | | | | | | | | | | | | | | | |
| TOTAL | 362 | 289 | 73 | 261 | 60 | 25 | 13 | 3 | | | | 32 | 13 | 14 | 3 | 7 | 7 | 11 | 3 | 257 | 60 | 110 | 39 | 147 | 21 | 19 | 4 | 16 | 2 | 33 | 4 | 24 | 3 | 19 | 2 | 14 | 3 | 22 | 3 | | | |

MODE-AGE GROUPS

Table Number 67

| MODE | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | |
|------------------|--------------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------|-----------|------------|-------------|-----|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | |
| Arson | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | 1 | | 1 | |
| Blunt Violence | 1 | | 1 | 2 | 1 | | | | | 1 | 2 | 2 | | | | 1 | | | | | 3 | | 1 | 1 | | | 1 | | | | | | | 1 | | | | 11 | 8 | 19 | |
| Cutting-Stabbing | | | | | | 1 | | | 2 | | 6 | 3 | 2 | 1 | 2 | 2 | 3 | | | | 2 | | 1 | 1 | 1 | | | | | | | | | | | | | 20 | 8 | 28 | |
| Drowning | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| Firearms | 1 | | | | | 1 | 4 | 1 | 21 | 5 | 46 | 9 | 46 | 9 | 27 | 3 | 26 | 5 | 25 | 4 | 16 | 2 | 20 | 1 | 9 | 2 | 3 | 2 | 8 | 1 | 1 | 1 | 1 | 1 | | | | 254 | 47 | 301 | |
| Ligature | | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | 1 | 2 | 3 |
| Starvation | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Strangulation | | | | | | | 1 | | 1 | | | | | 1 | | | | | | 1 | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | 1 | 7 | 8 |
| TOTAL | 2 | 1 | 2 | 2 | 1 | 2 | 4 | 2 | 23 | 7 | 54 | 14 | 48 | 11 | 29 | 6 | 30 | 5 | 25 | 5 | 23 | 3 | 22 | 4 | 11 | 3 | 4 | 2 | 8 | 2 | 2 | 1 | 1 | 2 | 1 | 289 | 73 | 362 | | | |

HOMICIDES IN COUNTY OF CUYAHOGA

1951 - 1974

(Includes culpable and justifiable homicides)


Table Number 69 B

| YEAR | FIREARMS | % FIREARMS | BLUNT VIOLENCE (MANUAL, PEDAL AND INSTRUMENTAL ASSAULT) | EDGED AND POINTED WEAPONS | STRANGULATION (MANUAL AND LIGATURE) | ALL OTHER* | TOTAL |
|------|----------|---------------|---|---------------------------------|--|------------|-------|
| 1951 | 48 | 52.75 | 14 | 24 | 3 | 2 | 91 |
| 1952 | 67 | 63.21 | 9 | 26 | 1 | 3 | 106 |
| 1953 | 68 | 69.39 | 9 | 21 | | | 98 |
| 1954 | 56 | 60.22 | 12 | 24 | | 1 | 93 |
| 1955 | 47 | 56.63 | 8 | 22 | 3 | 3 | 83 |
| 1956 | 64 | 50.00 | 18 | 42 | 2 | 2 | 128 |
| 1957 | 52 | 54.17 | 14 | 21 | 4 | 5 | 96 |
| 1958 | 45 | 47.37 | 17 | 25 | 5 | 3 | 95 |
| 1959 | 45 | 47.87 | 18 | 27 | 4 | | 94 |
| 1960 | 63 | 61.76 | 12 | 21 | 6 | | 102 |
| 1961 | 61 | 61.00 | 8 | 27 | 3 | 1 | 100 |
| 1962 | 38 | 51.35 | 16 | 16 | 1 | 3 | 74 |
| 1963 | 62 | 54.39 | 19 | 26 | 4 | 3 | 114 |
| 1964 | 83 | 60.58 | 17 | 30 | 5 | 2 | 137 |
| 1965 | 86 | 66.67 | 17 | 21 | 3 | 2 | 129 |
| 1966 | 111 | 66.87 | 15 | 35 | 3 | 2 | 166 |
| 1967 | 117 | 63.24 | 15 | 34 | 5 | 14 | 185 |
| 1968 | 167 | 79.52 | 16 | 26 | 1 | | 210 |
| 1969 | 254 | 80.13 | 29 | 29 | 1 | 4 | 317 |
| 1970 | 242 | 78.06 | 23 | 34 | 6 | 5 | 310 |
| 1971 | 265 | 81.79 | 24 | 28 | 4 | 3 | 324 |
| 1972 | 287 | 79.06 | 33 | 23 | 16 | 4 | 363 |
| 1973 | 271 | 82.87 | 24 | 20 | 10 | 2 | 327 |
| 1974 | 301 | 83.14 | 19 | 28 | 11 | 3 | 362 |

* Poisoning, drowning, arson, starvation, neglect and explosion.


SUICIDES

FOR A PERIOD OF TWELVE YEARS



| | NUMBER | PER CENT |
|---------|-----------|----------|
| SEX | MALE | 67 |
| | FEMALE | 33 |
| RACE | WHITE | 82 |
| | NON-WHITE | 18 |
| ALCOHOL | TESTED | 90 |
| | POSITIVE | 26 |
| AUTOPSY | AUTOPSIED | 32 |


BY MONTH FOR THE YEAR 1974



1974
TOTAL CASES
233

SUICIDE DISTRIBUTION

Map 6



SUICIDES

MONTHLY ALCOHOL INCIDENCE

Table Number 70

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | |
|--------------|------------|------------|-----------|-----------|-----------|-----------|-----------|---------------|----------|-----------|-----------------|-----------|-----------|---|-----------|----------|------------|-----------|-----------|-----------|----------------|-----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|------------------|----------|----------|---|--|
| | | Total | | Cleve. | | County | | Out Of County | | Total | Surv'd Too Long | | Under Age | | Other | Total | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| JANUARY | 20 | 14 | 6 | 9 | 4 | 5 | 2 | | | 2 | | 1 | | | | 1 | | | | 12 | 6 | 10 | 3 | 2 | 3 | | 1 | | 1 | | | 1 | | | 2 | | |
| FEBRUARY | 13 | 10 | 3 | 5 | 2 | 5 | 1 | | | 1 | | 1 | | | | | | | | 9 | 3 | 4 | 3 | 5 | | | 1 | | 2 | | | | 2 | | | | |
| MARCH | 19 | 14 | 5 | 8 | 1 | 5 | 4 | 1 | | 1 | | 1 | | | | | | | | 13 | 5 | 8 | 4 | 5 | 1 | 1 | | | | 2 | | | 1 | 1 | | 1 | |
| APRIL | 23 | 14 | 9 | 5 | 3 | 9 | 6 | | | 2 | | 1 | | | 1 | | | | | 12 | 9 | 10 | 6 | 2 | 3 | | 1 | 1 | | 1 | 1 | 1 | | | | | |
| MAY | 21 | 10 | 11 | 4 | 5 | 6 | 6 | | | | 1 | | | | 1 | | | | | 10 | 10 | 8 | 9 | 2 | 1 | | | 1 | 1 | | | | 1 | | | | |
| JUNE | 18 | 12 | 6 | 2 | 2 | 10 | 4 | | | 4 | 1 | 1 | | | 3 | 1 | | | | 8 | 5 | 6 | 5 | 2 | | | | | 1 | | | | | | 1 | | |
| JULY | 27 | 19 | 8 | 11 | 4 | 8 | 3 | | 1 | 4 | 1 | 2 | | | 2 | 1 | | | | 15 | 7 | 12 | 5 | 3 | 2 | | | 1 | | | 1 | 2 | | | 1 | | |
| AUGUST | 14 | 9 | 5 | 6 | 3 | 2 | 2 | 1 | | 2 | | | | | 2 | | | | | 7 | 5 | 4 | 3 | 3 | 2 | | 1 | | 1 | | 1 | 1 | | | | 1 | |
| SEPTEMBER | 16 | 10 | 6 | 3 | 4 | 7 | 2 | | | 1 | | | | | 1 | | | | | 9 | 6 | 7 | 5 | 2 | 1 | | | | 1 | 1 | 1 | | | | | | |
| OCTOBER | 23 | 13 | 10 | 5 | 4 | 8 | 6 | | | 1 | | 1 | | | | | | | | 12 | 10 | 7 | 8 | 5 | 2 | 2 | | 1 | | 1 | 1 | | | 1 | 1 | | |
| NOVEMBER | 18 | 12 | 6 | 4 | 2 | 8 | 4 | | | | 1 | | 1 | | | | | | | 12 | 5 | 11 | 5 | 1 | | | | | | | | | 1 | | | | |
| DECEMBER | 21 | 20 | 1 | 9 | 1 | 11 | | | | 2 | | 2 | | | | | | | | 18 | 1 | 11 | 1 | 7 | | 2 | | | 2 | | 1 | | | 2 | | | |
| TOTAL | 233 | 157 | 76 | 71 | 35 | 84 | 40 | 2 | 1 | 20 | 4 | 10 | 1 | | 10 | 3 | 137 | 72 | 98 | 57 | 39 | 15 | 5 | 1 | 4 | 4 | 8 | 2 | 6 | 5 | 7 | 2 | 6 | 3 | 1 | | |

SUICIDES

1974

AGE-RACE-ALCOHOL INCIDENCE

Table Number 71

| AGE | RACE | TOTAL | NOT TESTED | | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | |
|--------------|-----------|-------|------------|----|-----------------|---|-----------|---|-------|---|-------|----|------|-----|--------|----|----------------|----|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|---|---|---|---|---|
| | | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | | | | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| Under 1 Year | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 - 9 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 - 19 | White | 14 | 10 | 4 | 2 | | 2 | | | | | | 8 | 4 | 8 | 3 | | 1 | | | | | | | | | | | | | | | | | |
| | Non-White | 8 | 7 | 1 | 1 | | 1 | | | | | | 6 | 1 | 6 | 1 | | | | | | | | | | | | | | | | | | | |
| 20 - 24 | White | 14 | 10 | 4 | 1 | | 1 | | | | | | 9 | 4 | 4 | 4 | 5 | | | 1 | | 2 | | 1 | | | | | | | | | | | |
| | Non-White | 6 | 5 | 1 | | | 1 | | | | | | 5 | | 3 | | 2 | | | | | | | | | | | | | | | | | | |
| 25 - 29 | White | 19 | 15 | 4 | 3 | | 2 | | | | 1 | | 12 | 4 | 9 | 3 | 3 | 1 | | 1 | | | | 1 | | 1 | | | | | | | | | |
| | Non-White | 9 | 6 | 3 | | | | | | | | | 6 | 3 | 5 | 3 | 1 | | | | | | | | | | | | | | | | | | |
| 30 - 34 | White | 14 | 9 | 5 | | | | | | | | | 9 | 5 | 5 | 5 | 4 | | | 1 | | | | | | | | | | | | | | | |
| | Non-White | 4 | 4 | | | | | | | | | | 4 | | 3 | | 1 | | | 1 | | | | | | | | | | | | | | | |
| 35 - 39 | White | 12 | 8 | 4 | 2 | | | | | | 2 | | 6 | 4 | 3 | 2 | 3 | 2 | | | | | 1 | | | | | | | | 1 | | | | |
| | Non-White | 4 | 3 | 1 | | | | | | | | | 3 | 1 | 2 | 1 | 1 | | | | | | | | | | | | | | | | | | |
| 40 - 44 | White | 12 | 6 | 6 | | | 1 | | | | | 1 | 6 | 5 | 4 | 2 | 2 | 3 | | | | | 1 | 1 | | | 1 | | | | 1 | | | | |
| | Non-White | 4 | 3 | 1 | | | | | | | | | 3 | 1 | 1 | 1 | 2 | | | | | | | | | | | | | | 1 | | | | |
| 45 - 49 | White | 18 | 12 | 6 | 2 | 1 | | | | | 2 | 1 | 10 | 5 | 7 | 5 | 3 | | | | | | 1 | | | | | | | | 2 | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| 50 - 54 | White | 18 | 9 | 9 | 3 | | 2 | | | | 1 | | 6 | 9 | 4 | 7 | 2 | 2 | | | | | | | | 1 | 1 | | 1 | 1 | | | | | |
| | Non-White | 2 | 1 | 1 | 1 | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| 55 - 59 | White | 19 | 13 | 6 | 2 | | 1 | | | | 1 | | 11 | 6 | 8 | 4 | 3 | 2 | | | 1 | | 1 | | | | 2 | | | | 1 | | | | |
| | Non-White | 2 | 2 | | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | 1 | | | | | | | | | |
| 60 - 64 | White | 22 | 12 | 10 | | | | | | | | | 12 | 10 | 8 | 7 | 4 | 3 | | | 1 | | | | | 1 | 2 | | 1 | 2 | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| 65 - 69 | White | 14 | 7 | 7 | 1 | | | | | | 1 | | 6 | 7 | 5 | 6 | 1 | 1 | | | | | | | | 1 | 1 | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 - 74 | White | 7 | 5 | 2 | 1 | 1 | | | | | 1 | | 4 | 1 | 4 | 1 | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 - 79 | White | 6 | 6 | | | | | | | | | | 6 | | 5 | | 1 | | | | | | | | | | | | | | 1 | | | | |
| | Non-White | 1 | | 1 | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| 80 - over | White | 2 | 2 | | | 1 | | 1 | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | White | 191 | 124 | 67 | 18 | 3 | 9 | 1 | | | 9 | 2 | 106 | 64 | 75 | 49 | 31 | 15 | | | 4 | 1 | 3 | 4 | 5 | 2 | 6 | 5 | 5 | 2 | 5 | | 3 | 1 | |
| | Non-White | 42 | 33 | 9 | 2 | 1 | 1 | | | | 1 | 1 | 31 | 8 | 23 | 8 | 8 | | | | 1 | | 1 | | 3 | | 2 | | | | 1 | | | | |
| GRAND TOTAL | | 233 | 157 | 76 | 20 | 4 | 10 | 1 | | | | 10 | 3 | 137 | 72 | 98 | 57 | 39 | 15 | | | 5 | 1 | 4 | 4 | 8 | 2 | 6 | 5 | 7 | 2 | 6 | | 3 | 1 |

SUICIDES MODE-ALCOHOL INCIDENCE

Table Number 72

| MODE | TOTAL | NOT TESTED | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|------------|-----------|-----------|-----------|-----------|-----------|---------------|----------|-----------|----------|-----------------|----------|-----------|---|-----------|----------|------------|-----------|-----------|-----------|-----------|-----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|---|------------------|----------|--|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| Asphyxiations | 70 | 41 | 29 | 12 | 10 | 29 | 19 | | | 3 | | | | | | 3 | | 38 | 29 | 26 | 22 | 12 | 7 | 2 | 1 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | 1 | | | 2 | | |
| Cutting-Stabbing | 4 | 3 | 1 | 3 | 1 | | | | | 2 | | | | | | 2 | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | |
| Firearms | 108 | 87 | 21 | 45 | 12 | 40 | 9 | 2 | | 13 | 3 | 8 | 1 | | | 5 | 2 | 74 | 18 | 48 | 14 | 26 | 4 | 3 | | 2 | 2 | 5 | | 4 | 1 | 5 | | 6 | | 1 | 1 | |
| Jumping | 11 | 7 | 4 | 6 | 3 | 1 | 1 | | | 1 | | | | | | 1 | 7 | 3 | 7 | 1 | | 2 | | | | | | | | | | | | | | | | |
| Poisoning | 39 | 18 | 21 | 4 | 9 | 14 | 11 | | 1 | 2 | | 2 | | | | | 16 | 21 | 15 | 19 | 1 | 2 | | | | | | | | | | | | | | | | |
| Miscellaneous* | 1 | 1 | | 1 | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 233 | 157 | 76 | 71 | 35 | 84 | 40 | 2 | 1 | 20 | 4 | 10 | 1 | | | 10 | 3 | 137 | 72 | 98 | 57 | 39 | 15 | 5 | 1 | 4 | 4 | 8 | 2 | 6 | 5 | 7 | 2 | 6 | | 3 | 1 | |

* Threw self under rear wheels of moving vehicle.

MODE-ALCOHOL INCIDENCE

Table Number 73

| MODE | TOTAL | NOT TESTED | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|-----------|------------|-----------|-----------|-----------|-----------|-----------|---------------|---|----------|---|-----------------|---|-----------|---|----------|----------|-----------|-----------|-----------|-----------|-----------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|----------|----------------|---|------------------|---|----------|---|--|--|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| <u>Asphyxiations:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Auto Exhaust | 35 | 19 | 16 | 3 | 3 | 16 | 13 | | | 2 | | | | | | 2 | | 17 | 16 | 12 | 12 | 5 | 4 | 1 | | | 2 | 2 | 1 | | | | | | 1 | | | | 2 | | |
| Drowning | 6 | 3 | 3 | 2 | 2 | 1 | 1 | | | | | | | | | | 3 | 3 | 2 | 1 | 1 | 2 | | 1 | | | 1 | 1 | | | | | | | | | | | | | |
| Hanging | 26 | 18 | 8 | 6 | 4 | 12 | 4 | | | 1 | | | | | | 1 | | 17 | 8 | 11 | 8 | 6 | | 1 | 2 | | | | 2 | | 1 | | | | | | | | | | |
| Suffocation | 2 | | 2 | | 1 | | 1 | | | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| Natural Gas | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 70 | 41 | 29 | 12 | 10 | 29 | 19 | | | 3 | | | | | | 3 | | 38 | 29 | 26 | 22 | 12 | 7 | 2 | 1 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | 1 | | | | | 2 | | | |
| <u>Jumping:</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balcony | 1 | | 1 | | | | 1 | | | | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| Bridge | 4 | 4 | | 3 | | 1 | | | | | | | | | | | | 4 | | 4 | | | | | | | | | | | | | | | | | | | | | |
| Roof | 2 | | 2 | | 2 | | | | | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| Window | 4 | 3 | 1 | 3 | 1 | | | | | | | | | | | | | 3 | 1 | 3 | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 11 | 7 | 4 | 6 | 3 | 1 | 1 | | | 1 | | | | | | 1 | 7 | 3 | 7 | 1 | 2 | | | | | | | | | | | | | | | | | | | | |

SUICIDES

POISONING-ALCOHOL INCIDENCE

Table Number 74

| MODE | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------|------------|-----------|----------|----------|-----------|-----------|---------------|---|----------|----------|-----------------|---|-----------|---|-------|-----------|-----------|-----------|-----------|----------|----------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|--|--|--|--|
| | | Total | | Cleve. | | County | | Out Of County | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| Drugs: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Barbiturates | 10 | 7 | 3 | 3 | 1 | 4 | 2 | | | | | | | | | | | 7 | 3 | 7 | 3 | | | | | | | | | | | | | | | | | | | | |
| Barbiturates and other chemical agents* | 2 | | 2 | | 1 | | 1 | | | | | | | | | | | 2 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | |
| Dilantin | 1 | | 1 | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Ethchlorvynol | 1 | | 1 | | | | 1 | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Glutethimide | 4 | | 4 | | | | 4 | | | | | | | | | | | 4 | | 4 | | | | | | | | | | | | | | | | | | | | | |
| Imipramine | 2 | 1 | 1 | | | | 1 | 1 | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| Meprobamate | 1 | 1 | | 1 | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Propoxyphene | 2 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| Quindine Sulfate | 1 | | 1 | | | | 1 | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Salicylate | 1 | | 1 | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Thioridazine | 1 | | 1 | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Combination | 8 | 5 | 3 | | 2 | 5 | 1 | | | | | | | | | | | 5 | 3 | 5 | 2 | | 1 | | | | | | | | | | | | | | | | | | |
| Corrosives: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Calci-Solve | 1 | | 1 | | | | 1 | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Drano | 1 | 1 | | | | | 1 | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Prestone Dry Gas | 1 | 1 | | | | | 1 | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Toilet Bowl Cleaner | 1 | | 1 | | 1 | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Cyanide | 1 | 1 | | | | | 1 | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | |
| TOTAL | 39 | 18 | 21 | 5 | 9 | 13 | 12 | | | 2 | 2 | | | | | | 16 | 21 | 15 | 19 | 1 | 2 | | | | | | | | | | | | | | | | | | | |

* Ethanol (1)
 ** Darvon and Amphetamine (1)

1974

SUICIDES MODE-AGE GROUPS

Table Number 75

| MODE | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | |
|----------------------|--------------|---|-------|---|-------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|----|---------|---|---------|----|---------|---|---------|---|---------|---|---------|---|-------|-----|-------------|-----|----|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| Asphyxiations | | | | | | | | | | | 4 | 2 | 5 | | | 3 | 1 | 1 | 2 | | 4 | 2 | 4 | 3 | 4 | 3 | 5 | 4 | 4 | 8 | 4 | 3 | | | 3 | 1 | | | 41 | 29 | 70 |
| Cutting and Stabbing | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | 3 | 1 | 4 |
| Firearms | | | | | | | | | 12 | 3 | 9 | 2 | 10 | 4 | 9 | 2 | 8 | 2 | 4 | 1 | 6 | 3 | 4 | 1 | 7 | 1 | 8 | | 3 | | 2 | 2 | 3 | | 2 | | | 87 | 21 | 108 | |
| Jumping | | | | | | | | | 1 | | | | 2 | 1 | | | 1 | | | 2 | 1 | | 1 | 1 | 1 | | | | | | | | | | | | | | 7 | 4 | 11 |
| Poisoning | | | | | | | | | 4 | 2 | 2 | 1 | 4 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | | 1 | 4 | 2 | 1 | 1 | 2 | | 4 | | | | | | | | 18 | 21 | 39 |
| Miscellaneous* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 | | 1 |
| TOTAL | | | | | | | | | 17 | 5 | 15 | 5 | 21 | 7 | 13 | 5 | 11 | 5 | 9 | 7 | 13 | 6 | 10 | 10 | 15 | 6 | 13 | 10 | 7 | 7 | 5 | 2 | 6 | 1 | 2 | | | 157 | 76 | 233 | |

MODE-GEOGRAPHICAL LOCATION AND MARITAL STATUS


Table Number 76

| MODE | CLEVELAND | | | | | | | | | | | | COUNTY | | | | | | | | | | | | OUT OF COUNTY | | | | | | | | | | | | GRAND TOTAL | | | |
|--------------------|-----------|----|--------|---|----------|---|---------|---|---------|---|-------|----|---------|----|--------|---|----------|---|---------|---|---------|---|-------|----|---------------|---|--------|---|----------|---|---------|---|---------|---|-------|-----|-------------|-------|----|-----|
| | MARRIED | | SINGLE | | DIVORCED | | WIDOWED | | UNKNOWN | | TOTAL | | MARRIED | | SINGLE | | DIVORCED | | WIDOWED | | UNKNOWN | | TOTAL | | MARRIED | | SINGLE | | DIVORCED | | WIDOWED | | UNKNOWN | | TOTAL | | | TOTAL | | |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | M | F | |
| Asphyxiations | 7 | 5 | 2 | | 2 | | | 4 | 1 | 1 | 12 | 10 | 14 | 9 | 6 | 3 | 2 | 1 | 6 | 6 | 1 | | 29 | 19 | | | | | | | | | | | | | | 41 | 29 | 70 |
| Cutting - Stabbing | 1 | | | | 1 | | 1 | 1 | | | 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 4 | |
| Firearms | 23 | 5 | 14 | 4 | 7 | 2 | 1 | 1 | | | 45 | 12 | 22 | 8 | 12 | | 2 | 1 | 4 | | | | 40 | 9 | 1 | | 1 | | | | | | | | | 2 | | 87 | 21 | 108 |
| Jumping | 1 | 1 | 3 | 1 | 1 | 1 | | | 1 | | 6 | 3 | | | | 1 | 1 | | | | | | 1 | 1 | | | | | | | | | | | | | | 7 | 4 | 11 |
| Poisoning | 1 | 2 | 3 | 2 | | 3 | | 2 | | | 4 | 9 | 6 | 8 | 7 | 1 | 1 | 1 | | 1 | | | 14 | 11 | | 1 | | | | | | | | | | 1 | 18 | 21 | 39 | |
| Miscellaneous* | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| TOTAL | 33 | 13 | 22 | 7 | 11 | 6 | 3 | 8 | 2 | 1 | 71 | 35 | 42 | 25 | 25 | 4 | 6 | 4 | 10 | 7 | 1 | | 84 | 40 | 1 | 1 | 1 | | | | | | | 2 | 1 | 157 | 76 | 233 | | |

* Threw self under rear wheel of moving vehicle.


VIOLENCE OF UNDETERMINED ORIGIN

FOR A PERIOD OF TWELVE YEARS



| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 21 | 72 |
| | FEMALE | 8 | 28 |
| RACE | WHITE | 15 | 52 |
| | NON-WHITE | 14 | 48 |
| ALCOHOL | TESTED | 14 | 48 |
| | POSITIVE | 7 | 50 |
| AUTOPSY | AUTOPSIED | 19 | 66 |

BY MONTH FOR THE YEAR 1974



1974
TOTAL CASES
29


FATALITIES FROM VIOLENCE OF UNDETERMINED ORIGIN AGE-RACE-ALCOHOL INCIDENCE

Table Number 79

| AGE | RACE | TOTAL | NOT TESTED | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | |
|--------------|-----------|-------|------------|---|-------|---|-----------------|---|-----------|---|-------|---|--------|---|------|----|------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|----------------|---|------------------|---|
| | | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Under 1 Year | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 - 4 | White | 2 | 1 | 1 | 1 | 1 | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 3 | | 3 | | 3 | | | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| 5 - 9 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | White | 1 | 1 | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 - 19 | White | 1 | 1 | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| 20 - 24 | White | 1 | 1 | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| 25 - 29 | White | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | 1 | | |
| 30 - 34 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 - 39 | White | 1 | 1 | | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | |
| 40 - 44 | White | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45 - 49 | White | 3 | 3 | | 1 | | | | | | 1 | | | | | 2 | 2 | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| 50 - 54 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 55 - 59 | White | 1 | 1 | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 - 64 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | | 1 | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| 65 - 69 | White | 2 | | 2 | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 - 74 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 - 79 | White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Non-White | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 - over | White | 1 | 1 | | 1 | | 1 | | | | 2 | 1 | 3 | | | | | | | | | | | | | | | | | | | |
| | Non-White | 1 | 1 | | 1 | | 1 | | | | | 4 | | | | | | | | | | | | | | | | | | 2 | | |
| TOTAL | White | 15 | 12 | 3 | 7 | 1 | 2 | | | | 2 | 1 | 3 | | | 5 | 2 | 3 | 2 | 2 | | | | | | | | | | | | |
| | Non-White | 14 | 9 | 5 | 3 | 4 | 3 | | | | | 4 | | | | 6 | 1 | 2 | | 4 | 1 | | | | | | | | | 2 | | |
| GRAND TOTAL | | 29 | 21 | 8 | 10 | 5 | 5 | | | | 2 | 5 | 3 | | | 11 | 3 | 5 | 2 | 6 | 1 | | | | | | | | | 2 | | |

NATURAL CAUSES


FOR A PERIOD OF TWELVE YEARS



2891.0 AVERAGE

| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 1680 | 62 |
| | FEMALE | 1047 | 38 |
| RACE | WHITE | 2027 | 74 |
| | NON-WHITE | 700 | 26 |
| ALCOHOL | TESTED | 2209 | 81 |
| | POSITIVE | 222 | 10 |
| AUTOPSY | AUTOPSIED | 595 | 21 |

BY MONTH FOR THE YEAR 1974



227.2 AVERAGE

1974
TOTAL CASES
2,727

DEATHS FROM NATURAL CAUSES

MONTHLY ALCOHOL INCIDENCE

Table Number 80

| MONTH | TOTAL | NOT TESTED | | | | | | | | | | | TESTED | | | | | | STAGES | | | | | | | | | | | | | |
|--------------|-------------|-------------|-------------|------------|------------|-----------------|-----------|-----------|-----------|------------|------------|-------------|------------|-------------|------------|------------|-----------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|------------------|--|
| | | Total | | Total | | Surv'd Too Long | | Under Age | | Other | | | Total | | Neg. | | Pos. | | 0.01% 0.04% | | 0.05% 0.09% | | 0.10% 0.14% | | 0.15% 0.19% | | 0.20% 0.24% | | 0.25% 0.29% | | 0.30% or over | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| JANUARY | 248 | 139 | 109 | 27 | 25 | 5 | 5 | 8 | 3 | 14 | 17 | 112 | 84 | 105 | 77 | 7 | 7 | 2 | 2 | 4 | | | 1 | 1 | | | | | 3 | | 1 | |
| FEBRUARY | 209 | 122 | 87 | 14 | 18 | 3 | 3 | 2 | 4 | 9 | 11 | 108 | 69 | 98 | 67 | 10 | 2 | 3 | | 3 | 1 | 1 | | | 1 | | | 2 | | 1 | | |
| MARCH | 269 | 193 | 76 | 38 | 11 | 6 | 2 | 10 | 1 | 22 | 8 | 155 | 65 | 137 | 61 | 18 | 4 | 9 | 1 | 3 | | | 2 | 1 | 1 | 1 | | | 3 | 1 | | |
| APRIL | 230 | 136 | 94 | 28 | 23 | 3 | 5 | 3 | 4 | 22 | 14 | 108 | 71 | 91 | 64 | 17 | 7 | 6 | 4 | 5 | | 2 | 2 | 1 | | | 1 | | 2 | 1 | | |
| MAY | 219 | 141 | 78 | 19 | 17 | 1 | 2 | 1 | | 17 | 15 | 122 | 61 | 106 | 57 | 16 | 4 | 6 | | 4 | 1 | | | | 1 | | | | 5 | 3 | | |
| JUNE | 187 | 101 | 86 | 13 | 18 | 7 | 3 | | 1 | 6 | 14 | 88 | 68 | 80 | 62 | 8 | 6 | 2 | 3 | 2 | | 1 | 2 | 2 | | 1 | 1 | | | | | |
| JULY | 244 | 158 | 86 | 34 | 27 | 11 | 7 | 7 | 3 | 16 | 17 | 124 | 59 | 110 | 54 | 14 | 5 | 3 | 2 | 2 | | 1 | 2 | 1 | 1 | 3 | | | 4 | | | |
| AUGUST | 204 | 116 | 88 | 18 | 25 | 4 | 6 | 3 | 1 | 11 | 18 | 98 | 63 | 91 | 59 | 7 | 4 | 3 | | 1 | | 1 | 1 | | 1 | | | 1 | | 2 | | |
| SEPTEMBER | 220 | 132 | 88 | 21 | 20 | 5 | 5 | 2 | 2 | 14 | 13 | 111 | 68 | 97 | 61 | 14 | 7 | 5 | 3 | 3 | 2 | | | 1 | | 2 | 1 | 1 | | 2 | 1 | |
| OCTOBER | 230 | 143 | 87 | 23 | 17 | 9 | 4 | 4 | 1 | 10 | 12 | 120 | 70 | 105 | 66 | 15 | 4 | 2 | | 3 | | 1 | 1 | 3 | 1 | 2 | 1 | 1 | 1 | 3 | | |
| NOVEMBER | 208 | 141 | 67 | 18 | 17 | 4 | 2 | 3 | 4 | 11 | 11 | 123 | 50 | 107 | 44 | 16 | 6 | 9 | 1 | 1 | | | 2 | 2 | | 1 | 2 | 2 | | 1 | 1 | |
| DECEMBER | 259 | 158 | 101 | 22 | 25 | | 5 | 4 | 2 | 18 | 18 | 136 | 76 | 119 | 69 | 17 | 7 | 4 | 1 | 1 | 1 | 4 | | 2 | 2 | 1 | | 2 | 2 | 3 | 1 | |
| TOTAL | 2727 | 1680 | 1047 | 275 | 243 | 58 | 49 | 47 | 26 | 170 | 168 | 1405 | 804 | 1246 | 741 | 159 | 63 | 54 | 17 | 32 | 5 | 11 | 11 | 15 | 7 | 12 | 6 | 10 | 6 | 25 | 11 | |

DEATHS FROM NATURAL CAUSES

INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY MONTH

Table Number 81

| CLASSIFICATION OF DISEASES BY CODE* | JAN. | | FEB. | | MAR. | | APRIL | | MAY | | JUNE | | JULY | | AUG. | | SEPT. | | OCT. | | NOV. | | DEC. | | TOTAL | | GRAND |
|---|------------|------------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|------------|-------------|-------------|-------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL |
| Infective and Parasitic Diseases | | | | | 1 | 1 | | 1 | 1 | | 1 | 1 | | | 1 | | | | | | 1 | | | | 5 | 3 | 8 |
| Neoplasms | 5 | 5 | 3 | 2 | 3 | 3 | 3 | 4 | 5 | 6 | | 4 | 7 | 5 | 6 | 4 | 6 | 4 | 4 | 7 | 3 | 4 | 5 | 4 | 50 | 52 | 102 |
| Allergic, Endocrine System, Metabolic, and Nutritional Diseases | | | | 1 | | | | 1 | 1 | | 1 | 1 | 1 | | 1 | | 1 | | | 1 | | | | | 4 | 5 | 9 |
| Diseases of the Blood and Blood-forming Organs | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Mental, Psychoneurotic, and Personality Disorders** | | 1 | 1 | 1 | 1 | | | 1 | | 2 | 1 | | | 1 | | 1 | 1 | | 1 | | | 1 | 5 | 1 | 12 | 7 | 19 |
| Diseases of the Nervous System and Sense Organs | 2 | 1 | | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | | | 1 | 2 | 1 | | | | 2 | | | 3 | 15 | 10 | 25 |
| Diseases of the Circulatory System | 115 | 90 | 108 | 72 | 158 | 61 | 116 | 74 | 122 | 60 | 84 | 70 | 124 | 74 | 96 | 74 | 111 | 73 | 119 | 72 | 127 | 53 | 136 | 85 | 1416 | 858 | 2274 |
| Diseases of the Respiratory System | 9 | 2 | 2 | 4 | 12 | 3 | 5 | 3 | 2 | 1 | 7 | | 11 | 3 | 3 | | 5 | 4 | 6 | 1 | 3 | 4 | 6 | 5 | 71 | 30 | 101 |
| Diseases of the Digestive System | 4 | 5 | 6 | 5 | 14 | 5 | 6 | 5 | 7 | 8 | 4 | 7 | 14 | 2 | 7 | 7 | 6 | 6 | 10 | 5 | 5 | 3 | 1 | 4 | 84 | 62 | 146 |
| Diseases of the Genito-urinary System | | | | | | | 1 | 1 | | | 1 | | 1 | | | | 1 | | | | | | | 1 | 4 | 2 | 6 |
| Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium | | 1 | | | | 1 | | | | | | | | | | | | | | | | 1 | | | | 3 | 3 |
| Diseases of the Skin and Cellular Tissue | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| Diseases of the Bones and Organs of Movement | | 2 | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 2 | 3 |
| Congenital Malformations | 1 | | | 1 | 1 | | | 2 | | | | 2 | | 1 | 1 | | | | 2 | 1 | | 1 | | 1 | 5 | 9 | 14 |
| Certain Diseases of Early Infancy | 1 | 1 | 1 | | 1 | | | 1 | | | 1 | | | | | | | | 1 | | | | | | 5 | 2 | 7 |
| Symptoms, Senility, and Ill-defined Conditions | 1 | | 1 | | | | 1 | | 1 | | | | 1 | | | | | 1 | | | | | 2 | | 7 | 1 | 8 |
| TOTAL | 139 | 109 | 122 | 87 | 193 | 76 | 136 | 94 | 141 | 78 | 101 | 86 | 158 | 86 | 116 | 88 | 132 | 88 | 143 | 87 | 141 | 67 | 158 | 101 | 1680 | 1047 | 2727 |

* International Classification of Diseases by World Health Organization: Volume 1.

** In Mental, Psychoneurotic and Personality Disorders, 18 were due to alcoholism.

AUTOPSIES-DEATHS FROM NATURAL CAUSES

INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY MONTH

Table Number 82

| CLASSIFICATION OF DISEASES BY CODE * | JAN. | | FEB. | | MAR. | | APRIL | | MAY | | JUNE | | JULY | | AUG. | | SEPT. | | OCT. | | NOV. | | DEC. | | TOTAL | | GRAND | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|---|-------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL |
| Infective and Parasitic Diseases | | | | | | 1 | | 1 | | | | 1 | | | | 1 | | | | | | 1 | | | | | 3 | 2 | 5 |
| Neoplasms | 1 | 2 | | | 1 | | | | | | | | | 1 | | | | 1 | 1 | | 1 | | | 1 | | | 4 | 5 | 9 |
| Allergic, Endocrine System, Metabolic, and Nutritional Diseases | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | | | | 2 | | 2 |
| Diseases of the Blood and Blood-forming Organs | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Mental, Psychoneurotic, and Personality Disorders** | | 1 | | 1 | | | 1 | | 1 | 1 | | | | 1 | | 1 | 1 | | | 1 | | | 1 | 4 | | | 8 | 6 | 14 |
| Diseases of the Nervous System and Sense Organs | 2 | 1 | | | | 1 | | 2 | | | | 1 | 1 | | | 1 | | 1 | | | | 1 | | 3 | | | 9 | 5 | 14 |
| Diseases of the Circulatory System | 21 | 16 | 19 | 11 | 21 | 4 | 19 | 9 | 29 | 4 | 9 | 15 | 23 | 11 | 22 | 14 | 17 | 5 | 24 | 8 | 22 | 8 | 18 | 10 | 244 | 115 | 359 | | |
| Diseases of the Respiratory System | 8 | 2 | 2 | 4 | 8 | 2 | 3 | 3 | 2 | | 3 | | 6 | 1 | 1 | | 3 | 4 | 3 | 1 | 1 | 3 | 4 | 3 | 44 | 23 | 67 | | |
| Diseases of the Digestive System | 3 | 3 | 5 | 3 | 8 | 4 | 6 | 2 | 4 | 6 | 1 | 5 | 12 | 2 | 4 | 5 | 3 | 4 | 7 | 4 | 2 | 3 | 1 | 4 | 56 | 45 | 101 | | |
| Diseases of the Genito-urinary System | | | | | | | | 1 | | | | | | | | | | 1 | | | | | | 1 | 1 | 2 | 3 | | |
| Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium | | 1 | | | | 1 | | | | | | | | | | | | | | | | 1 | | | | | 3 | | 3 |
| Diseases of the Skin and Cellular Tissue | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| Diseases of the Bones and Organs of Movement | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Congenital Malformations | | | | 1 | | | | 2 | | | | 1 | | 1 | | | | | | 2 | | | | 1 | | | 2 | 6 | 8 |
| Certain Diseases of Early Infancy | | 1 | 1 | | | | | 1 | | | | | | | | | | | | 1 | | | | | | | 2 | 2 | 4 |
| Symptoms, Senility, and Ill-defined Conditions | 1 | | | | | | | | 1 | | | | | | | | | 1 | | | | | 1 | | | | 3 | 1 | 4 |
| TOTAL | 37 | 28 | 27 | 20 | 38 | 13 | 29 | 21 | 37 | 11 | 16 | 22 | 42 | 16 | 30 | 20 | 27 | 15 | 38 | 14 | 27 | 18 | 31 | 18 | 379 | 216 | 595 | | |

* International Classification of Diseases by World Health Organization: Volume 1.

** In Mental, Psychoneurotic and Personality Disorders, 14 were due to alcoholism.

DEATHS FROM NATURAL CAUSES

MONTHS AND AGE GROUPS

Table Number 83

| AGE | JAN. | | FEB. | | MAR. | | APRIL | | MAY | | JUNE | | JULY | | AUG. | | SEPT. | | OCT. | | NOV. | | DEC. | | TOTAL | | GRAND TOTAL | |
|--------------|------------|------------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|------------|-------------|-------------|----------------|----|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| Under 1 Year | 6 | 2 | 2 | 4 | 5 | 1 | 3 | 4 | 1 | | 1 | | 6 | 1 | 2 | | 2 | 3 | 3 | | 3 | 4 | 3 | 1 | 37 | 20 | 57 | |
| 1 - 4 | 2 | 2 | | | 1 | | | | | | | 1 | 1 | 1 | | | | 1 | | 1 | | | | 1 | 1 | 5 | 7 | 12 |
| 5 - 9 | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | 2 | | 2 |
| 10 - 14 | | | | 1 | 2 | 1 | | | | 1 | | | | 1 | 1 | | 1 | | 1 | | 1 | | | | | 6 | 4 | 10 |
| 15 - 19 | | | 1 | | | 1 | 1 | | | | | | 1 | | 2 | 1 | | | | | | | | | | 5 | 2 | 7 |
| 20 - 24 | | 2 | | 1 | 1 | 2 | | 2 | | | | | | | 1 | | 1 | | 1 | | | | | | | 1 | 10 | 11 |
| 25 - 29 | 3 | | 1 | | | | 1 | | 1 | | 2 | | | 1 | | 1 | 1 | | 1 | | 2 | 1 | 1 | 8 | 8 | 16 | | |
| 30 - 34 | 2 | | | | 2 | | 1 | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | 3 | 2 | 4 | 1 | 1 | | 1 | 1 | 17 | 10 | 27 | |
| 35 - 39 | 4 | 2 | 1 | 1 | 4 | 1 | 3 | 2 | 3 | | 1 | 1 | 4 | 1 | 1 | 1 | 2 | | 2 | 2 | 3 | 1 | 1 | 4 | 29 | 16 | 45 | |
| 40 - 44 | 4 | 2 | 2 | 3 | 4 | 1 | 8 | 2 | 4 | 4 | 4 | 3 | 3 | 2 | 7 | 2 | 4 | 3 | 6 | 3 | 6 | 2 | 3 | 2 | 55 | 29 | 84 | |
| 45 - 49 | 6 | 5 | 6 | 4 | 4 | 5 | 9 | 3 | 15 | 1 | 4 | 9 | 14 | 3 | 9 | 5 | 3 | 4 | 13 | 2 | 15 | 3 | 15 | 7 | 113 | 51 | 164 | |
| 50 - 54 | 18 | 11 | 13 | 6 | 17 | 5 | 10 | 8 | 18 | 8 | 17 | 5 | 13 | 6 | 16 | 10 | 19 | 6 | 11 | 4 | 6 | 3 | 14 | 9 | 172 | 81 | 253 | |
| 55 - 59 | 20 | 12 | 16 | 5 | 33 | 8 | 22 | 7 | 23 | 10 | 12 | 5 | 19 | 8 | 12 | 4 | 13 | 10 | 15 | 7 | 26 | 8 | 18 | 6 | 229 | 90 | 319 | |
| 60 - 64 | 13 | 7 | 22 | 13 | 28 | 10 | 17 | 10 | 15 | 4 | 20 | 7 | 23 | 7 | 13 | 10 | 25 | 5 | 17 | 13 | 17 | 3 | 27 | 10 | 237 | 99 | 336 | |
| 65 - 69 | 19 | 19 | 15 | 10 | 19 | 9 | 14 | 10 | 18 | 9 | 12 | 6 | 23 | 12 | 13 | 6 | 17 | 6 | 22 | 9 | 22 | 6 | 18 | 10 | 212 | 112 | 324 | |
| 70 - 74 | 17 | 14 | 18 | 10 | 26 | 5 | 17 | 9 | 20 | 14 | 7 | 11 | 17 | 6 | 14 | 13 | 15 | 14 | 17 | 13 | 12 | 15 | 22 | 10 | 202 | 134 | 336 | |
| 75 - 79 | 9 | 13 | 12 | 13 | 18 | 8 | 17 | 11 | 9 | 11 | 8 | 9 | 15 | 15 | 7 | 12 | 18 | 12 | 16 | 15 | 12 | 4 | 13 | 12 | 154 | 135 | 289 | |
| 80 - over | 16 | 18 | 13 | 16 | 28 | 19 | 12 | 25 | 14 | 14 | 14 | 25 | 19 | 22 | 17 | 22 | 9 | 20 | 16 | 15 | 17 | 16 | 21 | 27 | 196 | 239 | 435 | |
| TOTAL | 139 | 109 | 122 | 87 | 193 | 76 | 136 | 94 | 141 | 78 | 101 | 86 | 158 | 86 | 116 | 88 | 132 | 88 | 143 | 87 | 141 | 67 | 158 | 101 | 1680 | 1047 | 2727 | |

AUTOPSIES-DEATHS FROM NATURAL CAUSES

MONTH AND AGE GROUPS

Table Number 84

| AGE | JAN. | | FEB. | | MAR. | | APRIL | | MAY | | JUNE | | JULY | | AUG. | | SEPT. | | OCT. | | NOV. | | DEC. | | TOTAL | | GRAND TOTAL |
|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|----------------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| Under 1 Year | 5 | 2 | 2 | 4 | 5 | 1 | 3 | 4 | 1 | | | | 6 | | 1 | | 2 | 3 | 3 | | 1 | 4 | 3 | 1 | 32 | 19 | 51 |
| 1 - 4 | 2 | 2 | | | | | | | | | | | | 1 | | | | 1 | | 1 | | | 1 | | 3 | 5 | 8 |
| 5 - 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 - 14 | | | | 1 | 1 | | | | | | | | | 1 | 1 | | 1 | | 1 | | | | | | 4 | 2 | 6 |
| 15 - 19 | | | 1 | | | 1 | 1 | | | | | | 1 | | 1 | 1 | | | | | | | | | 4 | 2 | 6 |
| 20 - 24 | | 2 | | 1 | | 2 | | 2 | | | | | | | | | | 1 | | | | | | | 8 | 8 | 8 |
| 25 - 29 | 1 | | | | | | 1 | | | 1 | | 2 | | | 1 | | 1 | 1 | | | | 2 | 1 | 1 | 5 | 7 | 12 |
| 30 - 34 | 2 | | | | 2 | | 1 | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | 3 | 2 | 4 | 1 | 1 | | 1 | 1 | 17 | 10 | 27 |
| 35 - 39 | 4 | 2 | 1 | 1 | 4 | 1 | 2 | 2 | 1 | | 2 | 1 | 4 | 1 | 1 | 1 | 2 | | 2 | 1 | 2 | 2 | 1 | 4 | 26 | 16 | 42 |
| 40 - 44 | 3 | | 2 | 2 | 3 | 1 | 6 | 2 | 4 | 3 | 4 | 3 | 1 | 2 | 3 | 2 | 3 | 2 | 5 | 3 | 3 | 1 | 3 | 2 | 40 | 23 | 63 |
| 45 - 49 | 3 | 3 | 4 | 2 | 3 | 3 | 7 | 3 | 7 | 1 | 2 | 6 | 8 | 3 | 5 | 3 | | 4 | 6 | 1 | 9 | 2 | 11 | 3 | 65 | 34 | 99 |
| 50 - 54 | 8 | 4 | 8 | 5 | 5 | 2 | 4 | 3 | 8 | 1 | 4 | 3 | 5 | 3 | 8 | 5 | 7 | 1 | 2 | 1 | 3 | 3 | 5 | 3 | 67 | 34 | 101 |
| 55 - 59 | 4 | 5 | 4 | | 5 | 2 | 2 | | 9 | 2 | 1 | 1 | 5 | | 4 | 4 | 1 | | 3 | 1 | 5 | 2 | 3 | 1 | 46 | 18 | 64 |
| 60 - 64 | | 1 | 3 | | 3 | | | 1 | 2 | | 1 | 1 | 4 | 1 | 1 | 1 | 2 | | 8 | 2 | | | | 1 | 24 | 8 | 32 |
| 65 - 69 | 2 | 3 | | | 1 | | 1 | 1 | 1 | | | | 3 | | 1 | | 1 | | 2 | 2 | 2 | | | 1 | 14 | 7 | 21 |
| 70 - 74 | 2 | 1 | 1 | 1 | 3 | | | | 3 | 2 | | 1 | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | | | 1 | | 15 | 8 | 23 |
| 75 - 79 | 1 | 1 | | | 2 | | 1 | 2 | | | | | 3 | | | 1 | | | | | | 1 | | | 7 | 5 | 12 |
| 80 - over | | 2 | 1 | 3 | 1 | | | | | | 1 | 2 | 1 | 2 | 1 | | 2 | | 1 | | 1 | 1 | 1 | | 10 | 10 | 20 |
| TOTAL | 37 | 28 | 27 | 20 | 38 | 13 | 29 | 21 | 37 | 11 | 16 | 22 | 42 | 16 | 30 | 20 | 27 | 15 | 38 | 14 | 27 | 18 | 31 | 18 | 379 | 216 | 595 |

DEATHS FROM NATURAL CAUSES

INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY AGE GROUPS

Table Number 85

| CLASSIFICATION OF DISEASES BY CODE* | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND TOTAL | | | | | | | |
|---|-----------------------------------|-----------|----------|----------|----------|---|----------|----------|----------|----------|----------|-----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|----------------|-----|----|-----|----|---|----|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | | | | |
| | Infectious and Parasitic Diseases | 2 | | | | | | | | | | | | | | 1 | | 1 | | | | 1 | | | 1 | | | | | | | | | | | | | | | | 5 | 3 | 8 | | | |
| Neoplasms | 2 | | | | | | | | | | | | | 1 | | | 1 | | | | 4 | 4 | 5 | 2 | 7 | 7 | 8 | 6 | 3 | 12 | 9 | 8 | 5 | 2 | 5 | 5 | 6 | 50 | 52 | 102 | | | | | | |
| Allergic, Endocrine System, Metabolic, and Nutritional Diseases | | | | | | | 1 | | | | | | | | | 1 | | | | | 1 | | | | | | | | 1 | | | 2 | | | | 1 | 4 | 5 | 9 | | | | | | | |
| Diseases of the Blood and Blood-forming Organs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | | | | | |
| Mental, Psychoneurotic and Personality Disorders** | | | | | | | | | | | | | | 1 | 1 | | 1 | | | 1 | 2 | 2 | 2 | 1 | | 4 | | 1 | 1 | 1 | | | | | | | | | 12 | 7 | 19 | | | | | |
| Diseases of the Nervous System and Sense Organs | | | | 2 | 1 | 1 | | 1 | 2 | | | | 2 | 2 | | 1 | 1 | 1 | | 3 | 1 | | | 1 | 1 | | | 2 | 1 | | | | | | | | | | | | 15 | 10 | 25 | | | |
| Diseases of the Circulatory System | 1 | 1 | | | | | 1 | 2 | 3 | 2 | 1 | 3 | 3 | 2 | 6 | 3 | 16 | 7 | 42 | 17 | 83 | 34 | 152 | 59 | 198 | 71 | 208 | 85 | 185 | 98 | 186 | 122 | 144 | 124 | 187 | 228 | 1416 | 858 | 2274 | | | | | | | |
| Diseases of the Respiratory System | 27 | 15 | 2 | 2 | | | | | | | | 1 | | 1 | | | | 2 | 3 | 1 | 6 | 2 | 2 | | 7 | | 6 | 2 | 9 | 1 | 4 | 1 | 4 | 2 | 1 | | | | | 71 | 30 | 101 | | | | |
| Diseases of the Digestive System | | 1 | | | | | 1 | | 2 | | | 2 | 1 | 1 | 6 | 5 | 9 | 5 | 6 | 4 | 16 | 7 | 12 | 10 | 12 | 10 | 12 | 6 | 3 | 3 | 2 | 4 | 1 | | | 1 | 4 | 84 | 62 | 146 | | | | | | |
| Diseases of the Genito-urinary System | | | | | | | | | | | | | | | 1 | | | 1 | | | | | | 1 | | 1 | | 1 | 1 | | | | | | | | | | | | 4 | 2 | 6 | | | |
| Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium | | | | | | | | | | | | 2 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 3 | 3 | | |
| Diseases of the Skin and Cellular Tissue | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | |
| Diseases of the Bones and Organs of Movement | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 3 |
| Congenital Malformations | 1 | 1 | | 3 | | | 2 | | | | | | 1 | 2 | 1 | 1 | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | 5 | 9 | 14 | |
| Certain Diseases of Early Infancy | 4 | 2 | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 2 | 7 | |
| Symptoms, Senility, and Ill-defined Conditions | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 | 1 | 8 |
| TOTAL | 37 | 20 | 5 | 7 | 2 | | 6 | 4 | 5 | 2 | 1 | 10 | 8 | 8 | 17 | 10 | 29 | 16 | 55 | 29 | 113 | 51 | 172 | 81 | 229 | 90 | 237 | 99 | 212 | 112 | 202 | 134 | 154 | 135 | 196 | 239 | 1680 | 1047 | 2727 | | | | | | | |

* International Classification of Diseases by World Health Organization: Volume 1.

** In Mental, Psychoneurotic and Personality Disorders, 18 were due to alcoholism.

AUTOPSIES-DEATHS FROM NATURAL CAUSES INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY AGE GROUPS

Table Number 86


| CLASSIFICATION OF DISEASES BY CODE* | Under 1 year | | 1 - 4 | | 5 - 9 | | 10 - 14 | | 15 - 19 | | 20 - 24 | | 25 - 29 | | 30 - 34 | | 35 - 39 | | 40 - 44 | | 45 - 49 | | 50 - 54 | | 55 - 59 | | 60 - 64 | | 65 - 69 | | 70 - 74 | | 75 - 79 | | 80-over | | TOTAL | | GRAND | | | | | | | | | | | | |
|---|-----------------|-----------|----------|----------|-------|---|---------|----------|----------|----------|----------|---|---------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|----------|-----------|----------|----------|----------|-----------|-----------|------------|------------|------------|---|---|-----|-----|-----|-----|---|---|---|---|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | TOTAL | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL | | | | | | | | | | |
| Infective and Parasitic Diseases | 2 | | | | | | | | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | 3 | 2 | 5 | | | | | | | | | | | |
| Neoplasms | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | 4 | 5 | 9 | | | | | | | | | |
| Allergic, Endocrine System, Metabolic, and Nutritional Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | 2 | | | | | | | | |
| Diseases of the Blood and Blood-forming Organs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | |
| Mental, Psychoneurotic, and Personality Disorders** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | 6 | 14 | | | | | | |
| Diseases of the Nervous System and Sense Organs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 9 | 5 | 14 | | | | | |
| Diseases of the Circulatory System | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 244 | 115 | 359 | | | | | |
| Diseases of the Respiratory System | 27 | 14 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 44 | 23 | 67 | | | | | |
| Diseases of the Digestive System | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 56 | 45 | 101 | | | | |
| Diseases of the Genito-urinary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 3 | | | |
| Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 3 | | | |
| Diseases of the Skin and Cellular Tissue | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| Diseases of the Bones and Organs of Movement | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Congenital Malformations | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 6 | 8 | |
| Certain Diseases of Early Infancy | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 4 | |
| Symptoms, Senility, and Ill-defined Conditions | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 4 |
| TOTAL | 32 | 19 | 3 | 5 | | | | 4 | 2 | 4 | 2 | | | 8 | 5 | 7 | 17 | 10 | 26 | 16 | 40 | 23 | 65 | 34 | 67 | 34 | 46 | 18 | 24 | 8 | 14 | 7 | 15 | 8 | 7 | 5 | 10 | 10 | 379 | 216 | 595 | | | | | | | | | | |

* International Classification of Diseases by World Health Organization: Volume 1.

** In Mental, Psychoneurotic and Personality Disorders, 14 were due to alcoholism.


ABORTIONS

FOR A PERIOD OF TWELVE YEARS



| | NUMBER | PER CENT |
|---------|-----------|----------|
| SEX | MALE | 0 |
| | FEMALE | 0 |
| RACE | WHITE | 0 |
| | NON-WHITE | 0 |
| ALCOHOL | TESTED | 0 |
| | POSITIVE | 0 |
| AUTOPSY | AUTOPSIED | 0 |

BY MONTH FOR THE YEAR 1974



1974
TOTAL CASES
0

ABORTION FATALITIES


Table Number 87

| | SINGLE | | MARRIED | |
|--------------|--------|-----------|---------|-----------|
| MONTH | WHITE | NON-WHITE | WHITE | NON-WHITE |
| | | | | |
| | | | | |
| TOTAL | 0 | 0 | 0 | 0 |

NO FATALITIES RECORDED IN 1974

NEONATAL AND INTRA-UTERINE DEATHS


FOR A PERIOD OF TWELVE YEARS



10.5 AVERAGE

| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 5 | 63 |
| | FEMALE | 3 | 37 |
| RACE | WHITE | 5 | 63 |
| | NON-WHITE | 3 | 37 |
| ALCOHOL | TESTED | 0 | 0 |
| | POSITIVE | 0 | 0 |
| AUTOPSY | AUTOPSIED | 4 | 50 |

BY MONTH FOR THE YEAR 1974



0.67 AVERAGE

1974
TOTAL CASES
8

NEONATAL AND INTRA-UTERINE DEATHS BY MONTH AND AGE GROUPS*

Table Number 88

| MONTH | GROUP I | | | | GROUP II | | | | GROUP III | | | | GROUP IV | | | | TOTAL | |
|--------------|------------|---|--------------|---|------------|---|--------------|---|------------|----------|--------------|----------|------------|---|--------------|---|----------|----------|
| | LIVE BIRTH | | FOETAL DEATH | | LIVE BIRTH | | FOETAL DEATH | | LIVE BIRTH | | FOETAL DEATH | | LIVE BIRTH | | FOETAL DEATH | | M | F |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| JANUARY | | | | | | | | | | | | | | | | | | |
| FEBRUARY | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | 1 | | 1 | | | | | | | 2 |
| APRIL | | | | | | | | | 1 | 1 | | | | | | | | 1 1 |
| MAY | | | | | | | | | | | | 1 | | | | | | 1 |
| JUNE | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | |
| SEPTEMBER | | | | | | | | | | | | 1 | | | | | | 1 |
| OCTOBER | | | | | | | | | | | | | | | 1 | | | 1 |
| NOVEMBER | | | | | | | | | | | | | | | | | | |
| DECEMBER | | | | | | | | | 1 | | | | | | | | | 1 |
| TOTAL | | | | | | | | | 3 | 1 | 1 | 2 | | | 1 | | 5 | 3 |

* INTERNATIONAL CLASSIFICATION OF DISEASES by World Health Organization: Volume 1.

This category includes stillbirths (foetal deaths) and deaths due to natural causes in the early neonatal period (live births)

Group I – Less than 20 completed weeks of gestation

Group III – 28 completed weeks of gestation and over

Group II – 20 completed weeks of gestation but less than 28

Group IV – Gestation period not classifiable in Group I, II and III

AUTOPSIES
NEONATAL AND INTRA-UTERINE DEATHS
BY MONTH AND GROUPS*

Table Number 89

| MONTH | GROUP I | | | | GROUP II | | | | GROUP III | | | | GROUP IV | | | | TOTAL | |
|-----------|------------|---|--------------|---|------------|---|--------------|---|------------|---|--------------|---|------------|---|--------------|---|-------|-----|
| | LIVE BIRTH | | FOETAL DEATH | | LIVE BIRTH | | FOETAL DEATH | | LIVE BIRTH | | FOETAL DEATH | | LIVE BIRTH | | FOETAL DEATH | | M | F |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| JANUARY | | | | | | | | | | | | | | | | | | |
| FEBRUARY | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | 1 | | | | | | | | | 1 |
| APRIL | | | | | | | | | | 1 | | | | | | | | 1 |
| MAY | | | | | | | | | | | | 1 | | | | | | 1 |
| JUNE | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | |
| SEPTEMBER | | | | | | | | | | | | 1 | | | | | | 1 |
| OCTOBER | | | | | | | | | | | | | | | | | | |
| NOVEMBER | | | | | | | | | | | | | | | | | | |
| DECEMBER | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | 1 | 1 | | 2 | | | | | | 1 3 |

* INTERNATIONAL CLASSIFICATION OF DISEASES by World Health Organization: Volume 1.

This category includes stillbirths (foetal deaths) and deaths due to natural causes in early neonatal period (live births)

Group I – Less than 20 completed weeks of gestation


Group III – 28 completed weeks of gestation and over

Group II – 20 completed weeks of gestation but less than 28

Group IV – Gestation period not classifiable in Group I, II and III

UNDETERMINED CAUSES


FOR A PERIOD OF TWELVE YEARS



10.1 AVERAGE

| | NUMBER | PER CENT | |
|---------|-----------|----------|----|
| SEX | MALE | 12 | 92 |
| | FEMALE | 1 | 8 |
| RACE | WHITE | 5 | 38 |
| | NON-WHITE | 8 | 62 |
| ALCOHOL | TESTED | 6 | 46 |
| | POSITIVE | 4 | 67 |
| AUTOPSY | AUTOPSIED | 10 | 77 |

BY MONTH FOR THE YEAR 1974



1.1 AVERAGE

1974

TOTAL CASES

13

DEATHS FROM UNDETERMINED CAUSES

Table Number 90

| COLOR | SEX | AGE | MARITAL STATUS | DATE OF DEATH | OCCUPATION | WHERE DEATH OCCURRED |
|-------|-----|-----|----------------|---------------|------------|--|
| C | M | 19 | Single | 3/03/74 | Clerk | 13403 Euclid Avenue, #3, East Cleveland, Ohio. |
| C | M | 43 | Widowed | 3/04/74 | Laborer | 1819 East 55 Street, Cleveland, Ohio. |
| C | M | 73 | Married | 3/15/74 | Laborer | 659 East 103 Street, Cleveland, Ohio. |
| W | M | ?? | Unknown | 4/03/74 | Unknown | 8135 Wade Park Avenue, Cleveland, Ohio. |
| C | M | 69 | Widowed | 6/10/74 | Laborer | DOA, Lakeside Hospital, Cleveland, Ohio. |
| W | M | 46 | Single | 6/13/74 | Unknown | 2496 Morris Black Place, #6, Cleveland, Ohio. |
| W | M | 68 | Single | 6/15/74 | Laborer | 4005 East 86 Street, Cleveland, Ohio. |
| C | M | 48 | Widowed | 6/18/74 | Laborer | 2500 East 61 Street, #521, Cleveland, Ohio. |
| C | M | 39 | Single | 8/14/74 | Laborer | At: 11450 East Boulevard, Cleveland, Ohio. |
| W | M | 11 | Single | 8/19/74 | Student | Parma Community General Hospital, Parma, Ohio. |
| C | M | 26 | Single | 10/15/74 | Laborer | 2619 Woodhill Road, Cleveland, Ohio. |
| W | M | ?? | Unknown | 10/20/74 | Unknown | North end of Brooklyn Bridge, Cleveland, Ohio. |
| C | F | 39 | Single | 10/22/74 | Librarian | 3830 East 144 Street, Cleveland, Ohio. |

Ten cases autopsied but no cause of death could be assigned.

Advanced Postmortem Decomposition in five cases.

Toxicological examinations and alcohol determinations conducted on six cases.

Alcohol determinations resulted in four positive cases and two negative cases.

TOXICOLOGY LABORATORY REPORT

1974

Table Number 91

| | CASES INVESTIGATED | ANALYSES |
|---|--------------------|----------|
| CUYAHOGA COUNTY CORONER'S OFFICE | 3,158* | 15,532 |
| SOURCES OF OTHER SPECIMENS (Police dept., other coroners, local hospitals) | 4,214 | 11,079 |
| TOTAL | 7,372 | 26,611 |

* 75% of CUYAHOGA COUNTY CORONER'S CASES

TOXICOLOGY LABORATORY REPORT

1974

Table Number 9 | A

| ANALYSES | CUYAHOGA COUNTY CORONER'S LABORATORY CASES | | | | OUTSIDE CASES | TOTAL ANALYSES |
|-------------------|--|--------------|--------------|---------------|------------------|-------------------|
| | SPECIMENS | | ANALYSES | | ANALYSES | |
| | TESTED* | POSITIVE*** | POSITIVE** | TESTED | TESTED | |
| Blood Alcohol | 3,129 | 612 | 612 | 3,129 | 758 | 3,887 |
| Urine Alcohol | 1,276 | 385 | 385 | 1,276 | 95 | 1,371 |
| Other Alcohol | 29 | 14 | 14 | 29 | 29 | 58 |
| Acetone | 997 | 51 | 60 | 1,427 | 853 | 2,280 |
| Aldehydes | 997 | 0 | 0 | 1,432 | 853 | 2,285 |
| Methanol | 997 | 1 | 2 | 1,428 | 853 | 2,281 |
| Carbon Monoxide | 173 | 94 | 94 | 173 | 46 | 219 |
| Sugar | 1,658 | 78 | 78 | 1,658 | 10 | 1,668 |
| Barbiturates | 655 | 54 | 92 | 712 | 3,403 | 4,115 |
| Salicylates | 1,302 | 90 | 116 | 1,328 | 196 | 1,524 |
| Lead | 0 | 0 | 0 | 0 | 55 | 55 |
| Mercury | 2 | 0 | 0 | 4 | 5 | 9 |
| Arsenic | 2 | 0 | 0 | 4 | 22 | 26 |
| Cyanide | 2 | 1 | 1 | 5 | 9 | 14 |
| Chloral Hydrate | 4 | 0 | 0 | 4 | 9 | 13 |
| Narcotics | 535 | 52 | 114 | 702 | 359 | 1,061 |
| Doriden | 35 | 10 | 23 | 48 | 114 | 162 |
| Phenothiazines | 1,276 | 23 | 46 | 1,306 | 275 | 1,581 |
| Local Anesthetics | 2 | 2 | 4 | 4 | 5 | 9 |
| Antihistamines | 2 | 2 | 6 | 6 | 19 | 25 |
| Organic Bases | 487 | 43 | 119 | 751 | 1,106 | 1,857 |
| Aminophylline | 1 | 1 | 2 | 2 | 0 | 2 |
| Bromide | 2 | 0 | 0 | 2 | 23 | 25 |
| Meprobamate | 17 | 1 | 3 | 19 | 56 | 75 |
| Dilantin | 27 | 14 | 23 | 36 | 1,681 | 1,717 |
| Librium | 20 | 5 | 8 | 24 | 139 | 163 |
| Miscellaneous**** | 14 | 9 | 13 | 23 | 106 | 129 |
| TOTAL | 13,641 | 1,542 | 1,815 | 15,532 | 11,079 | 26,611 |

Replicate analyses are not included in the above data.

* In any given case several different analyses may be required. Consequently the total number of cases analyzed for each chemical agent as reported in column (1) will not equal the total number of actual cases.

** In a positive case more than one kind of biological material may be analyzed. Thus the number of positive analyses may exceed the number of positive cases.

*** Positive cases include those where therapeutic levels were detected.

**** Acids (3), Acetaminophen (5), Benzodiazepines (2), Carbon Tetrachloride (1), Celontin (1), Charcoal Lighter Fluid (1), Chlorpheniramine (1), Clorox (2), Doxepin (1), Dramamine (3), Ethylene Glycol (46), Formaline (2), Gasoline (1), Gantrisin (1), Hologenated Hydrocarbons (2), Insulin (1), Iodine (1), Lestoll (1), Lithium (1), Lye (2), Methane (1), Methyl Etyhl Ketone (1), Methylene Blue (1), Orinase (2), Petroleum Distillates (3), Phenylpropanolamine (1), Pine Sol (1), Serax (1), Soma (3), Sulfa Drugs (2), Theophylline (4), Thiopental (2), Toluene (11), Tranxene (6), Turpen Hydrate (1), Turpentine (3), Volatiles (5), Xylene (3).

SUBSTANCES INVOLVED IN FATAL POISONINGS

1963 - 1974

Table Number 92

| | 1963 | 1964 | 1965 | 1966 | 1967 | 1968 | 1969 | 1970 | 1971 | 1972 | 1973 | 1974 | TOTAL |
|-----------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| Alcohol other than ethyl | 3 | 4 | 4 | 2 | 6 | 5 | 4 | 1 | 2 | 3 | 1 | 4 | 39 |
| Carbon Monoxide | 50 (14) | 68 (13) | 54 (8) | 64 (14) | 78 (37) | 90 (30) | 47 (30) | 61 (17) | 100(38) | 87(22) | 98(33) | 83(31) | 880(335) |
| Sedatives: | | | | | | | | | | | | | |
| Barbiturates | 22 | 17 | 19 | 18 | 15 | 18 | 18 | 23 | 26 | 24 | 19 | 15 | 234 |
| Barbiturates & other drugs | 10 | 14 | 15 | 10 | 19 | 13 | 12 | 26 | 18 | 19 | 20 | 2 | 178 |
| Meprobamate | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | | | 1 | 8 |
| Glutethimide | 1 | | | 2 | 4 | 3 | 8 | 2 | 3 | 2 | | 6 | 31 |
| Glutethimide & other drugs | 1 | 3 | 1 | | | | | | | | | | 5 |
| Chloral Hydrate & Paraldehyde (2) | 1* | | 1* | | | | | 1 | | | | | 3 |
| Ethyl alcohol & other drugs | | | | | | 2 | | | | | | 9 | 11 |
| Soma | | | | | 1 | | | | | | | | 1 |
| Placidyl | | | | | 1 | | 2 | | | | 2 | 2 | 7 |
| Chloral Hydrate | | | | | 1 | | 1 | | | | 1 | | 3 |
| Noludar | | | | | 1 | | | | | | | | 1 |
| Darvon & Meprobamate | | | | | | 1 | | | | | | | 1 |
| Valmid | | | | | | | | | | | 1 | | 1 |
| Salicylates | 3 | 2 | 3 | 3 | 2 | | 3 | 4 | 2 | 1 | | 3 | 26 |
| Organic Bases** | | 1 | 4 | 4 | 2 | 5 | 12 | 24 | 28 | 25 | 22 | 7 | 134 |
| Lead | 1 | 2 | | 2 | | | | | | 1 | | | 6 |
| Narcotics | | | | | | | | 2 | | | 2 | 11 | 15 |
| Phenothiazine | | | | | | | | 2 | 1 | | 1 | 2 | 6 |
| Corrosives: | | | | | | | | | | | | | |
| Mercury Bichloride | 1 | 1 | 2 | | | | | | | | | | 4 |
| Alkalies | 3 | | 3 | 3 | | 1 | 3 | 3 | 3 | 4 | 2 | | 25 |
| Cyanides | 2 | 4 | | 1 | | 2 | 1 | | 1 | 1 | 4 | 1 | 17 |
| Inorganic Acids | 1 | | | | 1 | | 1 | 1 | | | 2 | 2 | 8 |
| Draino & Clorox | | | | | | | | | | | 1 | 1 | 2 |
| Economic Poisons: | | | | | | | | | | | | | |
| Arsenicals | | 2 | 2 | 1 | | | | 1 | | | 1 | | 7 |
| Fluorides | 1 | 1 | | | | | | | | | | | 2 |
| Phosphorous | 2 | | | | | | | | | | | | 2 |
| Nicotine | 1 | 1 | 2 | 1 | | | | | | | | | 5 |
| Other economic poisons | | 1 | | | | | | 1 | | | | | 2 |
| Solvents: | | | | | | | | | | | | | |
| Chlorinated Hydrocarbons | | | 2 | | | | | | | | | | 2 |
| Aliphatic Hydrocarbons | 2 | 1 | | | | | | | | | | | 3 |
| Miscellaneous*** | 7 | | 4 | 3 | | 3 | 7 | 8 | 5 | 7 | 11 | 5 | 60 |
| Combination of other drugs | | | | 15 | 7 | 6 | 4 | 19 | 9 | 11 | 32 | 18 | 121 |
| TOTALS | 113 | 123 | 117 | 130 | 139 | 149 | 124 | 180 | 198 | 185 | 220 | 172 | 1850 |

() Includes fatalities resulting from smoke inhalation during fire.

*Indicates paraldehyde poisoning.

**Amphetamine, Elavil, Librium, Morphine, Opiates, Phenylephrine, Pyribenzamine, and Valium.

***Aromatic Benzene Derivative, Boric Acid, Brake Fluid, Cardiovascular Drugs, Chlorine Gas, Cleaning Fluid, Copper Sulfate, Ethyl Ether, Ferrous Sulfate, Fluothane, Freon, Furniture Polish, Hydrogen Sulfide, Insuline, Methanol and Nitromethane, Oil of Cloves, Rum, Salts, Sodium Chloride, Sulphur Dioxide, Thallium, Toluol, an Undetermined Drug, Dilantin, Volatile Organic Compounds.

POISONING FATALITIES BY TYPE IN COUNTY OF CUYAHOGA

Table Number 93

| YEAR | HOME | INDUSTRIAL* | OTHER | HOMICIDE | SUICIDE | V. U. O. | TOTAL |
|--------------|-------------|-------------|------------|-----------|-------------|-----------|-------------|
| 1943 | 30 | 1 | 7 | 1 | 38 | 0 | 77 |
| 1944 | 25 | 1 | 5 | 0 | 31 | 0 | 62 |
| 1945 | 38 | 0 | 9 | 1 | 34 | 0 | 82 |
| 1946 | 33 | 4 | 22 | 0 | 29 | 0 | 88 |
| 1947 | 19 | 2 | 19 | 1 | 41 | 0 | 82 |
| 1948 | 31 | 3 | 5 | 0 | 43 | 0 | 82 |
| 1949 | 34 | 1 | 8 | 0 | 41 | 0 | 84 |
| 1950 | 20 | 1 | 24 | 0 | 33 | 0 | 78 |
| 1951 | 21 | 2 | 10 | 2 | 21 | 0 | 56 |
| 1952 | 26 | 3 | 17 | 0 | 31 | 0 | 77 |
| 1953 | 36 | 2 | 13 | 0 | 33 | 0 | 84 |
| 1954 | 47 | 8 | 9 | 1 | 44 | 0 | 109 |
| 1955 | 50 | 1 | 9 | 1 | 36 | 0 | 97 |
| 1956 | 67 | 1 | 12 | 1 | 46 | 0 | 127 |
| 1957 | 43 | 1 | 13 | 2 | 35 | 0 | 94 |
| 1958 | 66 | 2 | 7 | 1 | 51 | 0 | 127 |
| 1959 | 44 | 4 | 12 | 0 | 50 | 0 | 110 |
| 1960 | 52 | 2 | 10 | 2 | 50 | 0 | 116 |
| 1961 | 35 | 3 | 4 | 0 | 49 | 0 | 91 |
| 1962 | 34 | 0 | 6 | 2 | 54 | 0 | 96 |
| 1963 | 47 | 0 | 4 | 0 | 62 | 0 | 117 |
| 1964 | 41 | 0 | 14 | 0 | 68 | 0 | 123 |
| 1965 | 46 | 3 | 3 | 0 | 65 | 0 | 117 |
| 1966 | 46 | 2 | 7 | 0 | 67 | 0 | 130 |
| 1967 | 62 | 1 | 8 | 0 | 63 | 0 | 134 |
| 1968 | 68 | 0 | 19 | 0 | 60 | 3 | 150 |
| 1969 | 70 | 3 | 11 | 0 | 67 | 3 | 154 |
| 1970 | 67 | 0 | 20 | 0 | 83 | 10 | 180 |
| 1971 | 92 | 0 | 27 | 0 | 75 | 4 | 198 |
| 1972 | 80 | 0 | 17 | 0 | 84 | 4 | 185 |
| 1973 | 102 | 0 | 19 | 0 | 94 | 5 | 220 |
| 1974 | 87 | 0 | 6 | 0 | 75 | 4 | 172 |
| TOTAL | 1567 | 51 | 376 | 15 | 1653 | 33 | 3695 |

* Accidents While at Work

SUBSTANCES INVOLVED IN FATAL POISONINGS – 1974

Table Number 92 A

| | | |
|-------------------------------|----|------------|
| Alcohol (other than ethyl) | | 4 |
| Carbon Monoxide* | | 83 |
| Ethyl Alcohol and: | | |
| Darvon | 4 | |
| Doxepin | 1 | |
| Isopropyl Alcohol | 1 | |
| Methadone | 1 | |
| Opiate | 2 | 9 |
| Sedatives: | | |
| Barbiturates | 15 | |
| Barbiturates and Diazepam | 1 | |
| Barbiturate and Ethyl Alcohol | 1 | |
| Doriden | 6 | |
| Meprobamate | 1 | |
| Placidyl | 2 | 26 |
| Tranquilizers: | | |
| Phenothiazine | | 2 |
| Salicylate | | 3 |
| Organic Bases: | | |
| Darvon | 3 | |
| Imipramine | 3 | |
| Opiates | 8 | |
| Methadone | 2 | |
| Quindine | 1 | |
| Methadone and Opiate | 1 | 18 |
| Corrosives: | | |
| Calci-Solve | 1 | |
| Cyanide | 1 | |
| Drano | 1 | |
| Toilet Bowl Cleaner | 1 | 4 |
| Miscellaneous: | | |
| Dilantin | 1 | |
| Undetermined | 3 | |
| Volatile Organic Compounds | 1 | 5 |
| Combination of Drugs | | 18 |
| TOTAL | | 172 |

* Fatalities resulting from smoke inhalation during fire (31).

TRACE EVIDENCE LABORATORY

Table Number 94

| EXAMINATIONS | CORONER'S CASES | SPECIMENS FROM OTHER SOURCES** RE: CORONER'S CASES | SPECIMENS FROM OTHER SOURCES** NOT RE: CORONER'S CASES | TOTAL |
|--|-----------------|--|--|-------|
| ACID PHOSPHATASE | | | | |
| Specimens from bodies | 88 | | 2 | 90 |
| Stains | 7 | | 20 | 27 |
| Microscopic exam for spermatozoa | | | | |
| Specimens from bodies | 95 | | 2 | 97 |
| Stains | 3 | | 11 | 14 |
| BLOOD DETECTION | | | | |
| "Benzidine" & similar tests | 2 | 102 | 24 | 128 |
| BLOOD GROUP DETERMINATIONS | | | | |
| Fluid blood | 625 | 4 | 5 | 634 |
| Stains | 1 | 66 | 13 | 80 |
| PRECIPITIN TESTS | | | | |
| Species identification | 1 | 67 | 8 | 76 |
| COMPARISON OF BLOOD FROM RIGHT AND LEFT VENTRICLES OF HEART | | | | |
| Chloride levels (whole blood) | 33 | | | 33 |
| Specific gravity (plasma) | 37 | | | 37 |
| CLOTHING DESCRIPTIONS | | | | |
| Full descriptions | 388 | 3 | | 391 |
| Inspections | 36 | 3 | | 39 |
| Stereomicroscopic examinations | 31 | 4 | | 35 |
| Infra-red examinations | 264 | 10 | | 274 |
| NITRITE DETECTION (Walker Test) | | | | |
| Clothing and related items | 524 | 8 | | 532 |
| Other specimens | 1 | 3 | | 4 |
| Targets | 52 | 49 | | 101 |
| Walkers on targets | 26 | 35 | | 61 |
| HAND EXAMINATIONS | | | | |
| Trace Metal Detection | 300 | | | 300 |
| Primer Residue (Harrison-Gilroy Test) | 318 | | | 318 |
| *Atomic Absorption | 30 | | | 30 |
| MICROSCOPIC EXAMINATIONS | | | | |
| Fingernail scrapings | 23 | | | 23 |
| Gastric contents | 6 | | | 6 |
| Hair | 85 | 12 | | 97 |
| Fibers | 9 | 5 | 1 | 15 |
| Paint | 5 | 4 | | 9 |
| Miscellaneous | 53 | | | 53 |
| STEREOMICROSCOPIC EXAMINATIONS | | | | |
| Powder grains | 66 | 4 | 1 | 71 |
| Hair | 15 | 3 | | 18 |
| Wound | | 1 | | 1 |
| PHYSICAL MATCH | | 1 | | 1 |
| SOIL COMPARISON | 7 | | | 7 |
| IDENTIFICATION | 12 | | | 12 |
| LIGATURES | 11 | 1 | | 12 |
| ANATOMIC SPECIMENS | 4 | 7 | 9 | 20 |
| SLIDES | 13 | 14 | 17 | 44 |
| TOTAL | 3171 | 406 | 113 | 3690 |

* Atomic Absorption Special Study: Samples collected in October, November and December, prepared and submitted for analysis to the Forensic Laboratory of the Alcohol, Tobacco and Firearms Division of the United States Treasury Department.

** Other Sources: Specimens from field investigations submitted by police and sheriff's departments.

TRACE EVIDENCE LABORATORY

Table Number 94 A

| | CORONER'S CASES | SPECIMENS FROM OTHER SOURCES** RE: CORONER'S CASES | SPECIMENS FROM OTHER SOURCES** NOT RE: CORONER'S CASES | TOTAL |
|-----------------------------------|-----------------|--|--|-------|
| <u>INDIVIDUAL CASES</u> | 781* | 54 | 14 | 849 |
| <u>ACTUAL SPECIMENS SUBMITTED</u> | 2458 | 153 | 35 | 2646 |
| <u>EXAMINATIONS</u> | 3171 | 406 | 113 | 3690 |

* The 781 Coroner's Cases requiring Trace Evidence Examinations represents 18.19% of the total Coroner's Cases for 1974.

** Other Sources: Specimens from investigations submitted by Police and Sheriff's Departments.

HISTOLOGY LABORATORY REPORT

Table Number 95

| | CUYAHOGA COUNTY CORONER'S CASES | OTHER SOURCES | TOTAL |
|---|------------------------------------|---------------|--------|
| TISSUE SPECIMENS RECEIVED FROM: | | | |
| AUTOPSIES | 1455 | 36 | 1491 |
| BIOPSIES, ETC. | 10 | | 10 |
| TOTAL | 1465 | 36 | 1501 |
| SLIDES PREPARED AND STAINED: | | | |
| ROUTINE HEMATOXYLIN – EOSIN | 19,056 | 418 | 19,474 |
| SPECIAL STAINS FOR DEMONSTRATION OF: | | | |
| ACID FAST BACTERIA | 8 | | 8 |
| FAT | 68 | | 68 |
| IRON | 7 | | 7 |
| TOTAL | 19,139 | 418 | 19,557 |

PHOTOGRAPHIC DEPARTMENT

It is a generally accepted fact that only color photography can provide a reasonably accurate record of conditions which cannot be preserved satisfactorily by other means. Thus color photography is required to accurately record evidence at a scene of death or injury, associated evidence, wounds and recognizable features of identification on the body.

For the purpose of selecting the film that would best satisfy our needs, a study which included practical tests and standard routine use was conducted by the Photographic Department of the Cuyahoga County Coroner's Laboratories.

Various materials were evaluated on the basis of the following demands on photography for medicolegal purposes:

1. Accurate record of visible evidence.
2. Maintenance of uninterrupted chain of possession of photographic records.
3. Ability to produce multiple prints of equal quality on paper or projection slides in color and in black and white.
4. Low cost per unit.

In order that expense shall not be a limiting factor in securing sufficient photographic records, the cost per unit must be as low as possible. Most of the evidence presented to the Coroner's Office is perishable and affords no opportunity for retakes or to delay photographing evidence until investigation demonstrates the need for photographic records. Therefore it is desirable to routinely photograph all evidence as soon as possible after it is received.

For many reasons it is desirable to process all films and prints within the department. This procedure maintains the uninterrupted chain of possession, keeping the links at a minimum and expedites availability of prints at any time.

The studies evaluating color photographic materials commercially available demonstrated that 35mm negative color film in bulk quantities satisfied all requirements cited above. In addition, this system provided unique advantages in providing wider exposure latitude and, also, permitting color control, after exposure, over a wide range of deviations. This color system has been used routinely by this department for a period of several years and has proven to be even more satisfactory than anticipated.

PHOTOGRAPHIC DEPARTMENT REPORT

| | |
|---------------------------------|---------------|
| IDENTIFICATION PICTURES | 4,262* |
| PICTURES OF BODIES AND EVIDENCE | 8,074* |
| 5'' x 7'' COLOR PRINTS PRODUCED | 4,628 |
| COLOR SLIDES ADDED TO FILE | 1,460 |
| TOTAL | 18,424 |

* Includes 55 Out of County Cases.


APPENDIX

EMPHASIZING FIREARM FATALITIES

IN COUNTY OF CUYAHOGA

1963 - 1974


THIS GRAPH DEMONSTRATES THE INCREASE IN



| | 1963 | 1964 | 1965 | 1966 | 1967 | 1968 |
|------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| NUMBER | 121 | 154 | 158 | 180 | 190 | 277 |
| RATE PER 100,000 | 7.25 | 9.18 | 9.38 | 10.64 | 11.18 | 16.23 |
| POPULATION | 1,669,917 * | 1,677,257 * | 1,684,599 * | 1,691,938 * | 1,699,279 * | 1,706,618 * |

* estimated
 ** actual census

FIREARM FATALITIES IN CUYAHOGA COUNTY



| Year | 1969 | 1970 | 1971 | 1972 | 1973 | 1974 |
|------------------|-------------|--------------|-------------|-------------|-------------|-------------|
| Fatalities | 353 | 334 | 362 | 384 | 394 | 420 |
| Rate per 100,000 | 20.60 | 19.40 | 20.94 | 22.12 | 22.60 | 23.99 |
| Population | 1,713,960 * | 1,721,300 ** | 1,728,641 * | 1,735,982 * | 1,743,322 * | 1,750,662 * |

THE HANDGUN IS THE CULPRIT IN THE PROBLEM ARISING FROM DEATHS BY FIREARMS CUYAHOGA COUNTY*

S. R. Gerber, M.D., J.D.

"Ownership of a gun protects our homes." "The gun makes the owner a man." "Ownership of a gun is a sign of maturity, it does provide a sense of power." "Ownership of a gun protects our freedom." These statements are fallacious and merely made to arouse the emotions of the unaware. This protection is the duty of regularly organized police forces (locally), the militia (National Guard), and The Armed Forces of the United States.

The advocates of opposition to gun control say that: "guns don't kill people, people kill people." They do not say that if the gun had not been readily available there would not have been a death from it.

The Second Amendment of the United States Constitution grants to each state the right to arm a militia in order to enforce law and order. The Second Amendment reads: "A well-regulated militia being necessary to the security of a free state, the right of the people to keep and bear arms shall not be infringed."

The Second Amendment never intended that people as individuals had the right to keep and bear arms. Even opponents of gun control should be able to understand that the Second Amendment clearly states that the right is given to people only when they are "part of a well-regulated militia, being necessary to the security of a free state."

* STATEMENT AND EXHIBITS

S. R. GERBER, M.D., J.D., Coroner, Cuyahoga County, Ohio.
HEARINGS BEFORE THE SUBCOMMITTEE ON CRIME OF THE
HOUSE COMMITTEE ON THE JUDICIARY ON FEDERAL
FIREARMS LEGISLATION, CLEVELAND, OHIO.
MONDAY, JUNE 16, 1975.

Nothing makes the real intent of the Second Amendment clearer than reviewing the destructive effect of firearms in Cleveland and Cuyahoga County during the past seven years when the handgun has been the closest ally to the emissary of death.

The information set forth here is not an exercise in mental gymnastics but is, in fact, a gathering of the actual facts as they presented themselves to the Cuyahoga County Coroner's Office in the time period under consideration.

The past year (1974) set a new record high of 420 in the number of deaths from firearms in Cuyahoga County. More frightening is the revelation that 356 of these 420 deaths (or 84.5%) were caused by handguns.

In Cuyahoga County in 1974, handgun homicides accounted for 257 of the total 301 firearm killings. These 257 handgun homicides in the County in 1974 were only 20 less than all deaths due to firearms in 1968.

Cuyahoga County deaths due to firearms during January through April of 1975 increased by 24.4% over the firearm total for the same months in 1974.

Cuyahoga County deaths due to handguns during January through April of 1975 increased by 11.8% over the handgun total for the same months in 1974.

Cleveland homicides in 1974 were 321, of which, 228 were the result of handguns, (or 71.0%).

Cleveland deaths due to firearms during January through April in 1975 increased by 17.0% over the firearm total for the same months in 1974.

Cleveland deaths due to handguns during January through April of 1975 increased by 1.2% over the handgun total for the same months in 1974.

In The State of Ohio, deaths due to firearms in 1973 numbered 1,559, which is a rate of 14.64 per 100,000 population.

In The Province of Ontario, Canada, deaths due to firearms in 1973 numbered 359, which is a rate of 4.6 per 100,000 population. Of these deaths due to firearms, 297 (or 82.7%) were caused by rifles or shotguns, 31 (or 8.6%) were caused by handguns, and 31 (or 8.6%) were caused by unknown type of firearms.

The State of Ohio in 1973 shows a 217.4% higher rate of deaths per 100,000 population due to firearms than the Province of Ontario, Canada.

Deaths due to firearms in Ontario, Canada in 1974 numbered 430, which is a rate of 5.6 per 100,000 population. Of these deaths due to firearms, 348 (or 80.9%) were caused by rifles or shotguns, 49 (or 11.4%) were caused by handguns, and 33 (or 7.7%) were caused by unknown type of firearms.

Handguns are a favorite weapon of people because they are cheaper to buy, simpler to hide, and easier to use in moments of anger.

Because firearms have only one purpose, that of killing or maiming, there must be a federal law controlling the sale of them.

What this report shouts is that there must be a gun registration law, just as there is registration for the use of an automobile and many other privileges enjoyed by the society.

The professional killer represents the most infinitesimal part of the society and the registration of firearms will not deprive people from protecting themselves.

Unless the unrestricted sales of the handgun and firearms are checked, the homicide rate will continue to rise and the killings will exceed 500 annually in Cuyahoga County, Ohio by the year 1978.

The photographic plate attached to this report depicts a number of contagious and infectious diseases caused by organisms which the various Federal, State, and Local Governments have expended money to control. The effort has been successful. Vaccines and immunizing serums have been developed to control these diseases and these protectors are compulsory. Just recently the Health Commissioner in Cincinnati issued the following edict:

OSMA gram
Official Newsletter of Ohio State Medical Association
600 South High Street
Columbus, Ohio 43215

May 2, 1975 issue:

“Some 9,900 children were excluded from Cincinnati public schools by Health Commissioner Arnold M. Leff, M.D., for lack of proof of legally required immunizations. Dr. Leff ordered that those who could not prove proper immunization against diphtheria, polio, whooping cough, tetanus, rubella and measles be barred from school for five days, or until they began their immunizations.”

In summary, if the various governments in these United States can institute controls to conquer diseases, why can not the same governments control the disease caused by the indiscriminate use of “Firearms.”

**CUYAHOGA COUNTY DEATHS DUE TO FIREARMS
JANUARY THROUGH APRIL
1975**

| | Total | Firearms | Firearm Percentage of Total | Handguns | Handgun Percentage of Firearms |
|--|------------|------------|--------------------------------|------------|-----------------------------------|
| JANUARY | | | | | |
| Homicides | 42 | 34 | 81.0% | 23 | 67.6% |
| Suicides | 19 | 9 | 47.4% | 8 | 88.9% |
| Accidentals | 2 | 2 | | 1 | 50.0% |
| TOTAL | 63 | 45 | 71.4% | 32 | 71.7% |
| FEBRUARY | | | | | |
| Homicides | 27 | 23 | 85.2% | 19 | 82.6% |
| Suicides | 22 | 14 | 63.6% | 9 | 64.3% |
| Accidentals | 2 | 2 | | 2 | 100.0% |
| TOTAL | 51 | 39 | 76.5% | 30 | 76.9% |
| MARCH | | | | | |
| Homicides | 29 | 18 | 62.0% | 16 | 88.9% |
| Suicides | 18 | 10 | 55.6% | 8 | 80.0% |
| Accidentals | 1 | 1 | | 1 | 100.0% |
| TOTAL | 48 | 29 | 60.4% | 25 | 86.2% |
| APRIL | | | | | |
| Homicides | 28 | 24 | 85.7% | 17 | 70.8% |
| Suicides | 19 | 9 | 47.4% | 8 | 88.9% |
| Accidentals | 2 | 2 | | 2 | 100.0% |
| TOTAL | 49 | 35 | 71.4% | 27 | 77.1% |
| JANUARY THROUGH APRIL (Four Month Totals) | | | | | |
| Homicides | 126 | 99 | 78.6% | 75 | 75.8% |
| Suicides | 78 | 42 | 53.8% | 33 | 78.6% |
| Accidentals | 7 | 7 | | 6 | 85.7% |
| TOTAL | 211 | 148 | 70.1% | 114 | 77.0% |

**CLEVELAND DEATHS DUE TO FIREARMS
JANUARY THROUGH APRIL
1975**

| | Total | Firearms | Firearm Percentage of Total | Handguns | Handgun Percentage of Firearms |
|--|------------|------------|--------------------------------|-----------|-----------------------------------|
| JANUARY | | | | | |
| Homicides | 34 | 30 | 88.2% | 19 | 63.3% |
| Suicides | 10 | 3 | 30.0% | 3 | 100.0% |
| Accidentals | 1 | 1 | | 1 | 100.0% |
| TOTAL | 45 | 34 | 75.6% | 23 | 67.6% |
| FEBRUARY | | | | | |
| Homicides | 23 | 20 | 87.0% | 17 | 85.0% |
| Suicides | 14 | 6 | 42.9% | 5 | 83.3% |
| Accidentals | 1 | 1 | | 1 | 100.0% |
| TOTAL | 38 | 27 | 71.1% | 23 | 85.2% |
| MARCH | | | | | |
| Homicides | 25 | 14 | 56.0% | 12 | 85.7% |
| Suicides | 8 | 7 | 87.5% | 4 | 57.1% |
| Accidentals | 1 | 1 | | 1 | 100.0% |
| TOTAL | 34 | 22 | 64.7% | 17 | 77.3% |
| APRIL | | | | | |
| Homicides | 24 | 20 | 83.3% | 14 | 70.0% |
| Suicides | 10 | 5 | 50.0% | 4 | 80.0% |
| Accidentals | 2 | 2 | | 2 | 100.0% |
| TOTAL | 36 | 27 | 75.0% | 20 | 74.1% |
| JANUARY THROUGH APRIL (Four Month Totals) | | | | | |
| Homicides | 106 | 84 | 79.2% | 62 | 73.8% |
| Suicides | 42 | 21 | 50.0% | 16 | 76.2% |
| Accidentals | 5 | 5 | | 5 | 100.0% |
| TOTAL | 153 | 110 | 71.9% | 83 | 75.5% |

DEATHS DUE TO FIREARMS
PROVINCE OF ONTARIO, CANADA
1973 - 1974

| | 1973 | | 1974 | |
|------------------------------------|-------------|-------------|-------------|-------------|
| | NUMBER | RATE* | NUMBER | RATE* |
| HOMICIDES | | | | |
| Handguns | 8 | | 14 | |
| Rifles or Shotguns | 40 | | 56 | |
| Unknown Firearm | 8 | | 8 | |
| Firearms Totals | 56 | 0.7 | 78 | 1.0 |
| Percentage of Total Homicides | 32.2 | | 47.6 | |
| Total number of Homicides | 174 | 2.3 | 164 | 2.1 |
| SUICIDES | | | | |
| Handguns | 21 | | 33 | |
| Rifles or Shotguns | 226 | | 258 | |
| Unknown Firearm | 23 | | 25 | |
| Firearm Totals | 270 | 3.5 | 316 | 4.1 |
| Percentage of Total Suicides | 25.0 | | 24.4 | |
| Total number of Suicides | 1078 | 14.0 | 1297 | 16.8 |
| ACCIDENTALS | | | | |
| Handguns | 2 | | 2 | |
| Rifles or Shotguns | 31 | | 34 | |
| Firearms Totals | 33 | 0.4 | 36 | 0.5 |
| Percentage of Total | 0.7 | | 0.8 | |
| Total number of Accidentals | 4832 | | 4551 | |
| Total all Firearm Deaths | 359 | 4.6 | 430 | 5.6 |

* Per 100,000 population


Population per 1971 census is 7,703,103

Statistics furnished by Coroner of Province of Ontario

RESIDENT DEATHS DUE TO FIREARMS STATE OF OHIO

1968-1973

COMPILED BY:
CUYAHOGA COUNTY CORONER'S OFFICE




| | | | | | | | |
|------------------|-------|-------|-------|-------|-------|-------|------------|
| Rate per 100,000 | 10.60 | 12.00 | 12.33 | 13.32 | 14.44 | 14.64 | population |
|------------------|-------|-------|-------|-------|-------|-------|------------|

10,652,017 153

RESIDENT DEATHS DUE TO FIREARMS

EIGHT METROPOLITAN OHIO COUNTIES
and
COMBINED TOTAL POPULATION OF OHIO COUNTIES WITH LESS THAN 300,000.
1968-1973

COMPILED BY:
CUYAHOGA COUNTY CORONER'S OFFICE



| | 1968 | 1969 | 1970 | 1971 | 1972 | 1973 | population |
|---------------------|------|------|------|------|------|------|------------|
| ① Combined Counties | 383 | 436 | 484 | 470 | 475 | 497 | 4,851,354 |
| ② Cuyahoga County | 273 | 348 | 335 | 364 | 386 | 392 | 1,721,300 |
| ③ Hamilton County | 95 | 93 | 115 | 127 | 160 | 121 | 923,205 |
| ④ Franklin County | 89 | 88 | 110 | 127 | 114 | 131 | 833,249 |
| ⑤ Montgomery County | 95 | 115 | 106 | 126 | 155 | 156 | 608,413 |
| ⑥ Summit County | 66 | 82 | 65 | 82 | 78 | 85 | 553,371 |
| ⑦ Lucas County | 54 | 49 | 35 | 41 | 49 | 75 | 484,370 |
| ⑧ Stark County | 44 | 31 | 20 | 39 | 37 | 47 | 372,210 |
| ⑨ Mahoning County | 31 | 36 | 43 | 43 | 52 | 55 | 304,545 |


RESIDENT DEATHS
PER/BUREAU OF VITAL STATISTICS-STATE OF OHIO

1970 CENSUS

RESIDENT DEATHS DUE TO FIREARMS

EIGHT METROPOLITAN OHIO COUNTIES and COMBINED TOTAL OF OHIO COUNTIES WITH LESS THAN 300,000 POPULATION 1968-1973

COMPILED BY:
CUYAHOGA COUNTY CORONER'S OFFICE



| | 1968 | 1969 | 1970 | 1971 | 1972 | 1973 | population |
|-----------------------|------|------|------|------|------|------|------------|
| ① — Combined Counties | 383 | 436 | 484 | 470 | 475 | 497 | 4,851,354 |
| ② — Cuyahoga County | 273 | 348 | 335 | 364 | 386 | 392 | 1,721,300 |


RESIDENT DEATHS
PER/BUREAU OF VITAL STATISTICS-STATE OF OHIO

B1

RESIDENT DEATHS DUE TO FIREARMS

EIGHT METROPOLITAN OHIO COUNTIES
and
COMBINED TOTAL OF OHIO COUNTIES WITH LESS THAN 300,000 POPULATION
1968-1973

COMPILED BY:
CUYAHOGA COUNTY CORONER'S OFFICE



| | | | | | | | | |
|---|-------------------|----|-----|-----|-----|-----|-----|---------|
| ③ | Hamilton County | 95 | 93 | 115 | 127 | 160 | 121 | 923,205 |
| ④ | Franklin County | 89 | 88 | 110 | 127 | 114 | 131 | 833,249 |
| ⑤ | Montgomery County | 95 | 115 | 106 | 126 | 155 | 156 | 608,413 |
| ⑥ | Summit County | 66 | 82 | 65 | 82 | 78 | 85 | 553,371 |
| ⑦ | Lucas County | 54 | 49 | 35 | 41 | 49 | 75 | 484,370 |
| ⑧ | Stark County | 44 | 31 | 20 | 39 | 37 | 47 | 372,210 |
| ⑨ | Mahoning County | 31 | 36 | 43 | 43 | 52 | 55 | 304,545 |

RESIDENT DEATHS
PER/BUREAU OF VITAL STATISTICS-STATE OF OHIO

1970 CENSUS

B2

RESIDENT DEATHS DUE TO FIREARMS


RATES PER 100,000

EIGHT METROPOLITAN OHIO COUNTIES
and

COMBINED TOTAL OF OHIO COUNTIES WITH LESS THAN 300,000 POPULATION

1968-1973

COMPILED BY:
CUYAHOGA COUNTY CORONER'S OFFICE



| | 1968 | 1969 | 1970 | 1971 | 1972 | 1973 | population |
|---------------------------|-------|-------|-------|-------|-------|-------|------------|
| ■ ■ ■ ■ State of Ohio | 10.60 | 12.00 | 12.33 | 13.32 | 14.44 | 14.64 | 10,652,017 |
| ① ——— Combined Counties | 7.90 | 9.00 | 10.00 | 9.70 | 9.80 | 10.20 | 4,851,354 |
| ② ——— Cuyahoga County | 15.86 | 20.22 | 19.46 | 21.15 | 22.42 | 22.77 | 1,721,300 |
| ③ ——— Hamilton County | 10.29 | 10.07 | 12.46 | 13.76 | 17.33 | 13.11 | 923,205 |
| ④ ——— Franklin County | 10.68 | 10.56 | 13.20 | 15.24 | 13.68 | 15.72 | 833,249 |
| ⑤ Montgomery County | 15.61 | 18.90 | 17.42 | 20.71 | 25.48 | 25.64 | 608,413 |
| ⑥ Summit County | 11.93 | 14.82 | 11.75 | 14.82 | 14.10 | 15.94 | 553,371 |
| ⑦ ——— Lucas County | 11.15 | 10.12 | 7.23 | 8.46 | 10.12 | 15.48 | 484,370 |
| ⑧ ——— Stark County | 11.82 | 8.33 | 5.37 | 10.48 | 9.94 | 12.63 | 372,210 |
| ⑨ ——— Mahoning County | 10.18 | 11.82 | 14.12 | 14.12 | 17.07 | 18.06 | 304,545 |

STATE OF OHIO

RESIDENT DEATHS DUE TO FIREARMS IN 1973

COUNTIES WITH MORE THAN 300,000 POPULATION

NUMBER

RATE PER 100,000




Resident Deaths
Per/Bureau of Vital Statistics—State of Ohio

Compiled by:
Cuyahoga County Coroner's Office


CUYAHOGA COUNTY CORONER'S OFFICE

NUMBER OF DEATHS FROM FIREARMS




E


CUYAHOGA COUNTY CORONER'S OFFICE
ORGANISMS OCCURRING NATURALLY WHICH CAUSE SICKNESS AND DEATH THAT SCIENCE HAS CONTROLLED
DISEASE PRODUCING ORGANISMS




Infantile Paralysis




Typhoid Fever




Malaria




Measles



Epidemic Meningitis



Diphtheria
























Tuberculosis



THE BULLET FIRED BY THIS GUN, INTO MAN, CAN CAUSE AS MUCH PATHOLOGY AS THE ORGANISMS SHOWN ABOVE

CUYAHOGA COUNTY CORONER'S OFFICE
































| 1974 | HOMICIDE | | | | | CALENDAR* | 1974 |
|---|---|--|---|---|--|-----------|--|
| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | 1 | SATURDAY |
| | | | | | | | |
| 3 | 4 | 5 | 6 | 7 | 8 | 1 | 2 |
| | | |  C |  C | | |  C |
| 10 | 11 | 12 | 13 | 14 | 15 | | 16 |
|  C |  C | |  C |  C | | |  C |
| 17 | 18 | 19 | 20 | 21 | 22 | | 23 |
|  C | |  C |  C  C |  C  C | | |  CS  C |
| 24 | 25 | 26 | 27 | 28 | 29 | | 30 |
|  C | | | | | | |  C |
| 31 | | | | | | | |
|  C  C | | | | |  CS | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE

























| 1974 | HOMICIDE | | A P R I L | | | | CALENDAR* | 1974 |
|---|--|--|--|---|---|---|-----------|------|
| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | | |
| | 1  C | 2 | 3   C | 4   C  C | 5  C | 6   C | | |
| 7   OCo C | 8  C | 9 | 10  C | 11  CS | 12  C | 13 | | |
| 14  C | 15  CS | 16  C | 17 | 18 | 19  C | 20 | | |
| 21  C | 22 | 23 | 24 | 25  C  CS  C | 26   C  C | 27  C | | |
| 28  C | 29  OCo | 30   C | | | | | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE



















| 1974 | HOMICIDE | | MAY | | | CALENDAR* | 1974 |
|--|---|---|---|--|---|---|------|
| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | |
| | | | 1 C  | 2 | 3 | 4 | |
| | | | C  | | | | |
| 5 C  C  | 6 C  | 7 | 8 | 9 | 10 C  C  C  | 11 | |
| 12 | 13 C  | 14 | 15 | 16 C  | 17 C  C  | 18 | |
| | C  | | CS  | | | | |
| 19 C  | 20 C  C  | 21 CS  | 22 C  | 23 | 24 | 25 C  C  | |
| 26 | 27 CS  | 28 CS  | 29 | 30 CS  | 31 | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE






















| 1974 | | HOMICIDE | | J U N E | | | CALENDAR* | | 1974 | | | | |
|---|--|---|--|--|--|---|-----------|--|------|--|--|--|--|
| SUNDAY | | MONDAY | | TUESDAY | | WEDNESDAY | | THURSDAY | | FRIDAY | | SATURDAY | |
| | | | | | | | | | | | | 1 | |
| | | | | | | | | | | | |  c | |
| 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | 8 | |
|  c | |  c | | | |  c | |  c | |  c | |  c | |
| | | | | | | | | | |  c | | | |
| 9 | | 10 | | 11 | | 12 | | 13 | | 14 | | 15 | |
|  CS | | | | | |  c | |  c | |  CS | | | |
| 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | |
|  CS | |  c | |  c | |  c | | | | | |  c | |
| 23 | | 24 | | 25 | | 26 | | 27 | | 28 | | 29 | |
|  c | |  CS | | | | | |  c | |  c | | | |
|  CS | | | | | | | | | | | | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE

| 1974 | HOMICIDE | | | | | | 1974 |
|--|--|---|--|--|--|---|-----------|
| JULY | | | | | | | CALENDAR* |
| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | |
| | 1  C | 2 | 3  C | 4 | 5 | 6  C | |
| 7 | 8  C | 9 | 10  C | 11  C | 12  C | 13  C | |
| 14  CS | 15  C | 16 | 17  C | 18  C | 19  C | 20  C | |
| 21  C | 22 | 23 | 24  C | 25  C | 26  C | 27  CS | |
| 28  C | 29 | 30  C | 31 | | | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE





















1974

HOMICIDE

AUGUST

CALENDAR*

1974

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|--|--|--|---|--|--|--|
| | | | | 1 | 2  c | 3  c |
| 4  c | 5  c | 6 | 7  c | 8  c | 9 | 10 |
| 11  c | 12  c | 13  c | 14 | 15  CS | 16  c | 17  CS |
| 18  c | 19 | 20  c | 21  c | 22 | 23 | 24  CS |
| 25  c | 26  c | 27 | 28 | 29  c | 30 | 31  c |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE

| 1974 | | HOMICIDE | | SEPTEMBER | | CALENDAR* | | 1974 | |
|---------|----------|----------|------------|---------------|------------|-----------|------------|---------|-------------|
| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | FRIDAY | FRIDAY | FRIDAY | FRIDAY |
| 1 c | 2 c | 3 c | 4 | 5 c | 6 c | 7 | 8 c | 9 | 10 |
| 11 c | 12 cs | 13 | 14 c c | 15 c c c | 16 c c | 17 c | 18 c c | 19 c | 20 |
| 21 c | 22 c | 23 | 24 c | 25 c | 26 c | 27 c | 28 c | 29 c | 30 cs c |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE: FIREARMS STABBING ASSAULT OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE










































1974

HOMICIDE

OCTOBER

CALENDAR*

1974

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|--|---|--|---|--|--|--|
| | | 1  C | 2 | 3 | 4 | 5  C |
| 6  C | 7  C  C | 8  C | 9 | 10 | 11  C | 12  C  C |
| 13 | 14 | 15  C  C | 16 | 17  CS | 18 | 19  C  C |
| 20  C  C  C  C | 21  C  C  CS  C | 22  C | 23  C  C | 24 | 25  C  C  C  C | 26  C  C  C  C  C  C  C  C |
| 27  C | 28  C | 29 | 30  CS | 31  C | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

CUYAHOGA COUNTY CORONER'S OFFICE

DECEMBER

1974

HOMICIDE

CALENDAR*

1974











































| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|--------------|----------|--------------|-----------|----------|---------------|----------|
| 1 c | 2 | 3 c CS | 4 | 5 c | 6 c c | 7 c |
| 8 CS | 9 c | 10 c c | 11 c | 12 c | 13 c | 14 |
| 15 | 16 c | 17 c | 18 c | 19 | 20 c CS | 21 c |
| 22 c c | 23 | 24 c | 25 c | 26 c | 27 | 28 c |
| 29 | 30 CS | 31 c | | | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE: FIREARMS STABBING ASSAULT OTHER

Where incident occurred: C - Cleveland, CS - Cleveland Suburbs, OCo - Out of County

Cuyahoga County Coroner's Office

| 1975 SUNDAY | Homicide MONDAY | TUESDAY | JANUARY WEDNESDAY | Calendar* THURSDAY | FRIDAY | 1975 SATURDAY |
|---|--|---|---|--|--|---|
| <p>1975 JANUARY</p> <p>Made in U.S.A.</p> | | | <p>1</p>  <p>C</p> | <p>2</p>  <p>C</p> | <p>3</p> | <p>4</p>   <p>C</p>  |
| <p>5</p> | <p>6</p> | <p>7</p> | <p>8</p>   <p>C</p>    | <p>9</p> | <p>10</p>  <p>C</p>  <p>CS</p> | <p>11</p>  <p>C</p>  <p>CS</p> |
| <p>12</p>   <p>C</p>   <p>OCo</p> | <p>13</p>  <p>C</p> | <p>14</p>  <p>CS</p> | <p>15</p>  <p>C</p>  | <p>16</p>  <p>CS</p>  <p>C</p> | <p>17</p>  <p>C</p> | <p>18</p>  <p>C</p> |
| <p>19</p>  <p>C</p> | <p>20</p>  <p>C</p> | <p>21</p> | <p>22</p>  <p>C</p> | <p>23</p>  <p>C</p> | <p>24</p>  <p>CS</p> | <p>25</p>  <p>CS</p>  <p>C</p> |
| <p>26</p>  <p>C</p> | <p>27</p>    <p>C</p> | <p>28</p>   <p>C</p>  <p>CS</p> | <p>29</p>  <p>C</p> | <p>30</p>  <p>C</p> | <p>31</p> | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

















1975

Homicide





FEBRUARY

Calendar*

















1975

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|---|---|---|---|---|---|---|
| 1975 FEBRUARY | | | | | | 1  C |
| 2  C | 3 | 4 | 5  CS C | 6  C C | 7  C | 8  C |
| 9 | 10 | 11 | 12 Ash Wednesday Lincoln's Birthday | 13 | 14  C C | 15  C C |
| 16  C | 17 Washington's Birthday | 18  CS | 19 | 20  C | 21 | 22 |
| 23  CS C | 24  C | 25  C | 26  C | 27  C | 28  C | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER

Cuyahoga County Coroner's Office

| 1975 | | Homicide | | MARCH | | Calendar * | | 1975 | |
|--|--|---|--|---|--|---|---|------|--|
| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | | | |
| 1975 MARCH | | | | | | | 1 | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | |
|  |  |  |  | |  |  |  | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | |
|  |  |  | | |  | | | | |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | | | |
|  |   | | |  |  |  | | | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | | | |
| Palm Sunday |  | | |  | | | | | |
| 30 | 31 | | | | | | | | |
| Easter Sunday |  | | | | | | | | |
| | | | | Passover | Good Friday | |  | | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:  FIREARMS  STABBING  ASSAULT  OTHER 

Cuyahoga County Coroner's Office



1975

Homicide

APRIL

Calendar *

1975

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|---|--|--|---|----------|---|--|
| | | 1   C CS | 2  CS | 3 | 4 | 5 |
| | | |  C | | | |
| 6  CS | 7  C  C | 8 | 9   C C | 10 | 11  C | 12   C C  |
| | | |  C | | | |
| 13 | 14 | 15  C | 16 | 17 | 18   C C  C | 19   C C |
| 20  C | 21 | 22  C  C | 23 | 24 | 25 | 26  C |
| 27   C C | 28  C | 29 | 30  CS | | | |
| | | | | | 1975 APRIL | |

* Illustration Courtesy The Plain Dealer with Modifications.

CODE:



FIREARMS



STABBING



ASSAULT




























OTHER



Cuyahoga County Coroner's Office FIREARM FATALITIES



JANUARY • 1975




















| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|---|---|---|---|---|---|---|
| | | | 1 NEW YEAR'S DAY  | 2  | 3 | 4  |
| 5 | 6 | 7 | 8  | 9  | 10  | 11  |
| 12  | 13  | 14  | 15  | 16  | 17  | 18  |
| 19  | 20  | 21  | 22  | 23 | 24 | 25  |
| 26  | 27  | 28  | 29  | 30  | 31  | |



Cuyahoga County Coroner's Office FIREARM FATALITIES



FEBRUARY • 1975

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|---|---|---|---|---|---|--|
| | | | | | | 1 |
| 2  | 3 | 4  | 5  | 6  | 7  | 8  |
| 9  | 10  | 11  | 12 LINCOLN'S BIRTHDAY ASH WEDNESDAY | 13 | 14 ST. VALENTINE'S DAY  | 15  |
| 16 | 17 WASHINGTON'S BIRTHDAY OBSERVED | 18  | 19 | 20  | 21 | 22 WASHINGTON'S BIRTHDAY |
| 23  | 24  | 25  | 26  | 27  | 28  | |



Cuyahoga County Coroner's Office FIREARM FATALITIES



MARCH • 1975

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|-----------------------------|----------------------|---------|-----------|-----------------------|----------------|----------|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| | | | | | | |
| 16 | 17 ST. PATRICK'S DAY | 18 | 19 | 20 | 21 | 22 |
| | | | | | | |
| 23 PALM SUNDAY 30 EASTER | 24 | 25 | 26 | 27 PASSOVER - 1ST DAY | 28 GOOD FRIDAY | 29 |
| | | | | | | |




Cuyahoga County Coroner's Office FIREARM FATALITIES



APRIL • 1975

| SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY |
|--------|--------|---------|------------------------|---------------------|--------|----------|
| | | 1 | 2 PASSOVER-7TH DAY | 3 PASSOVER-LAST DAY | 4 | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| 27 | 28 | 29 | 30 | | | |



Architect's sketch of the Coroner's Office after the additions and alterations presently in progress are completed...