

# CORONER'S STATISTICAL REPORT

## 1976



COUNTY OF  
CUYAHOGA

No. 2

CORONER'S VERDICT  
AND  
Testimony on the Body of

Session Name \_\_\_\_\_

W. J. Card  
Coroner.

Filed with the Clerk of the Court of Common Pleas February 5, 1834

LEVI E. MEACHAM, Clerk.

The State of Ohio, }  
Cuyahoga County, }  
[L.S.] You are hereby commanded to Summon  
Henry Stows John Johnson  
John Pangloss  
to be and appear before me, at

forthwith, then and there to give evidence, and the truth to say, concerning  
knowledge of the manner, and by whom, the person whose body was lately found, and is  
now lying, at the place aforesaid, in his death. Hereof fail not, but of this  
writ make legal service and due return.  
Given under my hand and seal, this first  
day of July  
A. D. 1834

W. L. Camp  
Coroner of said County.







**COUNTY of CUYAHOGA**  
**CORONER'S STATISTICAL REPORT**

**1976**

**S. R. GERBER, M. D., LL. B.**

**CORONER**

**2121 ADELBERT RD., CLEVELAND 6, OHIO**



1976

NUMBER OF CASES REPORTED\* / NUMBER OF CASES ACCEPTED

<b>JANUARY</b> 447* / 399	<b>FEBRUARY</b> 401* / 377	<b>MARCH</b> 356* / 330	<b>APRIL</b> 354* / 333
<b>MAY</b> 369* / 331	<b>JUNE</b> 377* / 312	<b>JULY</b> 376* / 319	<b>AUGUST</b> 381* / 323
<b>SEPTEMBER</b> 334* / 282	<b>OCTOBER</b> 402* / 354	<b>NOVEMBER</b> 394* / 341	<b>DECEMBER</b> 439* / 384
<b>TOTAL</b> 4630* / 4085			



# TABLE OF CONTENTS

	PAGE NO.		PAGE NO.
NUMBER OF CASES REPORTED AND NUMBER OF CASES ACCEPTED	INSIDE TITLE PAGE		
LETTER OF TRANSMITTAL	1		
FOREWARD	3		
WHAT IS A CORONER'S CASE	4-8		
CORONER'S STAFF	9		
POPULATION OF COUNTY OF CUYAHOGA	21		
SUMMARY	22,23		
ACCIDENTS IN THE HOME	32		
ACCIDENTS WHILE AT WORK	45		
ACCIDENTS IN OTHER PLACES	53		
VEHICULAR ACCIDENTS	64		
HOMICIDES	103		
SUICIDES	112		
VIOLENCE OF UNDETERMINED ORIGIN	119		
NATURAL CAUSES	122		
ABORTIONS	130		
NEONATAL AND INTRA-UTERINE DEATHS	132		
UNDETERMINED CAUSES	135		
TOXICOLOGY LABORATORY REPORTS	137,138		
TRACE EVIDENCE LABORATORY REPORTS	142-144		
HISTOLOGY LABORATORY REPORT	145		
PHOTOGRAPHIC DEPARTMENT REPORT	146		
<b>ACCIDENTS IN THE HOME</b>			
		3 Autopsies by Month and Type of Fatality	25
		4 Total Cases by Age Groups and Type of Fatality	26
		5 Autopsies by Age Groups and Type of Fatality	26
		6 Geographical Location – All Fatalities	27
		7 Geographical Location – All Fatalities	28
		7A Geographical Location – All Fatalities	29
		8 Accidental Fatalities by Month	30
		9 Homicides, Suicides and Violence of Undetermined Origin – Fatalities by Month	31
		10 Fatalities Resulting from Accidents in the Home – Monthly Alcohol Incidence	35
		11 Age – Race – Alcohol Incidence	36
		12 Mode – Alcohol Incidence	37
		13 Mode – Alcohol Incidence	38
		13A Firearms – Mode – Alcohol Incidence	39
		14 Mode – Alcohol Incidence	40,41
		15 Mode – Age Groups	42
		16 Falls – Alcohol Incidence	43
		17 Falls – Age Groups	44
<b>ACCIDENTS WHILE AT WORK</b>			
		18 Fatalities Resulting from Accidents While at Work – Monthly Alcohol Incidence	47
		19 Age – Race – Alcohol Incidence	48
		20 Mode – Alcohol Incidence	49
		21 Mode – Alcohol Incidence	50
		22 Mode – Age Groups	51
		23 Falls – Alcohol Incidence	51
		24 Falls – Age Groups	52
<b>ACCIDENTS IN OTHER PLACES</b>			
		25 Fatalities Resulting from Accidents in Other Places – Monthly Alcohol Incidence	56
		26 Age – Race – Alcohol Incidence	57
		27 Mode – Alcohol Incidence	58

	PAGE NO.
TABLE NO.	PAGE NO.
A Types of Fatalities and Miscellaneous Information – 1975 and 1976 Compared	12
B Types of Fatalities – Sex, Race, Autopsy	13
C Types of Fatalities 1975 and 1976 Incidence Compared	14
D Types of Fatalities – Alcohol Incidence	15
E Vehicular Fatalities – Daily Alcohol Incidence	16
F Distribution of Selected Coroner's Cases in Each Municipality – County of Cuyahoga	17,18
G Deaths in County, Deaths Reported to Coroner, Cases Received 1943 – 1976	19
1 Summary of All Fatalities by Type and Location with Some Miscellaneous Data	24
2 Total Cases by Month and Type of Fatality	25







# TABLE OF CONTENTS (CONT'D.)

TABLE NO.		PAGE NO.	TABLE NO.		PAGE NO.
28	Mode – Alcohol Incidence	59	56	Geographical Location – Type of Accident	
29	Mode – Alcohol Incidence	60		Classification of Victims (Out of County)	94
30	Mode – Age Groups	61	57	Hourly – Daily – Alcohol Incidence – All Cases	95
31	Falls – Alcohol Incidence	62	58	Hourly – Daily – Alcohol Incidence – Bicyclist	96
32	Falls – Age Groups	63	59	Hourly – Daily – Alcohol Incidence – Driver	97
			59A	Hourly – Daily – Alcohol Incidence – Driver – Motorcyclist	98
<b>VEHICULAR ACCIDENTS</b>					
33	Classification of Victims – Alcohol Incidence	72	60	Hourly – Daily – Alcohol Incidence – Passenger	99
34	Monthly Alcohol Incidence	72	61	Hourly – Daily – Alcohol Incidence – Pedestrian	100
35	Daily Alcohol Incidence	73	62	Hourly and Daily Incidence Arranged According to Driver, Passenger, Pedestrian	101
36	Age – Race – Alcohol Incidence	74	63	Hourly and Daily Incidence Arranged According to Pre-School, School and Adult Age Groups	102
37	Type of Accident – Alcohol Incidence	75			
38	Non-Traffic – Alcohol Incidence	76	<b>HOMICIDES</b>		
39	Traffic – Collision – Alcohol Incidence	77	64	Monthly Alcohol Incidence	105
39A	Traffic–Collision–Alcohol Incidence–Drivers	78	65	Age – Race – Alcohol Incidence	106
39B	Traffic–Collision–Alcohol Incidence–Pedestrians	79	66	Mode – Alcohol Incidence	107
39C	Traffic–Collision–Alcohol Incidence–Passengers	79	67	Mode – Age Groups	107
40	Traffic – Non-Collision – Alcohol Incidence	80	68	Justifiable–Place of Occurrence–Circumstances Assailants–Victims–Alcohol Incidence	108
41	While at Work–Vehicular Fatalities–Traffic and Non-Traffic – Monthly Alcohol Incidence	81	69	Non-Justifiable–Place of Occurrence–Home Circumstances-Assailants-Victims-Alcohol Incidence	109
42	Weather Conditions – Alcohol Incidence	81	69A	Non-Justifiable–Place of Occurrence–Public Circumstances–Assailants–Victims–Alcohol Incidence	110
43	Road Conditions – Alcohol Incidence	82	69B	Homicides in County of Cuyahoga, 1951 - 1976	111
44	Light Conditions – Alcohol Incidence	82			
45	Classification of Victims – Age Groups	83	<b>SUICIDES</b>		
46	Month and Age Groups	83	70	Monthly Alcohol Incidence	114
47	Autopsies – Month and Age Groups	84	71	Age – Race – Alcohol Incidence	115
48	Major Injury and Survival Interval	85	72	Mode – Alcohol Incidence	116
49	Major Injury and Survival Interval – Age Groups	86	73	Mode – Alcohol Incidence	116
50	Major Injury and Survival Interval – Age Groups – Driver	87	74	Poisoning – Alcohol Incidence	117
51	Major Injury and Survival Interval – Age Groups – Passenger	88	75	Mode – Age Groups	118
52	Major Injury and Survival Interval – Age Groups – Pedestrians	89	76	Mode – Geographical Location and Marital Status	118
53	Major Injury and Survival Interval – Age Groups – Bicyclist	90			
54	Geographical Location – Type of Accident Classification of Victims (Cities)	91,92			
55	Geographical Location – Type of Accident Classification of Victims (Villages, etc.)	93			







# TABLE OF CONTENTS (CONT'D.)

TABLE NO.	PAGE NO.	ILLUSTRATIONS	PAGE NO.	
<b>VIOLENCE OF UNDETERMINED ORIGIN</b>				
77	Monthly Alcohol Incidence	120	Types of Cases Received 1943 - 1976	10
78	Cause of Death - Alcohol Incidence	120	Types of Cases Received 1976	11
79	Age - Race - Alcohol Incidence	121	Total of All Deaths in County of Cuyahoga, 1965 - 1976	22
			Yearly Average of Coroner's Cases 1964 - 1976	23
			Monthly Average of Coroner's Cases - 1976	23
<b>NATURAL CAUSES</b>				
80	Monthly Alcohol Incidence	123	Accidents in the Home (Graphs)	32
81	International Code of Causes of Death by Month	124	Fatalities Resulting from Accidents in the Home 1965 - 1976	34
82	Autopsies--International Code of Causes of Death by Month	125	Accidents While at Work (Graphs)	45
83	Month and Age Groups	126	Fatalities Resulting from Accidents While at Work 1965 - 1976	46
84	Autopsies - Month and Age Groups	127	Accidents in Other Places (Graphs)	53
85	International Code of Causes of Death Listed by Age Groups	128	Fatalities Resulting from Accidents in Other Places 1965 - 1976	55
86	Autopsies - International Code of Causes of Death Listed by Age Groups	129	Vehicular Accidents (Graphs)	64
			Approximate Percent of Alcohol Concentration in Blood	66
			Pharmacological Effect of Alcohol	67
			Areas of Brain Affected by Alcohol	68
87	Fatalities from Abortions by Month	131	Vehicular Fatalities, Daily Incidence (Graphs)	69
			Vehicular Fatalities, Daily Alcohol Incidence (Graph)	70
			Vehicular Fatalities--Age Groups--Classification of Victims (Graphs)	71
88	By Month and Age Groups	133	Homicides (Graphs)	103
89	Autopsies - By Month and Age Groups	134	Suicides (Graphs)	112
			Violence of Undetermined Origin (Graphs)	119
			Natural Causes (Graphs)	122
			Abortions (Graphs)	130
			Neonatal and Intra-Uterine Deaths (Graphs)	132
			Undetermined Causes (Graphs)	135
<b>ABORTIONS</b>				
<b>NEONATAL AND INTRA-UTERINE DEATHS</b>				
<b>UNDETERMINED CAUSES</b>				
90	Deaths from Undetermined Causes	136		
<b>LABORATORY REPORTS</b>				
91	Toxicology Laboratory Report	137,138		
92	Substances Involved in Fatal Poisonings -- 1965 - 1976	139		
93	Poisoning Fatalities by Type and Year in County of Cuyahoga 1943 - 1976	140		
93A	Substances Involved in Fatal Poisonings	141		
94	Trace Evidence Laboratory Reports	142-144		
95	Histology Laboratory Report	145		
	Photographic Department Report	146		
			<b>MAPS</b>	
			Map 1 - Distribution of Coroner's Cases per 1000 Population	20
			Map 2 - Distribution of Fatalities from Accidents in the Home	33
			Map 3 - Distribution of Accidents in Other Places	54
			Map 4 - Vehicular Fatalities	65
			Map 5 - Homicide Distribution	104
			Map 6 - Suicide Distribution	113





ADDRESS ALL COMMUNICATIONS  
TO  
S.R. GERBER, M.D.  
2121 ADELBERT ROAD



TELEPHONE:  
721-5610

County of Cuyahoga  
CORONER'S OFFICE  
Cleveland, Ohio

AUGUST, 1977

Reports similar to this one have been published by this office over a period of thirty-eight years. The tabulation of some of the information has been kept sufficiently consistent to facilitate comparison and compilation. Thus, significant and reliable data have been made available to persons interested in intensive studies of problems related to causation and prevention of deaths that may occur under circumstances similar to those tabulated in these reports.

These reports have been disseminated with the intent of informing the citizens of Cuyahoga County about the operation of this office of county government. It is hoped that the information contained in this report will reflect the concept of the significance of the Coroner's Office as a guardian of the health, safety, and welfare of the community.

We strive constantly toward the goal of a safer and healthier community. The support and cooperation of the citizens of this county in providing facilities and expressing encouragement is deeply appreciated.





# FOREWORD

This report is primarily a statistical summary of our experience. The information set forth conforms to the established patterns of previous reports so that comparisons can be made readily. The tabular format is identical with earlier reports. New tables, charts and maps have been added to further emphasize certain data.

All cases recorded here have been summarized from various aspects. Cases are basically classified according to the official Coroner's Verdict as to the manner of death. Thus, the following categories are used:

- . . . Accidents in the Home
- . . . Accidents While at Work
- . . . Vehicular Accidents
- . . . Accidents in Other Places
- . . . Homicides
- . . . Suicides
- . . . Violence of Undetermined Origin
- . . . Natural Causes
- . . . Abortions
- . . . Neonatal and Intra-Uterine Deaths
- . . . Cause and Origin Undetermined

Cases are further subdivided according to geographical location, monthly incidence, mode, sex-race-age of victims, alcohol incidence by month-sex-race-age-mode. Additional relationships are indicated through specific tables for various types of cases.

Persons desiring further information should direct their requests to the Coroner. Every effort will be made to supply data requested.



# WHAT IS A CORONER'S CASE?

Sections 313.11 and 313.12 -- Revised Code of State of Ohio

"... any person (who) dies as a result of

- CRIMINAL or other
- VIOLENT means, or by
- CASUALTY, or by
- SUICIDE, or
- SUDDENLY when in apparent health, or in any
- SUSPICIOUS or UNUSUAL manner ..."

**THE CORONER SHALL KEEP A COMPLETE RECORD AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO**

Section 313.09. The coroner shall keep a complete record of and shall fill in the cause of death on the death certificate, in all cases coming under his jurisdiction. All records shall be kept in the office of the coroner, but, if no such office is maintained, then such records shall be kept in the office of the clerk of the court of common pleas. Such records shall be properly indexed, and shall state the name, if known, of every deceased person as described in section 313.12 of the Revised Code, the place where the body was found, date of death, cause of death, and all other available information. The report of the coroner and the detailed findings of the autopsy shall be attached to the report of each case. The coroner shall promptly deliver, to the prosecuting attorney of the county in which such death occurred, copies of all necessary records relating to every death in which, in the judgment of the coroner or prosecuting attorney, further investigation is advisable. The sheriff of the county, the police of the city, the constable of the township, or marshal of the village in which the death occurred may be requested to furnish more information or make further investigation when requested by the coroner or his deputy. The prosecuting attorney may obtain copies of records and such other information as is necessary from the office of the coroner. All records of the coroner are the property of the county.

**WHO REPORTS THE DEATH TO THE CORONER'S OFFICE?**

**AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO.**

Section 313.11. (A) No person shall, without an order from the coroner, purposely remove or disturb the body of any person who has died in the manner described in section 313.12 of the Revised Code, or purposely and without such an order disturb the clothing or any article upon or near such a body.

(B) It is an affirmative defense to a charge under this section that the offender attempted in good faith to rescue or administer life-preserving assistance to the deceased person, even though it is established he was dead at the time of the attempted rescue or assistance.

(C) Whoever violates this section is guilty of unlawfully disturbing a body, a misdemeanor of the fourth degree.

Section 313.12. When any person dies as a result of criminal or other violent means, or by casualty, or by suicide, or suddenly when in apparent health, or in any suspicious or unusual manner, the physician called in attendance, or any member of an ambulance service, emergency squad, or law enforcement agency who obtains knowledge thereof arising from his duties, shall immediately notify the office of the coroner of the known facts concerning the time, place, manner, and circumstances of such death, and any other information which is required pursuant to sections 313.01 to 313.22 of the Revised Code. In such cases, if a request is made for cremation, the funeral director called in attendance shall immediately notify the coroner.

**WHAT AUTHORITY DOES THE CORONER HAVE IN REGARD TO THE BODY?**

**AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO.**

Section 313.13. The coroner or deputy coroner may go to the dead body and take charge of it. If, in the opinion of the coroner, or, in his absence, in the opinion of the deputy, an autopsy is necessary, such autopsy shall be performed by the coroner, deputy coroner, or pathologists. A detailed description of the observations written during the progress of such autopsy or as soon after such autopsy as reasonably possible, and the conclusions drawn therefrom shall be filed in the office of the coroner.

If he takes charge of and decides to perform, or performs, an autopsy on a dead body under this section, the coroner, or in his absence, the deputy coroner, may, under division (E) of section 2108.02 of the Revised Code, waive his paramount right to any donated part of the dead body.

Section 313.14. The coroner shall notify any known relatives of a deceased person who meets death in the manner described by section 313.12 of the Revised Code by letter or otherwise. The next of kin, other relatives, or friends of the deceased person, in the order named, shall have prior right as to disposition of the body of such deceased person. If relatives of the deceased are unknown, the coroner shall make a diligent effort to ascertain the next of kin, other relatives, or friends of the deceased person. The coroner shall take charge and possession of all moneys, clothing, and other valuable personal effects of such deceased person, found in connection with or pertaining to such body, and shall store such possessions in the county coroner's office or such other suitable place as is provided for such storage by the board of county commissioners. After using such of the clothing as is necessary in the burial of the body, in case the cost of the burial is paid by the county, the coroner shall sell at public auction the valuable personal effects of such deceased persons, found in connection with or pertaining to the unclaimed dead body, except firearms, which shall be disposed of provided by section 313.141 of the Revised Code, and he shall make a verified inventory of such effects. Such effects shall be sold within eighteen months after the burial, or after delivery of such body in accordance with section 1713.34 of the Revised Code. All moneys derived from such sale shall be deposited in the county treasury. A notice of such sale shall be given in one newspaper of general circulation in the county, for five days in succession, and the sale shall be held immediately thereafter. The cost of such advertisement and notices shall be paid by the board upon the submission of a verified statement therefor, certified to the coroner.

This section does not invalidate section 1713.34 of the Revised Code.

#### SECTION 313.141. FIREARMS

Section 313.141. If firearms are included in the valuable personal effects of a deceased person who met death in the manner, described by section 313.12 of the Revised Code, the coroner shall deliver the firearms to the chief of police of the municipal corporation within which the body is found, or to the

sheriff of the county if the body is not found within a municipal corporation. The firearms shall be used for law enforcement purposes only or they shall be destroyed. Upon delivery of the firearms to the chief of police or the sheriff, the law enforcement officer to whom the delivery is made shall give the coroner a receipt for the firearms that states the date of delivery and an accurate description of the firearms.

Section 313.15. All dead bodies in the custody of the coroner shall be held until such time as the coroner, after consultation with the prosecuting attorney, or with the police department of a municipal corporation, if the death occurred in a municipal corporation, or with the sheriff, has decided that it is no longer necessary to hold such body to enable him to decide on a diagnosis giving a reasonable and true cause of death, or to decide that such a body is no longer necessary to assist any such officials in his duties.

Section 313.16. In counties where no coroner's laboratory has been established, the coroner may request a coroner of a county in which such a laboratory is established to perform necessary laboratory examinations, the cost of which shall be no greater than the actual value of the services of technicians and the materials used in performing such examination. Money derived from the fees paid for these examinations shall be kept in a special fund, for the use of the coroner's laboratory, from which fund replacements can be made. Such funds shall be used to purchase necessary supplies and equipment for the laboratory.

WHAT AUTHORITY DOES THE CORONER HAVE IN REGARD TO INVESTIGATION INTO THE CIRCUMSTANCES OF THE DEATH?

AS REQUIRED BY THE REVISED CODE OF THE STATE OF OHIO.

Section 313.17. The coroner or deputy coroner may issue subpoenas for such witnesses as are necessary, administer to such witnesses the usual oath, and proceed to inquire how the deceased came to his death, whether by violence to self or from any other persons, by whom, whether as principals or accessories before or after the fact, and all circumstances relating thereto. The testimony of such witnesses shall be reduced to writing and subscribed to by them, and with the findings and recognizances mentioned in this section, shall be kept on file in the coroner's office, unless the county fails to provide such an office, in which event all such records, findings and recognizances shall be kept on file in the office of the clerk of the court of common pleas. The coroner may cause such witnesses



to enter into recognizance, in such sum as is proper, for their appearance at the succeeding term of the court of common pleas, to give testimony concerning the matter. He may require any such witnesses to give security for their attendance, and, if any of them fails to comply with his requirements he shall commit such person to the county jail until discharged by due course of law. In case of the failure of any person to comply with such subpoena, or on the refusal of a witness to testify to any matter regarding which he may lawfully be interrogated, the probate judge, or a judge of the court of common pleas, on application of the coroner, shall compel obedience to such subpoena by attachment proceedings as for contempt. A report shall be made from the personal observation by the coroner or his deputy of the corpse, from the statements of relatives or other persons having any knowledge of the facts, and from such other sources of information as are available, or from the autopsy.

Section 313.20. The coroner may issue any writ required by sections 313.01 to 313.22 of the Revised Code, to any constable of the county in which a body is found as described in section 313.12 of the Revised Code, or if the emergency so requires, to any discreet person of the county, and such person is entitled to receive for the services rendered the same fees as elected constables. Every constable, or other person so appointed, who fails to execute any warrant directed to him, shall forfeit and pay twenty-five dollars, which amount shall be recovered upon the complaint of the coroner, before any court having jurisdiction thereof. All such forfeitures shall be for the use of the county.

Section 2921.22. (A) No person, knowing that a felony has been or is being committed, shall knowingly fail to report such information to law enforcement authorities.

(B) No physician, limited practitioner, nurse, or person giving aid to a sick or injured person, shall negligently fail to report to law enforcement authorities any gunshot or stab wound treated or observed by him, or any serious physical harm to persons which he knows or has reasonable cause to believe resulted from an offense of violence.

(C) No person who discovers the body or acquires the first knowledge of the death of any person shall fail to report such death immediately to any physician known by such person to be treating the deceased for a condition from which death at such time would not be unexpected, or to a law enforcement officer, ambulance service, emergency squad, or the coroner in a political subdivision in which the body is discovered, death is believed to have occurred, or knowledge concerning it is obtained.

(D) No person shall fail to provide upon request of the person to whom he has made a report required by division (C) of this section, or to any law enforcement officer who has reasonable cause to assert the authority to investigate the circumstances surrounding such death, any facts within his knowledge that may have a bearing on the investigation of such death.

(E) Division (A) or (D) of this section does not require disclosure of information, when any of the following applies:

(1) The information is privileged by reason of the relationship between attorney and client, doctor and patient, licensed psychologist or licensed school psychologist and client, priest and penitent, or husband and wife.

(2) The information would tend to incriminate a member of the actor's immediate family.

(3) Disclosure of the information would amount to revealing a news source, privileged under section 2739.04 or 2739.12 of the Revised Code.

(4) Disclosure of the information would amount to disclosure by an ordained clergyman of an organized religious body confidential communication made to him in his capacity as such by a person seeking his aid or counsel.

(5) Disclosure would amount to revealing information acquired by the actor in the course of his duties in connection with bona fide program of treatment or services for drug dependent persons or persons in danger of drug dependence, which program is maintained or conducted by a hospital, clinic, person, agency, or organization registered pursuant to section 5122.51 of the Revised Code.

(F) No disclosure of information pursuant to this section gives rise to any liability or recrimination for a breach of privilege or confidence.

(G) Whoever violates division (A) or (B) of this section is guilty of failure to report a crime. Violation of division (A) of this section is a misdemeanor of the fourth degree. Violation of division (B) of this section is a misdemeanor of the second degree.

(H) Whoever violates division (C) or (D) of this section is guilty of failure to report knowledge of a death, a misdemeanor of the fourth degree.

WHO SIGNS THE DEATH CERTIFICATE?

Section 3705.27. The personal and statistical particulars in the certificate of death or stillbirth shall be obtained by the

funeral director or other person in charge of interment or cremation from the best qualified persons or sources available. The statement of facts relating to the disposition of the body and information relative to the armed services referred to in section 3705.26 of the Revised Code shall be signed by the funeral director. The funeral director shall then present the certificate of death to the physician or coroner for certification of the cause of death. The medical certificate of death shall be made and signed by the physician who attended the deceased or by the coroner within forty-eight hours after death. If there is reason to believe that the death was caused by unlawful or suspicious means, the funeral director shall immediately notify the office of the coroner. The coroner shall make inquiry, as provided by section 313.17 of the Revised Code, and make the medical certificate of death or stillbirth required for a burial permit, except as otherwise authorized by regulation of the public health council.

**GIFT OF BODY OR PART; RIGHTS  
OF NEXT OF KIN TO DONATE;**

Section 2108.02. (A) Any individual of sound mind and eighteen years of age or more may give all or any part of his body for any purpose specified in section 2108.03 of the Revised Code the gift to take effect upon his death.

(B) Any of the following persons, in the order of priority stated, when persons in prior classes are not available at the time of death, and in the absence of actual notice of contrary indications by the decedent or actual notice of opposition by a member of the same or a prior class, may give any part of the decedent's body for any purpose specified in section 2108.03 of the Revised Code:

- (1) The spouse;
- (2) An adult son or daughter;
- (3) Either parent;
- (4) An adult brother or sister;
- (5) A guardian of the person of the decedent at the time of his death;
- (6) Any other person authorized or under obligation to dispose of the body.

(C) The donee shall not accept the gift if he has actual notice of contrary indications by the decedent or that a gift by a member of a class is opposed by a member of the same or a prior class. The persons authorized in division (B) of this section may make the gift after or immediately before death.

(D) A gift of all or part of a body authorizes any examination necessary to assure medical acceptability of the gift for the purpose intended.

(E) The rights of the donee created by the gift are paramount to the rights of others except that a coroner, or in his absence, a deputy coroner, who has, under section 313.13 of the Revised Code, taken charge of the decedent's dead body and decided that an autopsy is necessary, has a right to the dead body and any part that is paramount to the rights of the donee. The coroner, or in his absence, the deputy coroner, may waive this paramount right and permit the donee to take a donated part if the donated part is or will be unnecessary for successful completion of the autopsy or for evidence. If the coroner or deputy coroner does not waive his paramount right and later determines, while performing the autopsy, that the donated part is or will be unnecessary for successful completion of the autopsy or for evidence, he may thereupon waive his paramount right and permit the donee to take the donated part, either during the autopsy or after it is completed.

**PHYSICAL ABUSE AND NEGLECT OF CHILDREN  
(BATTERED CHILD SYNDROME)**

SECTION 2151.421. Any physician, including hospital intern or resident, dentist, podiatrist, practitioner of a limited branch of medicine or surgery as defined in Section 4731.15 of the Revised Code, registered nurse, visiting nurse, school teacher or school authority, or social worker, or person rendering spiritual treatment through prayer in accordance with the tenants of a well-recognized religion acting in his official or professional capacity, having reason to believe that a child less than eighteen years of age or any crippled or otherwise physically or mentally handicapped child under twenty-one years of age has suffered any wound, injury, disability, or condition of such nature as to reasonably indicate abuse or neglect of such child, shall immediately report or cause reports to be made of such information to a municipal or county peace officer. Such reports shall be made forthwith, and shall be followed by a written report. Such reports shall contain:

- (A) The names and address of the child and his parents or person or persons having custody of such child, if known;
- (B) The child's age and the nature and extent of the child's injuries or physical neglect, including any evidence of previous injuries or physical neglect;
- (C) Any other information which might be helpful in establishing the cause of the injury or physical neglect.

When the attendance of the physician is pursuant to the performance of services as a member of the staff of a hospital or similar institution, he shall notify the person in charge of the



institution or his designated delegate who shall make the necessary reports.

Upon the receipt of a report concerning the possible non-accidental infliction of a physical injury upon a child, the municipal or county peace officer shall refer such report to the appropriate county department of welfare or child welfare board in charge of children's services.

No child upon whom a report is made shall be removed from his parents, stepparents, guardian, or other persons having custody by a municipal or county peace officer without consultation with the county department of welfare unless, in the judgment of the reporting physician and the officer, immediate removal is considered essential to protect the child from further injury or abuse.


The county department of welfare or child welfare board shall investigate each report referred to it by a law enforcement officer to determine the circumstances surrounding the injury or injuries, the cause thereof, and the person or persons responsible. Such investigation shall be made in cooperation with the law enforcement agency which shall have the primary responsibility for such investigations. The County Welfare Department or child welfare board shall report each case to a central registry which the State Welfare Department shall maintain in order to determine whether prior reports have been made in other counties concerning the child or other principals in the case. The department or board shall submit a report of its investigations, in writing, to the law enforcement agency and shall provide such social services as are necessary to protect the child and preserve the family.

The county department of welfare or child welfare board shall make such recommendations to the county prosecutor or city attorney as it deems necessary to protect such children as are brought to its attention.

Anyone or any hospital, institution, school, health department, or agency participating in the making of such reports, or anyone participating in a judicial proceeding resulting from such reports, shall be immune from any civil or criminal liability that might otherwise be incurred or imposed as a result of such actions. Notwithstanding Section 4731.22 of the Revised Code, the physician-patient privilege shall not be a ground for excluding evidence regarding a child's injuries or physical neglect, or the cause thereof of any judicial proceeding resulting from a report submitted pursuant to this section.

Nothing in this section shall be construed to define as a physically neglected child, any child who is under spiritual treatment through prayer in accordance with the tenants and practice of a well-recognized religion in lieu of medical treatment and no report shall be required as to such child.

# TYPES OF CASES RECEIVED BY THE CORONER'S OFFICE COUNTY OF CUYAHOGA



DEATHS FROM NATURAL CAUSES: 66.88%

DEATHS FROM VIOLENCE: 33.12%

**TYPES OF FATALITIES AND MISCELLANEOUS INFORMATION  
1975 AND 1976**

	Table A	
	1975	1976
ACCIDENTS IN THE HOME	341	279
ACCIDENTS WHILE AT WORK	20	26
VEHICULAR ACCIDENTS	214	243
ACCIDENTS IN OTHER PLACES	259	223
HOMICIDES	351	305
SUICIDES	218	248
VIOLENCE OF UNDETERMINED ORIGIN	19	29
TOTAL VIOLENT DEATHS	1422	1353
NATURAL CAUSES	2570	2720
ABORTIONS	0	1
NEONATAL & INTRA-UTERINE DEATHS	4	5
UNDETERMINED CAUSES	9	6
CASES REPORTED - ADMITTED	4005	4085
CASES REPORTED - NOT ADMITTED	790	545
AUTOPSIES (HOSPITAL INCLUDED)	1628*	1625**
AUTOPSIES - OUTSIDE CASES	27	14
UNIDENTIFIED BODIES	1	3
UNIDENTIFIED FOETUSES	6	1
IDENTIFIED AND UNCLAIMED	58	36
DEATHS IN CUYAHOGA COUNTY	16,013	16,252
PERCENTAGE OF DEATHS ADMITTED	25%	25%

\* Includes 155 autopsies performed at hospitals.

\*\* Includes 170 autopsies performed at hospitals.



## TYPES OF FATALITIES – SEX, RACE, AUTOPSY

Table B

	TOTAL	SEX		RACE		AUTOPSIED
		MALE	FEMALE	WHITE	NON-WHITE	
ACCIDENTS IN THE HOME	279	140	139	211	68	125
ACCIDENTS WHILE AT WORK	26	25	1	22	4	16
VEHICULAR ACCIDENTS	243	177	66	201	42	230
ACCIDENTS IN OTHER PLACES	223	133	90	192	31	64
HOMICIDES	305	252	53	98	207	295
SUICIDES	248	169	79	213	35	112
VIOLENCE OF UNDETERMINED ORIGIN	29	22	7	16	13	25
NATURAL CAUSES	2720	1706	1014	2058	662	579
ABORTIONS	1	0	1	0	1	1
NEONATAL & INTRA-UTERINE DEATHS	5	2	3	2	3	3
UNDETERMINED CAUSES	6	3	3	3	3	5
<b>GRAND TOTAL</b>	<b>4085</b>	<b>2629</b>	<b>1456</b>	<b>3016</b>	<b>1069</b>	<b>1455</b>

## TYPES OF FATALITIES 1975 AND 1976 INCIDENCE COMPARED

**Table C**

	PERCENTAGE OF TOTAL CASES ADMITTED	
	1975	1976
ACCIDENTS IN THE HOME	8.51	6.82
ACCIDENTS WHILE AT WORK	0.50	0.64
VEHICULAR ACCIDENTS	5.34	5.95
ACCIDENTS IN OTHER PLACES	6.47	5.45
HOMICIDES	8.76	7.47
SUICIDES	5.44	6.07
VIOLENCE OF UNDETERMINED ORIGIN	0.47	0.71
TOTAL OF VIOLENT DEATHS	35.49	33.12
NATURAL CAUSES	64.17	66.59
ABORTIONS	0.00	0.02
NEONATAL & INTRA - UTERINE DEATHS	0.10	0.12
UNDETERMINED CAUSES	0.22	0.15

## TYPES OF FATALITIES—ALCOHOL INCIDENCE

Table D

	Number of Cases	Number of Cases Tested	Percentage of Cases Tested	Number Positive of those Tested	Percentage Positive of those Tested
<b>ACCIDENTS:</b>					
<b>IN THE HOME</b>	279	113	40.50	38	33.63
<b>WHILE AT WORK</b>	26	15	57.69	1	6.67
<b>VEHICULAR</b>	243	168	69.14	79	47.02
<b>IN OTHER PLACES</b>	223	49	21.97	25	51.02
<b>TOTAL</b>	771	345	44.75	143	41.45
<b>HOMICIDES</b>	305	264	86.56	125	47.35
<b>SUICIDES</b>	248	220	88.71	59	26.82
<b>VIOLENCE OF UNDETERMINED ORIGIN</b>	29	21	72.41	11	52.38
<b>TOTAL</b>	582	505	86.77	195	38.61
<b>NATURAL CAUSES</b>	2720	2199	80.85	235	10.69
<b>ABORTIONS</b>	1	0	.00	0	.00
<b>UNDETERMINED CAUSES</b>	6	3	50.00	2	66.67

## VEHICULAR FATALITIES DAILY ALCOHOL INCIDENCE

Table E

DAY	MOTORCYCLIST (1) NUMBER OF CASES		DRIVER (2)* NUMBER OF CASES		PASSENGER (3) NUMBER OF CASES		PEDESTRIAN (4) NUMBER OF CASES		TOTAL NUMBER OF CASES	
	TESTED	POSITIVE	TESTED	POSITIVE	TESTED	POSITIVE	TESTED	POSITIVE	TESTED	POSITIVE
SUNDAY	2	1	11	5	2	0	5	4	20	10
MONDAY	3	0	6	4	3	0	5	2	17	6
TUESDAY	2	1	5	2	0	0	3	0	10	3
WEDNESDAY	2	1	14	6	5	0	5	0	26	7
THURSDAY	4	1	13	9	15	6	8	3	40	19
FRIDAY	2	1	18	8	6	2	10	6	36	17
SATURDAY	2	2	8	7	4	3	7	5	21	17
TOTAL	17	7	75	41	35	11	43	20	170	79

\* Includes Bicyclists (2).

(1) SEE TABLE 59-A    (2) SEE TABLE 58 and 59    (3) SEE TABLE 60    (4) SEE TABLE 61



# DISTRIBUTION OF SELECTED CORONER'S CASES IN EACH MUNICIPALITY COUNTY OF CUYAHOGA

Table F

CITIES	TOTAL INSIDE CASES		NATURAL CAUSES		HOME-WORK OTHER FATALITIES		VEHICULAR FATALITIES		HOMICIDE		SUICIDE	
	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases
Cleveland	2455	60.10	1671	68.07	298	12.14	103	4.20	253	10.31	98	3.99
Bay Village	22	0.54	18	81.82			1	4.55			2	9.09
Beachwood	8	0.20	3	37.50	1	12.50					4	50.00
Bedford	45	1.10	36	80.00	3	6.67	1	2.22	1	2.22	3	6.67
Bedford Heights	13	0.32	6	46.15	4	30.77	1	7.69			2	15.38
Berea	13	0.32	5	38.46	2	15.38	2	15.38			4	30.77
Brecksville	18	0.44	8	44.44	2	11.11	1	5.55	3	16.67	4	22.22
Broadview Heights	6	0.15	1	16.67	1	16.67	4	66.67				
Brooklyn	6	0.15	2	33.33	2	33.33			1	16.67	1	16.67
Brook Park	12	0.29	1	8.33	2	16.67	3	25.00	2	16.67	4	33.33
Cleveland Heights	74	1.81	49	66.21	12	16.22	3	4.05	3	4.05	7	9.46
East Cleveland	116	2.84	79	68.10	20	17.24	4	3.45	8	6.90	5	4.31
Euclid	172	4.21	128	74.42	14	8.14	8	4.65	7	4.07	14	8.14
Fairview Park	28	0.69	12	42.86	5	17.86	4	14.28			7	25.00
Garfield Heights	92	2.25	76	82.61	7	7.61	3	3.26	4	4.35	2	2.17
Highland Heights	4	0.10	3	75.00					1	25.00		
Independence	9	0.22	1	11.11	4	44.44	1	11.11	2	22.22	1	11.11
Lakewood	140	3.43	109	77.86	20	14.29	3	2.14	1	0.71	6	4.29
Lyndhurst	19	0.47	12	63.16	2	10.53	2	10.53			3	15.80
Maple Heights	33	0.81	18	54.55	7	21.21	2	6.06	4	12.12	2	6.06
Mayfield Heights	65	1.59	55	84.62	4	6.15	3	4.62	1	1.54	1	1.54
Middleburg Heights	63	1.54	59	93.65	1	1.59					3	4.76
North Olmsted	22	0.54	10	45.45	6	27.27	3	13.64			3	13.64
North Royalton	12	0.29	2	16.67	7	58.33					3	25.00
Olmsted Falls	4	0.10					3	75.00			1	25.00
Parma	182	4.46	142	78.02	24	13.19	4	2.20	2	1.10	10	5.49
Parma Heights	22	0.54	10	45.45	6	27.27	1	4.54			5	22.73
Pepper Pike	4	0.10	1	25.00	1	25.00					2	50.00
Richmond Heights	36	0.88	29	80.56	3	8.33	2	5.56			2	5.56
Rocky River	31	0.76	16	51.61	4	12.90	3	9.68	1	3.23	6	19.35
Seven Hills	22	0.54	11	50.00	4	18.18	1	4.55			6	27.27
Shaker Heights	28	0.69	13	46.43	5	17.86	3	10.71	2	7.14	5	17.86
Solon	7	0.17	3	42.86	1	14.29	3	42.86				
South Euclid	32	0.78	24	75.00	4	12.50	1	3.13			3	9.38
Strongsville	18	0.44	2	11.11	3	16.67	6	33.33	2	11.11	5	27.78
University Heights	6	0.15	6	100.00								
Warrensville Heights	87	2.13	76	87.36	5	5.75	3	3.45	2	2.30	1	1.15
Westlake	19	0.47	6	31.58	2	10.53	4	21.05	2	10.53	5	26.32

Not included in statistics are Violence of Undetermined Origin, Undetermined Causes, Out of the County Deaths, Live Birth and Foetal Deaths.  
Included above are three (3) Vehicular Fatalities in which the accident occurred in 1975 and the fatality occurred in 1976.

**SUMMARY CHART**  
**DISTRIBUTION OF SELECTED CORONER'S CASES IN EACH MUNICIPALITY**  
**COUNTY OF CUYAHOGA**

**Table F cont**

VILLAGES AND TOWNSHIPS	TOTAL INSIDE CASES		NATURAL CAUSES		HOME-WORK OTHER FATALITIES		VEHICULAR FATALITIES		HOMICIDE		SUICIDE	
	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases	Number of Cases	Percentage of Cases
Bentleyville												
Bratenahl	3	0.07	2	66.67								
Brooklyn Heights	1	0.02	1	100.00								
Chagrin Falls	7	0.17	2	28.57	2	28.57	1	14.29			2	28.57
Cuyahoga Heights	1	0.02			1	100.00						
Gates Mills	9	0.22	1	11.11			7	77.78			1	11.11
Glenwillow												
Hunting Valley	2	0.05									2	100.00
Linndale												
Mayfield	3	0.07			1	33.33	2	66.67				
Moreland Hills	1	0.02	1	100.00								
Newburg Heights	2	0.05					1	50.00			1	50.00
North Randall	4	0.10	4	100.00								
Orange	5	0.12			2	40.00	1	20.00			2	40.00
Oakwood	1	0.02	1	100.00								
Valley View	13	0.32	2	15.38			11	84.62				
Walton Hills	2	0.05			1	50.00	1	50.00				
Woodmere	1	0.02			1	100.00						
<b>TOWNSHIPS</b>												
Chagrin Falls												
Olmsted	5	0.12			2	40.00	1	20.00			2	40.00
River Edge	3	0.07	1	33.33			1	33.33	1	33.33		
Warrensville	4	0.10	2	50.00	2	50.00						
Turnpike in County	6	0.15					6	100.00				

Not included in statistics are Violence of Undetermined Origin, Undetermined Causes, Out of the County Deaths, Live Births and Foetal Deaths.

# DEATHS IN COUNTY, DEATHS REPORTED TO CORONER CASES RECEIVED 1943 - 1976

**Table G**

COUNTY POPULATION 1940: 1,217,250

DEATHS IN COUNTY	TOTAL DEATHS REPORTED TO CORONER'S OFFICE	% OF DEATHS IN COUNTY	CASES ADMITTED TO CORONER'S OFFICE	% OF DEATHS IN COUNTY
1943: 13,931	2,739	19.7%	1,434	10.3%
1944: 13,234	2,544	19.2%	1,420	10.7%
1945: 13,104	2,624	20.0%	1,478	11.3%
1946: 13,049	2,890	22.0%	1,588	12.0%
1947: 13,946	3,120	22.4%	1,904	13.6%
1948: 13,695	3,203	23.4%	1,924	14.0%
1949: 13,837	3,849	25.2%	2,012	14.4%

COUNTY POPULATION 1950: 1,389,532

1950: 13,769	3,431	24.9%	2,218	16.8%
1951: 14,156	3,496	24.7%	2,213	14.7%
1952: 14,727	3,477	23.6%	2,183	14.8%
1953: 14,896	3,646	24.5%	2,392	16.0%
1954: 14,607	3,851	26.3%	2,767	18.9%
1955: 14,751	4,085	27.8%	2,945	19.95%
1956: 15,389	4,651	30.2%	3,259	21.1%
1957: 16,063	4,634	28.8%	3,274	20.3%
1958: 15,919	4,963	31.2%	3,602	22.6%
1959: 16,088	4,328	26.9%	3,626	22.5%

COUNTY POPULATION 1960: 1,647,895

1960: 16,425	5,159	31.4%	3,513	21.4%
1961: 16,144	5,019	31.1%	3,622	22.7%
1962: 16,701	5,231	31.3%	3,883	23.3%
1963: 17,142	5,385	31.4%	4,083	23.8%
1964: 16,915	5,490	32.5%	4,037	23.9%
1965: 17,062	5,227	30.6%	4,012	23.5%
1966: 17,415	5,303	30.5%	4,136	23.7%
1967: 17,300	5,518	31.9%	4,141	23.9%
1968: 18,087	5,997	33.2%	4,455	24.6%
1969: 17,287	5,415	31.3%	4,436	25.7%

COUNTY POPULATION 1970: 1,721,300

1970: 17,305	5,125	29.6%	4,314	24.9%
1971: 16,834	5,183	30.8%	4,246	25.2%
1972: 17,267	5,602	32.4%	4,384	25.4%
1973: 17,234	4,908	28.5%	4,321	25.1%
1974: 16,948	5,118	30.2%	4,228	25.0%
1975: 16,013	4,795	29.9%	4,005	25.0%
1976: 16,252	4,630	28.5%	4,085	25.1%





1976  
**POPULATION COUNTY OF CUYAHOGA**  
 1,706,825

CITIES	
CLEVELAND .....	673,024
Bay Village.....	19,417
Beachwood .....	11,289
Bedford .....	17,195
Bedford Heights.....	19,741
Berea .....	24,118
Brecksville .....	9,826
Broadview Heights .....	12,282
Brooklyn .....	13,996
Brook Park .....	31,175
Cleveland Heights.....	57,975
East Cleveland.....	38,956
Euclid .....	70,399
Fairview Park .....	21,906
Garfield Heights .....	40,217
Highland Heights.....	6,234
Independence .....	6,962
Lakewood .....	70,600
Lyndhurst .....	23,398
Maple Heights .....	35,376
Mayfield Heights .....	31,540


CITIES	
Middleburg Heights .....	21,129
North Olmsted .....	40,665
North Royalton.....	14,568
Olmsted Falls.....	8,229
Parma.....	111,619
Parma Heights .....	27,354
Pepper Pike .....	6,631
Richmond Heights .....	12,422
Rocky River .....	22,427
Seven Hills .....	14,617
Shaker Heights.....	34,698
Solon .....	13,885
South Euclid .....	28,645
Strongsville.....	25,521
University Heights .....	16,773
Warrensville Heights .....	19,278
Westlake .....	19,998

VILLAGES	
Bentleyville .....	357
Bratenahl .....	1,659
Brooklyn Heights .....	1,757

VILLAGES	
Chagrin Falls .....	4,881
Cuyahoga Heights .....	812
Gates Mills .....	2,478
Glenwillow.....	630
Hunting Valley .....	723
Linndale .....	132
Mayfield.....	4,166
Moreland Hills .....	3,446
Newburgh Heights .....	3,103
North Randall .....	1,125
Oakwood.....	3,508
Orange .....	2,056
Valley View .....	1,439
Walton Hills .....	2,560
Woodmere.....	798


TOWNSHIPS	
Chagrin Falls .....	93
Olmsted .....	7,226
River Edge .....	599
Warrensville .....	2,080

TOTAL OF ALL DEATHS IN COUNTY OF CUYAHOGA  
FOR A PERIOD OF TWELVE YEARS




# SUMMARY

**YEARLY AVERAGE OF CORONER'S CASES  
FOR A PERIOD OF TWELVE YEARS**



**1965 - 1976  
TOTAL CASES  
50,763**

**CORONER'S CASES  
BY MONTH FOR THE YEAR 1976**



**1976  
TOTAL CASES  
4,085**

# SUMMARY OF ALL FATALITIES BY TYPE, LOCATION WITH MISCELLANEOUS DATA

Table Number 1

TYPE OF FATALITY	COUNTY			OUT OF COUNTY	TOTAL	MISCELLANEOUS DATA	TOTAL
	CLEVELAND	OTHER CITIES	REST OF COUNTY				
ACCIDENTS IN THE HOME	137	123	4	15	279	CASES REPORTED - NOT ADMITTED	545
ACCIDENTS WHILE AT WORK	12	4	3	7	26	AUTOPSIES**	1,625
VEHICULAR ACCIDENTS*	103	83	32	25	243	AUTOPSIES (OUTSIDE CASES)	14
ACCIDENTS IN OTHER PLACES	149	61	5	8	223	UNIDENTIFIED BODIES	3
HOMICIDES	253	49	1	2	305	UNIDENTIFIED FOETUSES	1
SUICIDES	98	132	10	8	248	IDENTIFIED AND UNCLAIMED BODIES	36
VIOLENCE OF UNDETERMINED ORIGIN	23	4	0	2	29	DEATHS IN CUYAHOGA COUNTY***	16,252
<b>TOTAL VIOLENT DEATHS</b>	<b>775</b>	<b>456</b>	<b>55</b>	<b>67</b>	<b>1,353</b>		
NATURAL CAUSES	1,671	1,032	17	0	2,720		
NEONATAL & INTRA-UTERINE DEATH	4	1	0	0	5		
ABORTIONS	1	0	0	0	1		
UNDETERMINED CAUSES	4	1	1	0	6		
<b>TOTAL CASES REPORTED AND ADMITTED</b>	<b>2,455</b>	<b>1,490</b>	<b>73</b>	<b>67</b>	<b>4,085</b>		

\* Vehicular Accidents, Summary Tables 1,2,4,6 and 8, are tabulated by date of death reflecting fatalities received in 1976.

\*\* Includes 170 autopsies performed at hospitals.

\*\*\* Total Resident Deaths.

Rest of County includes Turnpikes, Villages and Townships.



## TOTAL CASES BY MONTH AND TYPE OF FATALITY

Table Number 2

TYPE OF FATALITY	JAN.		FEB.		MAR.		APRIL		MAY		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		GRAND		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	TOTAL
ACCIDENTS IN THE HOME	17	19	12	11	12	8	15	8	8	13	9	9	11	10	9	10	11	10	14	14	9	13	13	14	140	139		279	
ACCIDENTS WHILE AT WORK	3		2		1		3		1	1	2		5		3		1				2		2		25	1		26	
VEHICULAR ACCIDENTS	13	3	9	2	8	4	12	5	11	7	18	4	15	5	24	10	14	7	22	1	14	7	17	11	177	66		243	
ACCIDENTS IN OTHER PLACES	10	10	14	14	6	5	11	4	8	5	13	11	12	7	13	7	11	5	8	8	10	8	17	6	133	90		223	
HOMICIDES	29	3	21	8	24	2	15	4	21	7	21	8	23	7	22	3	14	1	19	4	19	2	24	4	252	53		305	
SUICIDES	13	7	12	4	12	7	13	3	16	11	11	5	18	4	23	10	12	3	12	8	11	9	16	8	169	79		248	
VIOLENCE OF UNDETERMINED ORIGIN	1		3		3		1	1	1		3	1	1	1	2	1					3	2	4	1		22	7	29	
NATURAL CAUSES	171	99	157	107	155	82	147	89	141	78	125	72	129	71	115	71	116	77	142	94	145	86	163	88	1706	1014		2720	
ABORTIONS		1																								1		1	
NEONATAL & INTRA-UTERINE DEATHS									1	1											1	1			1	2	3	5	
UNDETERMINED CAUSES				1	1		1	1												1	1					3	3		6
<b>GRAND TOTAL</b>	<b>257</b>	<b>142</b>	<b>230</b>	<b>147</b>	<b>222</b>	<b>108</b>	<b>218</b>	<b>115</b>	<b>208</b>	<b>123</b>	<b>202</b>	<b>110</b>	<b>214</b>	<b>105</b>	<b>211</b>	<b>112</b>	<b>179</b>	<b>103</b>	<b>221</b>	<b>133</b>	<b>215</b>	<b>126</b>	<b>252</b>	<b>132</b>	<b>2629</b>	<b>1456</b>		<b>4085</b>	

## AUTOPSIES BY MONTH AND TYPE OF FATALITY

Table Number 3

TYPE OF FATALITY	JAN.		FEB.		MAR.		APRIL		MAY		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		GRAND	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ACCIDENTS IN THE HOME	9	7	7	4	4	4	7	4	1	3	7	6	4	2	4	5	5	4	9	4	4	5	9	7	70	55		125
ACCIDENTS WHILE AT WORK	2		1		1		2				3		3		2		1				1				16			16
VEHICULAR ACCIDENTS	14	2	8	2	8	3	11	6	10	7	17	4	13	5	24	8	14	6	21	2	12	5	17	11	169	61		230
ACCIDENTS IN OTHER PLACES	1	3	2	1	1		4		3		8	2	6	1	6		9		2	3	5	2	5		52	12		64
HOMICIDES	29	3	20	8	24	2	15	3	20	7	21	7	22	6	22	3	12		19	4	19	2	23	4	246	49		295
SUICIDES	6	6	7	2	7	2	5	1	5	4	5	4	9	1	13	5	5	3	1	5	4	6	5	1	72	40		112
VIOLENCE OF UNDETERMINED ORIGIN	1		3		3		1	1			3	1	1	1	2	1			3	1	3				20	5		25
NATURAL CAUSES	39	11	43	26	33	10	43	12	29	13	30	20	22	10	28	9	30	15	31	23	36	12	36	18	400	179		579
ABORTIONS		1																								1		1
NEONATAL & INTRA-UTERINE DEATHS									1										1						1	2	1	3
UNDETERMINED CAUSES				1	1		1	1													1				3	2		5
<b>GRAND TOTAL</b>	<b>101</b>	<b>33</b>	<b>91</b>	<b>44</b>	<b>82</b>	<b>21</b>	<b>89</b>	<b>28</b>	<b>69</b>	<b>34</b>	<b>94</b>	<b>44</b>	<b>80</b>	<b>26</b>	<b>101</b>	<b>31</b>	<b>76</b>	<b>28</b>	<b>87</b>	<b>42</b>	<b>85</b>	<b>32</b>	<b>95</b>	<b>42</b>	<b>1050</b>	<b>405</b>		<b>1455</b>



# GEOGRAPHICAL LOCATION-ALL FATALITIES

## SUMMARY

Table Number 6

CITIES	VIOLENT DEATHS															GRAND TOTAL
	ACCIDENTS					OTHER VIOLENCE					NATURAL CAUSES	ABORTIONS	LIVE BIRTH AND FOETAL DEATH	UNDETERMINED CAUSES	TOTAL	
	IN THE HOME	WHILE AT WORK	VEHICULAR	IN OTHER PLACES	TOTAL ACCIDENTS	HOMICIDE	SUICIDE	UNDETERMINED ORIGIN	TOTAL OTHER VIOLENCE	TOTAL ALL VIOLENCE						
Cleveland	137	12	103	149	401	253	98	23	374	775	1671	1	4	4	1680	2455
Bay Village			1		1		2	1	3	4	18				18	22
Beachwood				1	1		4		4	5	3				3	8
Bedford	2		1	1	4	1	3	1	5	9	36				36	45
Bedford Heights	3	1	1		5		2		2	7	6				6	13
Berea	2		2		4		4		4	8	5				5	13
Brecksville			1	2	3	3	4		7	10	8				8	18
Broadview Heights	1		4		5					5	1				1	6
Brooklyn	1			1	2	1	1		2	4	2				2	6
Brook Park	1	1	3		5	2	4		6	11	1				1	12
Cleveland Heights	10		3	2	15	3	7		10	25	49				49	74
East Cleveland	9		4	11	24	8	5		13	37	79				79	116
Euclid	6	1	8	7	22	7	14		21	43	128		1		129	172
Fairview Park	5		4		9		7		7	16	12				12	28
Garfield Heights	5		3	2	10	4	2		6	16	76				76	92
Highland Heights						1			1	1	3				3	4
Independence	3		1	1	5	2	1		3	8	1				1	9
Lakewood	13	1	3	6	23	1	6	1	8	31	109				109	140
Lyndhurst	1		2	1	4		3		3	7	12				12	19
Maple Heights	5		2	2	9	4	2		6	15	18				18	33
Mayfield Heights	3		3	1	7	1	1		2	9	55		1		56	65
Middleburg Heights	1				1		3		3	4	59				59	63
North Olmsted	3		3	3	9		3		3	12	10				10	22
North Royalton	6			1	7		3		3	10	2				2	12
Olmsted Falls			3		3		1		1	4						4
Parma	13		4	11	28	2	10		12	40	142				142	182
Parma Heights	6		1		7		5		5	12	10				10	22
Pepper Pike	1				1		2		2	3	1				1	4
Richmond Heights	1		2	2	5		2		2	7	29				29	36
Rocky River	2		3	2	7	1	6	1	8	15	16				16	31
Seven Hills	4		1		5		6		6	11	11				11	22
Shaker Heights	5		3		8	2	5		7	15	13				13	28
Solon	1		3		4					4	3				3	7
South Euclid	3		1	1	5		3		3	8	24				24	32
Strongsville	3		6		9	2	5		7	16	2				2	18
University Heights											6				6	6
Warrensville Heights	4		3	1	8	2	1		3	11	76				76	87
Westlake			4	2	6	2	5		7	13	6				6	19
TOTAL CITIES	260	16	186	210	672	302	230	27	559	1231	2703	1	5	5	2714	3945

# GEOGRAPHICAL LOCATION-ALL FATALITIES SUMMARY

Table Number 7

VILLAGES AND TOWNSHIPS	VIOLENT DEATHS															
	ACCIDENTS					OTHER VIOLENCE					NATURAL CAUSES	ABORTIONS	LIVE BIRTH AND FOETAL DEATH	UNDETERMINED CAUSES	TOTAL	GRAND TOTAL
	IN THE HOME	WHILE AT WORK	VEHICULAR	IN OTHER PLACES	TOTAL ACCIDENTS	HOMICIDE	SUICIDE	UNDETERMINED ORIGIN	TOTAL OTHER VIOLENCE	TOTAL ALL VIOLENCE						
Bentleyville																
Bratenahl											2		1	3	3	
Brooklyn Heights											1			1	1	
Chagrin Falls	1		1	1	3		2		2	5	2			2	7	
Cuyahoga Heights		1			1					1					1	
Gates Mills			7		7		1		1	8	1			1	9	
Glenwillow																
Hunting Valley							2		2	2					2	
Linndale																
Mayfield	1		2		3					3					3	
Moreland Hills											1			1	1	
Newburg Heights			1		1		1		1	2					2	
North Randall											4			4	4	
Orange	2		1		3		2		2	5					5	
Oakwood											1			1	1	
Valley View			11		11					11	2			2	13	
Walton Hills			1	1	2					2					2	
Woodmere		1			1					1					1	
<b>TOTAL VILLAGES</b>	<b>4</b>	<b>2</b>	<b>24</b>	<b>2</b>	<b>32</b>		<b>8</b>		<b>8</b>	<b>40</b>	<b>14</b>		<b>1</b>	<b>15</b>	<b>55</b>	
<b>TOWNSHIPS:</b>																
<b>Chagrin Falls</b>																
Olmsted		1	1	1	3		2		2	5					5	
River Edge			1		1	1			1	2	1			1	3	
Warrensville				2	2					2	2			2	4	
<b>TOTAL TOWNSHIPS</b>		<b>1</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>1</b>	<b>2</b>		<b>3</b>	<b>9</b>	<b>3</b>			<b>3</b>	<b>12</b>	



## GEOGRAPHICAL LOCATION-ALL FATALITIES SUMMARY

TOTALS	VIOLENT DEATHS														TOTAL	GRAND TOTAL
	ACCIDENTS					OTHER VIOLENCE					NATURAL CAUSES	ABORTIONES	LIVE BIRTH AND FOETAL DEATH	UNDETERMINED CAUSES		
	IN THE HOME	WHILE AT WORK	VEHICULAR	IN OTHER PLACES	TOTAL ACCIDENTS	HOMICIDES	SUICIDE	UNDETERMINED ORIGIN	TOTAL OTHER VIOLENCE	TOTAL ALL VIOLENCE						
TOTAL CITIES	260	16	186	210	672	302	230	27	559	1231	2703	1	5	5	2714	3945
TOTAL VILLAGES	4	2	24	2	32		8		8	40	14			1	15	55
TOTAL TOWNSHIPS		1	2	3	6	1	2		3	9	3				3	12
TOTAL OUT OF COUNTY	15	7	25	8	55	2	8	2	12	67						67
TOTAL TURNPIKE IN COUNTY			6		6					6						6
GRAND TOTAL	279	26	243	223	771	305	248	29	582	1353	2720	1	5	6	2732	4085

Table Number 7 A

## ACCIDENTAL FATALITIES BY MONTH

Table Number 8

MONTH	HOME ACCIDENTS						ACCIDENTS WHILE AT WORK						VEHICULAR ACCIDENTS						OTHER ACCIDENTS						TOTALS						GRAND TOTAL	
	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	TURNPIKE IN COUNTY	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	TURNPIKE IN COUNTY		OUT OF COUNTY
JANUARY	16	18			2	36	2	1				3	8	5			1	2	16	17	3				20	43	27			1	4	75
FEBRUARY	13	9	1			23			1	1	2	5	2					4	11	19	6	1		2	28	37	17	2	1		7	64
MARCH	12	6			2	20		1			1	8	3					1	12	6	4		1		11	26	13	1	1		3	44
APRIL	13	8			2	23	3				3	5	4	7				1	17	11	3			1	15	32	15	7			4	58
MAY	7	11			3	21	1	1			2	9	7	1				1	18	6	6		1		13	23	25	1	1		4	54
JUNE	9	7	1		1	18	2				2	3	10	4		3	2	22	16	7			1	24	30	24	5		3	4	66	
JULY	8	10	1		2	21	1	1	1	2	5	9	7	1		1	2	20	14	4			1	19	32	22	3		1	7	65	
AUGUST	12	6	1			19	1			2	3	14	7	8	1			4	34	10	8	1		1	20	37	21	10	1		7	76
SEPTEMBER	12	9				21	1				1	11	8	1				1	21	11	5				16	35	22	1			1	59
OCTOBER	13	13			2	28						7	13				1	2	23	12	4				16	32	30			1	4	67
NOVEMBER	8	13			1	22	1			1	2	13	5		1		2	21	13	3			2	18	35	21		1		6	63	
DECEMBER	14	13				27		1		1	2	11	12	2				3	28	14	8		1		23	39	34	2	1		4	80
<b>TOTAL</b>	<b>137</b>	<b>123</b>	<b>4</b>		<b>15</b>	<b>279</b>	<b>12</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>7</b>	<b>26</b>	<b>103</b>	<b>83</b>	<b>24</b>	<b>2</b>	<b>6</b>	<b>25</b>	<b>243</b>	<b>149</b>	<b>61</b>	<b>2</b>	<b>3</b>	<b>8</b>	<b>223</b>	<b>401</b>	<b>271</b>	<b>32</b>	<b>6</b>	<b>6</b>	<b>55</b>	<b>771</b>


# HOMICIDES, SUICIDES, VIOLENCE OF UNDETERMINED ORIGIN—FATALITIES BY MONTH

Table Number 9

MONTH	HOMICIDES						SUICIDES						VIOLENCE OF UNDETERMINED ORIGIN						TOTAL					GRAND TOTAL
	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	TOTAL	CLEVELAND	OTHER CITIES	VILLAGES	TOWNSHIPS	OUT OF COUNTY	
JANUARY	27	3			2	32	11	7			2	20	1					1	39	10			4	53
FEBRUARY	19	10				29	3	13				16	3					3	25	23				48
MARCH	24	1		1		26	14	4	1		19	1	1				1	3	39	6	1	1	1	48
APRIL	14	5				19	8	8			16	2						2	24	13				37
MAY	24	4				28	10	15	1		1	27					1	1	34	19	1		2	56
JUNE	22	7				29	6	10			16	4						4	32	17				49
JULY	25	5				30	10	10			2	22	2					2	37	15			2	54
AUGUST	20	5				25	11	20	1		1	33	3					3	34	25	1		1	61
SEPTEMBER	15					15	5	8	1		1	15							20	8	1		1	30
OCTOBER	20	3				23	5	12	1	1	1	20	4	1				5	29	16	1	1	1	48
NOVEMBER	19	2				21	4	12	3	1		20	3	2				5	26	16	3	1		46
DECEMBER	24	4				28	11	13				24							35	17				52
<b>TOTAL</b>	<b>253</b>	<b>49</b>		<b>1</b>	<b>2</b>	<b>305</b>	<b>98</b>	<b>132</b>	<b>8</b>	<b>2</b>	<b>8</b>	<b>248</b>	<b>23</b>	<b>4</b>			<b>2</b>	<b>29</b>	<b>374</b>	<b>185</b>	<b>8</b>	<b>3</b>	<b>12</b>	<b>582</b>


# ACCIDENTS IN THE HOME

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT
SEX	MALE	140
	FEMALE	139
RACE	WHITE	211
	NON-WHITE	68
ALCOHOL	TESTED	113
	POSITIVE	38
AUTOPSY	AUTOPSIED	125

BY MONTH FOR THE YEAR 1976




1976  
TOTAL CASES  
279





# FATALITIES RESULTING FROM ACCIDENTS IN THE HOME FOR A PERIOD OF TWELVE YEARS



# FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

## MONTHLY ALCOHOL INCIDENCE

Table Number 10

MONTH	TOTAL	NOT TESTED								TESTED						STAGES																						
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
JANUARY	36	17	19	10	6	5	13	2		7	11	5	10	1		1	1	10	8	8	7	2	1											1			1	1
FEBRUARY	23	12	11	8	5	4	6			6	5	5	5			1		6	6	4	4	2	2	1			1				1	1						
MARCH	20	12	8	9	3	1	5	2		5	5	4	3	1			2	7	3	4	2	3	1			1				1	1		1					
APRIL	23	15	8	6	7	8		1	1	10	2	5	2	3		2		5	6	2	2	3	4	1		1				1		2			1	1		
MAY	21	8	13	3	4	5	6		3	5	11	3	9	2	2			3	2	1	1	2	1					1		1	1							
JUNE	18	9	9	4	5	4	4	1		6	4	4	4	2				3	5	2	1	1	4		1	1	1			1		1						
JULY	21	11	10	5	3	5	6	1	1	7	7	6	7			1		4	3	4	3																	
AUGUST	19	9	10	5	7	4	3			5	8	3	4	2	1		3	4	2	2	1	2	1			1											1	
SEPTEMBER	21	11	10	7	5	4	5			8	8	5	5	3	1		2	3	2	3	2																	
OCTOBER	28	14	14	8	5	6	7		2	9	10	8	9	1			1	5	4	4	3	1	1					1						1				
NOVEMBER	22	9	13	2	6	6	7	1		3	8	3	7		1			6	5	3	4	3	1	1					1			1				1		
DECEMBER	27	13	14	8	6	5	8			8	8	4	8	4				5	6	3	5	2	1	1			1	1										
<b>TOTAL</b>	<b>279</b>	<b>140</b>	<b>139</b>	<b>75</b>	<b>62</b>	<b>57</b>	<b>70</b>	<b>8</b>	<b>7</b>	<b>79</b>	<b>87</b>	<b>55</b>	<b>73</b>	<b>19</b>	<b>5</b>	<b>5</b>	<b>9</b>	<b>61</b>	<b>52</b>	<b>40</b>	<b>35</b>	<b>21</b>	<b>17</b>	<b>4</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>2</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>2</b>	





## FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

### MODE-ALCOHOL INCIDENCE

Table Number 12

MODE	TOTAL	NOT TESTED												TESTED						STAGES																	
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ASPHYXIAS	19	15	4	4	3	10		1	1	8	2			8	2			7	2	7	1		1														1
BURNINGS	35	22	13	13	7	7	3	2	3	14	6	9	6	5				8	7	5	4	3	3			1				2	1	1				1	
CARBON MONOXIDES	24	15	9	7	6	8	3			3	2	1	1	2	1			12	7	5	4	7	3	1			1	2		2	1				1	2	
EXPLOSIONS	1	1				1				1		1																									
FALLS	146	60	86	32	33	24	50	4	3	48	73	41	65	2		5	8	12	13	10	11	2	2			1				1		1	1				
POISONINGS	46	21	25	17	12	4	13			1	2	1	1			1	20	23	12	15	8	8	3	1	2	2		1	2	1	1	2				1	
SHOOTINGS	5	4	1	2	1	2				2	1	1		1	1			2		1		1												1			
STRUCK BY OBJECTS	1	1						1		1				1																							
MISCELLANEOUS	2	1	1			1	1			1	1	1			1																						
<b>TOTAL</b>	<b>279</b>	<b>140</b>	<b>139</b>	<b>75</b>	<b>62</b>	<b>57</b>	<b>70</b>	<b>8</b>	<b>7</b>	<b>79</b>	<b>87</b>	<b>55</b>	<b>73</b>	<b>19</b>	<b>5</b>	<b>5</b>	<b>9</b>	<b>61</b>	<b>52</b>	<b>40</b>	<b>35</b>	<b>21</b>	<b>17</b>	<b>4</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>2</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>2</b>

# FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

## MODE-ALCOHOL INCIDENCE

Table Number 13

MODE	TOTAL	NOT TESTED										TESTED						STAGES																			
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>ASPHYXIAS:</b>																																					
Aspiration of Foreign Object	4	3	1		1	3					1				1			3	3																		
Compression	4	4		2		2				3				3				1	1																		
Drowning	6	3	3		2	3			1	2	1			2	1			1	2	1	1		1														1
Hanging	4	4		2		1		1		2				2				2		2																	
Snow	1	1				1				1				1																							
<b>TOTAL</b>	<b>19</b>	<b>15</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>10</b>		<b>1</b>	<b>1</b>	<b>8</b>	<b>2</b>			<b>8</b>	<b>2</b>			<b>7</b>	<b>2</b>	<b>7</b>	<b>1</b>		<b>1</b>														<b>1</b>
<b>BURNINGS:</b>																																					
Conflagration	20	11	9	7	6	3	2	1	1	5	3	1	3	4				6	6	3	3	3	3			1				2	1	1					1
Incidental Fire	14	10	4	6	1	3	1	1	2	8	3	8	3					2	1	2	1																
Scalding	1	1				1				1				1																							
<b>TOTAL</b>	<b>35</b>	<b>22</b>	<b>13</b>	<b>13</b>	<b>7</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>14</b>	<b>6</b>	<b>9</b>	<b>6</b>	<b>5</b>				<b>8</b>	<b>7</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>3</b>			<b>1</b>				<b>2</b>	<b>1</b>	<b>1</b>					<b>1</b>
<b>CARBON MONOXIDES:</b>																																					
Auto Exhaust	7	6	1			6	1			1	1			1	1			5		1		4						2		2							
Conflagration	13	6	7	4	5	2	2			1	1		1	1				5	6	4	3	1	3				1			1						1	1
Incidental Fire	2	1	1	1	1					1		1						1		1																	
Incomplete Combustion of Natural Gas	2	2		2														2				2				1											1
<b>TOTAL</b>	<b>24</b>	<b>15</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>8</b>	<b>3</b>			<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>			<b>12</b>	<b>7</b>	<b>5</b>	<b>4</b>	<b>7</b>	<b>3</b>	<b>1</b>			1	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>				<b>1</b>	<b>2</b>	
<b>EXPLOSIONS:</b>																																					
Mixing Chemicals	1	1				1				1		1																									
<b>TOTAL</b>	<b>1</b>	<b>1</b>				<b>1</b>				<b>1</b>		<b>1</b>																									
<b>STRUCK BY OBJECTS:</b>																																					
Music Box	1	1						1		1				1																							
<b>TOTAL</b>	<b>1</b>	<b>1</b>						<b>1</b>		<b>1</b>				<b>1</b>																							
<b>MISCELLANEOUS:</b>																																					
Pinned Under Garbage Dumpster	1		1				1				1				1																						
Pinned Between Electric Gate and Fence	1	1				1				1		1																									
<b>TOTAL</b>	<b>2</b>	<b>1</b>	<b>1</b>			<b>1</b>	<b>1</b>			<b>1</b>	<b>1</b>	<b>1</b>			<b>1</b>																						









# FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

## MODE-AGE GROUPS

Table Number 15

MODE	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	TOTAL				
ASPHYXIAS	2	1	3	1	2		2		1		1											2															3		15	4	19
BURNINGS			4		1		2		2	1			1	1			2	1		1	1			1	1	3			3	1		1	1	1	2	2	2	22	13	35	
CARBON MONOXIDES					1	2	1	1							2		3			1	1			2	2		1	1		1									15	9	24
EXPLOSIONS									1																														1		1
FALLS			2										1					1		2		1	3	2	4	1	4	3	4	3	5	12	7	12	29	50	60	86	146		
POISONINGS					1				2		4	5	3	4	5	2	2	2	3	1		3		3	1	2		1								1	1	21	25	46	
SHOOTINGS							1	2																		1		1											4	1	5
STRUCK BY OBJECTS	1																																						1		1
MISCELLANEOUS			1				1																																1	1	2
<b>TOTAL</b>	<b>3</b>	<b>1</b>	<b>10</b>	<b>3</b>	<b>5</b>	<b>3</b>	<b>7</b>		<b>6</b>	<b>1</b>	<b>5</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>9</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>1</b>	<b>6</b>	<b>6</b>	<b>8</b>	<b>9</b>	<b>4</b>	<b>6</b>	<b>7</b>	<b>6</b>	<b>3</b>	<b>8</b>	<b>14</b>	<b>8</b>	<b>15</b>	<b>36</b>	<b>54</b>	<b>140</b>	<b>139</b>	<b>279</b>		



# FATALITIES RESULTING FROM ACCIDENTS IN THE HOME

## FALLS-AGE GROUPS


Table Number 17

FALLS BY CODE*	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND										
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	TOTAL												
E 880 - From Stairs			1																	1			2	2		1	1	2	2	1				2	5	8	14	14	28										
E 881 - From Ladder																																			1		2		2										
E 882 - From Building													1			1												1									2	2	4										
E 884 - From One Level																																																	
To Another																																																	
Adult's Arms			1																																			1	1										
Bed																																						5	2	6	2	8							
Box																																							1	1									
Chair																																								2	6	3	6	9					
Commode																																								1	1	2	2						
Couch																																									1	1							
Stool																																									1	1							
Walker																																									3	1	4	1	7	8			
Wheel Chair																																										1	1	2	2				
E 885 - On Same Level																																											1	1	1	1	64		
E 886 - Collision																																																	
On Same Level																																												1	1				
E 887 - Unspecified																																													1	1	1	1	14
TOTAL			2										1			1				2		1	3	2	4	1	4	3	4	3	5	12	7	12	29	50	60	86	146										

\* International Classification of Diseases by World Health Organization: Volume 1.

# ACCIDENTS WHILE AT WORK


FOR A PERIOD OF TWELVE YEARS



33.4 AVERAGE

	NUMBER	PER CENT	
SEX	MALE	25	96
	FEMALE	1	4
RACE	WHITE	22	85
	NON-WHITE	4	15
ALCOHOL	TESTED	15	58
	POSITIVE	1	7
AUTOPSY	AUTOPSIED	16	62


BY MONTH FOR THE YEAR 1976



2.2 AVERAGE

1976  
TOTAL CASES  
26

## FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK FOR A PERIOD OF TWELVE YEARS



TOTAL NO. OF DEATHS RESULTING FROM ACCIDENTS OF ALL TYPES  
 TOTAL NO. OF DEATHS FROM FALLS



## FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK

### MONTHLY ALCOHOL INCIDENCE

Table Number 18

MONTH	TOTAL	NOT TESTED														TESTED						STAGES																
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
JANUARY	3	3		2		1												3	3																			
FEBRUARY	2	2			1		1		1		1							1	1																			
MARCH	1	1			1													1	1																			
APRIL	3	3		3					1		1							2	2																			
MAY	2	1	1		1	1				1		1						1			1					1												
JUNE	2	2		2														2	2																			
JULY	5	5		1		2		2	2		2							3	3																			
AUGUST	3	3		1				2	3		3																											
SEPTEMBER	1	1		1					1		1																											
OCTOBER																																						
NOVEMBER	2	2		1				1	1		1							1	1																			
DECEMBER	2	2			1		1	1	1		1							1	1																			
<b>TOTAL</b>	<b>26</b>	<b>25</b>	<b>1</b>	<b>11</b>	<b>1</b>	<b>7</b>		<b>7</b>	<b>10</b>	<b>1</b>	<b>10</b>	<b>1</b>					<b>15</b>	<b>14</b>		<b>1</b>					<b>1</b>													



## FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK

### MODE-ALCOHOL INCIDENCE

**Table Number 20**

MODE	TOTAL	NOT TESTED																		TESTED						STAGES											
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ASPHYXIAS	3	3				3												3		3																	
BURNINGS	4	4		1				3		3		3						1		1																	
CRUSHINGS	4	4		3				1		1		1						3		3																	
ELECTROCUTIONS	3	3				2		1		1		1						2		2																	
FALLS	9	8	1	5	1	2		1		4	1	4	1					4		3		1						1									
STRUCK BY OBJECTS	3	3		2				1		1		1						2		2																	
<b>TOTAL</b>	<b>26</b>	<b>25</b>	<b>1</b>	<b>11</b>	<b>1</b>	<b>7</b>		<b>7</b>		<b>10</b>	<b>1</b>	<b>10</b>	<b>1</b>					<b>15</b>		<b>14</b>		<b>1</b>					<b>1</b>										



## FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK MODE-AGE GROUPS

Table Number 22

MODE	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ASPHYXIAS												1		1																									3	
BURNINGS											1	1										1				1													4		4
CRUSHINGS											1	1		1									1																4		4
ELECTROCUTIONS									1				1		1																								3		3
FALLS											1	1						1	1		1		2	1										1			8	1	9		
STRUCK BY OBJECTS																		1			1					1												3		3	
<b>TOTAL</b>									1		3		5		3				2		2		3		4	1	1									1		25	1	26	

## FATALITIES RESULTING FROM ACCIDENTS WHILE AT WORK FALLS-ALCOHOL INCIDENCE

Table Number 23

FALLS BY CODE*	TOTAL	NOT TESTED												TESTED						STAGES																				
		Total		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over										
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F							
E 880 - From Stairs or Steps	1	1		1		1																																		
E 881 - From Ladder or Scaffold	3	3		2		2							1		1																									
E 882 - From Roof	1	1											1			1						1																		
E 883 - Down Elevator Shaft	1	1											1		1																									
E 884 - From One Level to Another	2	2		1		1							1		1																									
E 885 - On the Same Level	1		1		1		1																																	
<b>TOTAL</b>	9	8	1	4	1	4	1						4		3																									


\* International Classification of Diseases by World Health Organization: Volume I.






# ACCIDENTS IN OTHER PLACES

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT	
SEX	MALE	133	60
	FEMALE	90	40
RACE	WHITE	192	86
	NON-WHITE	31	14
ALCOHOL	TESTED	49	22
	POSITIVE	25	51
AUTOPSY	AUTOPSIED	64	29


BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
223



## FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES FOR A PERIOD OF TWELVE YEARS





# FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

## AGE-RACE-ALCOHOL INCIDENCE

Table Number 26

AGE	RACE	TOTAL	NOT TESTED												TESTED						STAGES											
			Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over			
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Under 1 Year	White	8	6	2	6	2	3	1	3	1																						
	Non-White	1		1		1		1																								
1 - 4	White	2	2		2		1		1																							
	Non-White																															
5 - 9	White	4	3	1	3	1	1		2	1																						
	Non-White																															
10 - 14	White																															
	Non-White																															
15 - 19	White	7	7		1		1					6	2	4			1	1	1									1				
	Non-White	3	3									3	3																			
20 - 24	White	9	7	2	1	1	1	1				6	1	1	5	1	1		4									1				
	Non-White	1		1								1		1																		
25 - 29	White	6	5	1	2	1	1			1	1	3	2	1												1						
	Non-White	2	1	1		1		1				1		1			1															
30 - 34	White	3	2	1		1		1				2	1	1				1														
	Non-White	3	3		1		1					2	2																			
35 - 39	White	3	2	1	2	1	1	1		1																						
	Non-White	2	2									2	1	1														1				
40 - 44	White	6	5	1	3	1	3	1				2		2			1											1				
	Non-White	3	1	2	1	1	1			1		1		1																		
45 - 49	White	7	4	3	3	3	3	3				1	1																			
	Non-White																															
50 - 54	White	5	4	1	3	1	2			1	1	1		1														1				
	Non-White	4	4		2		2					2		2			1		1													
55 - 59	White	12	8	4	7	4	6	3		1	1	1		1																		
	Non-White	1	1									1		1																		
60 - 64	White	25	16	9	13	6	13	6				3	3	3	3		1	1								1						
	Non-White	2	1	1	1	1	1	1																								
65 - 69	White	14	9	5	9	5	6	5			3																					
	Non-White	1		1		1		1																								
70 - 74	White	11	7	4	5	4	5	4				2	1	1	1		1															
	Non-White	3	3		3		3																									
75 - 79	White	14	7	7	6	6	6	4			2	1	1	1					1													
	Non-White	2	2		2		1			1																						
80-over	White	56	18	38	16	37	15	31		1	6	2	1	2		1												1				
	Non-White	3		3		3		3																								
TOTAL	White	192	112	80	82	74	68	61	6	2	8	11	30	6	12	3	18	3	2	1	3	6	1	1		2	4	1				
	Non-White	31	21	10	10	8	9	7		1	1	11	2	7	2	4		2			1						1					
GRAND TOTAL		223	133	90	92	82	77	68	6	2	9	12	41	8	19	5	22	3	4	1	3	7	1	1		2	5	1				



# FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

## MODE-ALCOHOL INCIDENCE

Table Number 27

MODE	TOTAL	NOT TESTED																TESTED						STAGES												
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.	Pos.	0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ASPHYXIAS	18	14	4	10	2	3	2	1		4	1	1		1		2	1	10	3	4	1	6	2	1		1		1			1		1		2	1
BURNINGS	5	3	2	2			2	1		2	2	2	2					1				1													1	
CARBON MONOXIDES	2	2		1		1												2				2				2										
ELECTROCUTIONS	1	1				1												1		1																
EXPOSURES	2	1	1	1	1													1	1	1	1															
FALLS	84	41	43	22	17	16	25	3	1	32	43	30	33			2	10	9		5		4		2		1		1								
JUMPINGS	1	1				1												1				1						1								
POISONINGS	11	9	2	7	1	1	1	1										9	2	4	1	5	1	1	1		2						1	1		
SHOOTINGS	1	1		1														1		1																
STRUCK BY OBJECTS	1	1				1												1		1																
THERAPEUTIC COMPLICATIONS	85	51	34	45	32	6	2			51	32	43	29	4	2	4	1		2		2															
STRUCK BY TRAINS	3	3		3						2				1		1		1				1													1	
UNDETERMINED MODE	4	1	3		2	1	1				3		3					1				1			1											
MISCELLANEOUS	5	4	1	1	1	2		1		1	1	1	1					3		2		1				1										
<b>TOTAL</b>	<b>223</b>	<b>133</b>	<b>90</b>	<b>93</b>	<b>56</b>	<b>33</b>	<b>33</b>	<b>7</b>	<b>1</b>	<b>92</b>	<b>82</b>	<b>77</b>	<b>68</b>	<b>6</b>	<b>2</b>	<b>9</b>	<b>12</b>	<b>41</b>	<b>8</b>	<b>19</b>	<b>5</b>	<b>22</b>	<b>3</b>	<b>4</b>	<b>1</b>	<b>3</b>		<b>7</b>		<b>1</b>	<b>1</b>		<b>2</b>		<b>5</b>	<b>1</b>

# FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

## MODE-ALCOHOL INCIDENCE

Table Number 28

MODE	TOTAL	NOT TESTED												TESTED						STAGES																							
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over							
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F								
<b>ASPHYXIAS:</b>																																											
Aspiration	4	3	1	1		2	1											3	1	1		2	1												1			1					
Drowning	14	11	3	9	2	1	1	1		4	1	1		1		2	1	7	2	3	1	4	1	1																2	1		
<b>TOTAL</b>	<b>18</b>	<b>14</b>	<b>4</b>	<b>10</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>		<b>4</b>	<b>1</b>	<b>1</b>		<b>1</b>		<b>2</b>	<b>1</b>	<b>10</b>	<b>3</b>	<b>4</b>	<b>1</b>	<b>6</b>	<b>2</b>	<b>1</b>		<b>1</b>		<b>1</b>										<b>1</b>		<b>2</b>	<b>1</b>		
<b>BURNINGS:</b>																																											
Conflagration	2	2		1				1		1		1						1				1																				1	
Incidental Fire	3	1	2	1			2			1	2	1	2																														
<b>TOTAL</b>	<b>5</b>	<b>3</b>	<b>2</b>	<b>2</b>			<b>2</b>	<b>1</b>		<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>					<b>1</b>				<b>1</b>																					<b>1</b>
<b>CARBON MONOXIDES:</b>																																											
Auto Exhaust	2	2		1			1											2				2																					
<b>TOTAL</b>	<b>2</b>	<b>2</b>		<b>1</b>			<b>1</b>											<b>2</b>				<b>2</b>																					
<b>ELECTROCUTIONS:</b>																																											
Lightning	1	1				1												1		1																							
<b>TOTAL</b>	<b>1</b>	<b>1</b>				<b>1</b>												<b>1</b>		<b>1</b>																							
<b>EXPOSURES:</b>																																											
Cold	2	1	1	1	1													1	1	1	1																						
<b>TOTAL</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>													<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>																						
<b>JUMPINGS:</b>																																											
Bridge	1	1				1												1				1																				1	
<b>TOTAL</b>	<b>1</b>	<b>1</b>				<b>1</b>												<b>1</b>				<b>1</b>																					<b>1</b>
<b>STRUCK BY TRAINS:</b>																																											
Trespassers	3	3		3						2				1		1		1				1																					1
<b>TOTAL</b>	<b>3</b>	<b>3</b>		<b>3</b>						<b>2</b>				<b>1</b>		<b>1</b>		<b>1</b>				<b>1</b>																					<b>1</b>
<b>UNDETERMINED MODES:</b>																																											
<b>TOTAL</b>	<b>4</b>	<b>1</b>	<b>3</b>		<b>2</b>	<b>1</b>	<b>1</b>				<b>3</b>		<b>3</b>					<b>1</b>				<b>1</b>					<b>1</b>																
<b>TOTAL</b>	<b>4</b>	<b>1</b>	<b>3</b>		<b>2</b>	<b>1</b>	<b>1</b>				<b>3</b>		<b>3</b>					<b>1</b>				<b>1</b>					<b>1</b>																
<b>MISCELLANEOUS:</b>																																											
Airplane Crash	1	1				1												1		1																							
Boating Accident	1	1				1												1				1					1																
Injury During Delirium Tremens	1	1						1										1		1																							
Football Injury	1	1		1						1		1																															
Struck Head on Bed Rail	1		1		1					1		1																															
<b>TOTAL</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>		<b>1</b>		<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>				<b>3</b>		<b>2</b>		<b>1</b>						<b>1</b>																

# FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

## MODE-ALCOHOL INCIDENCE

Table Number 29

MODE	TOTAL	NOT TESTED																		TESTED						STAGES											
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>POISONINGS:</b>																																					
<b>Single Chemical Agent:</b>																																					
Nitrous Oxide	1		1						1										1				1														
Opiate	6	5	1	5	1											5	1	3	1	2		1															
Unknown	1	1							1							1		1																			
<b>Combined Effects of Ethanol and:</b>																																					
Amphetamine	1	1		1												1			1																		1
Methaqualone	1	1			1											1			1						1												
Propoxyphene	1	1		1												1			1																1		
<b>TOTAL</b>	<b>11</b>	<b>9</b>	<b>2</b>	<b>7</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>							<b>9</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>			<b>2</b>						<b>1</b>		<b>1</b>		
<b>SHOOTINGS:</b>																																					
Handling Gun	1	1		1												1			1																		
<b>TOTAL</b>	<b>1</b>	<b>1</b>		<b>1</b>												<b>1</b>			<b>1</b>																		
<b>STRUCK BY OBJECTS:</b>																																					
Garage Door	1	1				1										1			1																		
<b>TOTAL</b>	<b>1</b>	<b>1</b>				<b>1</b>										<b>1</b>			<b>1</b>																		
<b>THERAPEUTIC COMPLICATIONS:</b>																																					
<b>TOTAL</b>	<b>85</b>	<b>51</b>	<b>34</b>	<b>45</b>	<b>32</b>	<b>6</b>	<b>2</b>			<b>51</b>	<b>32</b>	<b>43</b>	<b>29</b>	<b>4</b>	<b>2</b>	<b>4</b>	<b>1</b>		<b>2</b>		<b>2</b>																

# FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

## MODE-AGE GROUPS

**Table Number 30**

MODE	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					
	ASPHYXIAS					1				3		3		1	1			2				1						3	1							1		1	14	4	18
BURNINGS					1																			1				1								1	1	3	2	5	
CARBON MONOXIDES											1													1														2		2	
ELECTROCUTIONS									1																													1		1	
EXPOSURES																				1				1														1	1	2	
FALLS									2				2		1		1							2	1		1	3		4	1	4	1	8	5	14	34	41	43	84	
JUMPINGS									1																													1		1	
POISONINGS									1		2	2	3		2		1																					9	2	11	
SHOOTINGS									1																													1		1	
STRUCK BY OBJECTS																																					1		1		1
THERAPEUTIC COMPLICATIONS	6	3	2			1			1			1		1	1	1		1	4	2	3	3	4		7	3	11	8	5	5	5	3	1		1	2	51	34	85		
STRUCK BY TRAINS					1														1																		1		3		3
UNDETERMINED MODES																			1																1		2	1	3	4	
MISCELLANEOUS											1				1										1						1					1	4	1	5		
<b>TOTAL</b>	<b>6</b>	<b>3</b>	<b>2</b>		<b>3</b>	<b>1</b>			<b>10</b>		<b>7</b>	<b>3</b>	<b>6</b>	<b>2</b>	<b>5</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>6</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>8</b>	<b>1</b>	<b>9</b>	<b>4</b>	<b>17</b>	<b>10</b>	<b>9</b>	<b>6</b>	<b>10</b>	<b>4</b>	<b>9</b>	<b>7</b>	<b>18</b>	<b>41</b>	<b>133</b>	<b>90</b>	<b>223</b>		

# FATALITIES RESULTING FROM ACCIDENTS IN OTHER PLACES

## FALLS-ALCOHOL INCIDENCE

Table Number 31

FALLS BY CODE*	TOTAL	NOT TESTED										TESTED						STAGES													
		Total		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 880 - From Stairs	2	2		1		1						1		1																	
E 882 - From Building or Other Structure	2	2		1		1						1		1																	
E 884 - From One Level to Another																															
Bed	11	7	4	7	4	6	2			1	2																				
Chair	10	1	9	1	9	1	6				3																				
Cliff	2	2										2			2			1		1											
Commode	3	1	2	1	2	1	2																								
Vehicle	1	1		1						1																					
Wheelchair	2		2		2		2																								
X-Ray Table	2	1	1	1	1	1					1																				
E 885 - On the Same Level	42	20	22	16	22	16	18				4	4	3	1	1			1													
E 887 - Unspecified	7	4	3	3	3	3	3					1			1			1													
<b>TOTAL</b>	<b>84</b>	<b>41</b>	<b>43</b>	<b>32</b>	<b>43</b>	<b>30</b>	<b>33</b>			<b>2</b>	<b>10</b>	<b>9</b>	<b>5</b>	<b>4</b>	<b>2</b>		<b>1</b>	<b>1</b>													


\* International Classification of Diseases by World Health Organization: Volume I.






# VEHICULAR ACCIDENTS

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT
SEX	MALE	73
	FEMALE	27
RACE	WHITE	83
	NON-WHITE	17
ALCOHOL	TESTED	68
	POSITIVE	47
AUTOPSY	AUTOPSIED	93

BY MONTH FOR THE YEAR 1976




1976  
TOTAL CASES  
246

# DISTRIBUTION OF VEHICULAR FATALITIES

Map 4

## TRAFFIC

CLEVELAND	103
OTHER CITIES	82
VILLAGES AND TOWNSHIPS	26
TURNPIKES IN COUNTY	6
OUT OF COUNTY	25
<b>TOTAL</b>	<b>242</b>



## NON - TRAFFIC

CLEVELAND	2
REST OF COUNTY	1
OUT OF COUNTY	1
<b>TOTAL</b>	<b>4</b>

APPROXIMATE PERCENT OF ALCOHOL CONCENTRATION IN BLOOD\*

BODY WEIGHT IN POUNDS	100	0.038	0.075	0.113	0.150	0.188	0.225	0.263	0.300	0.338	0.375
	120	0.031	0.063	0.094	0.125	0.156	0.188	0.219	0.250	0.281	0.313
	140	0.027	0.054	0.080	0.107	0.134	0.161	0.188	0.214	0.241	0.268
	150	0.025	0.051	0.075	0.101	0.126	0.151	0.176	0.201	0.226	0.251
	160	0.023	0.047	0.070	0.094	0.117	0.141	0.164	0.188	0.211	0.234
	180	0.021	0.042	0.063	0.083	0.104	0.125	0.146	0.167	0.188	0.208
	200	0.019	0.038	0.056	0.075	0.094	0.113	0.131	0.150	0.169	0.188
	220	0.017	0.034	0.051	0.068	0.085	0.102	0.119	0.136	0.153	0.170
	240	0.016	0.031	0.047	0.063	0.078	0.094	0.109	0.125	0.141	0.156
		1	2	3	4	5	6	7	8	9	10

TOTAL NUMBER OF DRINKS\*\*

\* If these drinks were not taken within one hour deduct one drink from the total number of drinks for each hour that elapsed between the first and last drink.

\*\*A drink is defined as one ounce of 100 proof of "hard liquor" (whiskey, vodka, gin, etc.) or twelve ounces of 4% beer or three ounces of fortified wine.


# PHARMACOLOGICAL EFFECT OF ALCOHOL

## SCMESTHETO-PSYCHIC AREA

AFFECTED BY 0.10-0.30% ALCOHOL  
DULLED OR DISTORTED SENSIBILITIES

## PSYCHOMOTOR AREA

AFFECTED BY 0.10-0.20% ALCOHOL  
APRAXIA    TREMORS  
AGRAPHIA    SLURRED SPEECH  
ATAXIA    LOSS OF SKILL



## FRONTAL LOBE

AFFECTED BY 0.01-0.10% ALCOHOL

- REACTION IS COLORED BY INDIVIDUAL'S PERSONALITY
- REMOVAL OF INHIBITIONS
- LOSS OF SELF CONTROL
- WEAKNESS OF WILL POWER
- DEVELOPMENT OF EUPHORIA
- FEELING OF WELL BEING
- EXALTATION
- INCREASED CONFIDENCE
- EXPANSIVENESS
- GENEROSITY
- ALTERED JUDGEMENT
- INCREASED GOOD FELLOWSHIP
- LOQUACIOUSNESS
- DULLING OF ATTENTION

## VISUO-PSYCHIC AREAS

AFFECTED BY 0.20-0.30% ALCOHOL

- DISTURBANCE OF:
- |                  |          |
|------------------|----------|
| COLOR PERCEPTION | FORM     |
| DIMENSIONS       | MOTION   |
| DIPLOPIA         | DISTANCE |

## CEREBELLUM

AFFECTED BY 0.15-0.35% ALCOHOL  
DISTURBANCE OF EQUILIBRIUM

"THE ACTION OF ALCOHOL ON THE BRAIN IS FROM FIRST TO LAST LIKE THAT OF A NARCOTIC DRUG"

## DIENCEPHALON


AFFECTED BY 0.25-0.40% ALCOHOL

- APATHY
- INERTIA
- TREMORS
- CESSATION OF AUTOMATIC MOVEMENTS
- SWEATING
- DILATION OF SURFACE CAPILLARIES
- STUPOR
- COMA





## MEDULLA

AFFECTED BY 0.40-0.50% ALCOHOL

- DEPRESSION OF RESPIRATION
- PERIPHERAL COLLAPSE
- SUBNORMAL TEMPERATURE
- DEATH




## VEHICULAR FATALITIES DAILY INCIDENCE





## VEHICULAR FATALITIES DAILY ALCOHOL INCIDENCE








\* INCLUDES 20 MOTORCYCLE DRIVERS  
AND 8 BICYCLE DRIVERS

DRIVERS:	90	48
PASSENGERS:	35	11
PEDESTRIANS:	43	20
<b>TOTAL</b>	<b>168</b>	<b>79</b>

TESTED | POSITIVE

# VEHICULAR FATALITIES

## AGE GROUPS—CLASSIFICATION OF VICTIMS



# VEHICULAR FATALITIES

## CLASSIFICATION OF VICTIMS—ALCOHOL INCIDENCE

Table Number 33

CLASSIFICATION	TOTAL	NOT TESTED										TESTED						STAGES																					
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
BICYCLIST	8	6	2	1	2	5						4	2	3	1	1	1			2		2																	
DRIVER*	116	104	12	41	7	50	5	10		3		25	3	24	1		1	1	1	1	79	9	37	3	42	6	6		3	2	3		11	1	8	2	5	6	1
PASSENGER**	51	21	30	4	14	7	10	8	6	2		9	7	5	6	4			1	12	23	8	16	4	7		3	2			2	1	1	1	1				
PEDESTRIAN	71	49	22	27	9	20	12	1	1	1		18	10	11	5	5	5	2		31	12	12	11	19	1	1		5		2		4	1	1		4	2		
<b>TOTAL</b>	<b>246</b>	<b>180</b>	<b>66</b>	<b>73</b>	<b>32</b>	<b>82</b>	<b>27</b>	<b>19</b>	<b>7</b>	<b>6</b>		<b>56</b>	<b>22</b>	<b>43</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>124</b>	<b>44</b>	<b>59</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>	<b>8</b>	<b>1</b>	

\* Drivers include 20 motorcyclists.  
 \*\* Passengers include 3 motorcycle passengers.

## MONTHLY ALCOHOL INCIDENCE

Table Number 34

MONTH	TOTAL	NOT TESTED										TESTED						STAGES																							
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
JANUARY	16	14	2	7	1	5		1	1	1		4		3		1				10	2	8	1	2	1																
FEBRUARY	10	8	2	3	1	1		4	1			3		3						5	2	2	1	3	1					1	1										
MARCH	15	8	7	7	3	1	4					3	4	3	1		2		1	5	3	1	2	4	1			1			2				1						
APRIL	13	10	3	2		7	3	1				1	1		1	1				9	2	6	1	3	1	1					1	1	1								
MAY	18	12	6	7	2	5	3		1			3	2	2		1	2			9	4	4	2	5	2			1				2			1	1			1	1	
JUNE	23	19	4	3		12	3	1	1	3		6	2	3	1	2	1	1		13	2	6	2	7							2		2			2			1		
JULY	21	16	5	8	2	4	3	3		1		6	2	5	1	1	1			10	3	5	2	5	1	1				2			1			1				1	
AUGUST	37	26	11	9	6	15	3	2	2			8	3	5	3	2		1		18	8	9	6	9	2	3	1	3				1	1			1					
SEPTEMBER	19	13	6	5	5	8	1					4	2	3	1	1			1	9	4	3	3	6	1			1	1	1		2			1						
OCTOBER	24	21	3	9	2	9	1	2		1		6	3	5	3	1				15		7		8		1		2			1	3									
NOVEMBER	22	15	7	5	7	8		2				4	1	3	1			1		11	6	4	3	7	3	1	1	1				1	1	1	1	1				2	
DECEMBER	28	18	10	8	3	7	6	3	1			8	2	8	1		1			10	8	4	7	6	1			1	2					1							3
<b>TOTAL</b>	<b>246</b>	<b>180</b>	<b>66</b>	<b>73</b>	<b>32</b>	<b>82</b>	<b>27</b>	<b>19</b>	<b>7</b>	<b>6</b>		<b>56</b>	<b>22</b>	<b>43</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>124</b>	<b>44</b>	<b>59</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>	<b>8</b>	<b>1</b>			

## VEHICULAR FATALITIES DAILY ALCOHOL INCIDENCE

Table Number 35

DAY	TOTAL	NOT TESTED										TESTED						STAGES													
		Total		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
SUNDAY	27	20	7	5	3	4	2	1	1			15	4	6	3	9	1	1		2		1		1		2	1	2			
MONDAY	30	20	10	7	6	6	3	1	3			13	4	7	4	6		1		1				1		2			1		
TUESDAY	17	13	4	5	2	4	2			1		8	2	6	1	2	1									1	2				
WEDNESDAY	40	29	11	10	5	7	3	2	2	1		19	6	13	5	6	1			1	1			2		2			1		
THURSDAY	50	26	24	5	5	3	2	2	1		2	21	19	9	12	12	7	1	2	2	1	1	1	4	2	1		1	2	1	
FRIDAY	48	42	6	11	1	9	1	1		1		31	5	16	3	15	2	2		2		1		3	1	3	1	1	3		
SATURDAY	34	30	4	13		10		3				17	4	2	2	15	2	2	1	2		2	1	5			3	1			
TOTAL	246	180	66	56	22	43	13	10	7	3	2	124	44	59	30	65	14	7	3	10	2	5	2	16	3	10	3	9	8	1	

# VEHICULAR FATALITIES AGE-RACE-ALCOHOL INCIDENCE

Table Number 36

AGE	RACE	TOTAL	NOT TESTED										TESTED						STAGES												
			Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
Under 1 Year	White																														
	Non-White																														
1 - 4	White	4	2	2	2	2				2	2																				
	Non-White	3	3		3					3																					
5 - 9	White	5	3	2	3	2	1			2	2																				
	Non-White	1		1		1					1																				
10 - 14	White	5	4	1	3	1				2	1	1		1	1																
	Non-White	2	1	1	1	1				1	1																				
15 - 19	White	44	29	15	6	4	5	4			1		23	11	14	7	9	4	2	1	2	1		1	5	1					
	Non-White	5	3	2		1		1					3	1	1	1	2				2										
20 - 24	White	32	24	8	3	3	3	3					21	5	9	3	12	2	4		2		2		1	2	1	1		1	
	Non-White	5	5		2		2						3		3																
25 - 29	White	15	13	2	3		3						10	2	2	2	8			1		2		1	3		1				
	Non-White	5	2	3									2	3		1	2	2			1				1		1		1		
30 - 34	White	19	16	3	5		5						11	3	5	2	6	1				1	3		2				1		
	Non-White	2	2										2		1		1												1		
35 - 39	White	12	9	3	3	1	3				1		6	2	3	2	3				1		1				1				
	Non-White	1	1										1				1										1				
40 - 44	White	2	2										2				2							1					1		
	Non-White	7	5	2	3		3						2	2		2	2						2								
45 - 49	White	7	6	1	1		1						5	1	2	1	3			1							1		1		
	Non-White	3	3		1		1						2			2									1				1		
50 - 54	White	11	6	5	2		2						4	5	3	3	1	2		1		1					1				
	Non-White	2	2										2		1		1												1		
55 - 59	White	9	7	2	2		2						5	2	2	2	3								1		1		1		
	Non-White	2	1	1		1		1					1		1																
60 - 64	White	10	7	3	1	1	1	1					6	2	3	1	3	1			1			1		1	1				
	Non-White	2	2										2				2			1						1					
65 - 69	White	14	10	4	6	2	5	1			1	1	4	2	3	1	1	1							1			1			
	Non-White	1	1										1				1						1								
70 - 74	White	3	1	2		1		1					1	1	1	1															
	Non-White																														
75 - 79	White	7	4	3	2	1	2	1					2	2	2	1		1		1											
	Non-White																														
80-over	White	6	6		4		4						2		2																
	Non-White																														
TOTAL	White	205	149	56	46	18	37	11	6	5	3	2	103	38	52	26	51	12	6	3	7	2	5	2	13	2	8	2	8	4	1
	Non-White	41	31	10	10	4	6	2	4	2			21	6	7	4	14	2	1		3				3	1	2	1	1	4	
GRAND TOTAL		246	180	66	56	22	43	13	10	7	3	2	124	44	59	30	65	14	7	3	10	2	5	2	16	3	10	3	9	8	1

# VEHICULAR FATALITIES

## TYPE OF ACCIDENT-ALCOHOL INCIDENCE

Table Number 37

TYPE	TOTAL	NOT TESTED												TESTED						STAGES																			
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
<b>NON-TRAFFIC:</b>																																							
Collision	1	1				1						1			1																								
Non-Collision	3	2	1	2					1			1	1	1	1					1		1																	
<b>NON-TRAFFIC TOTAL</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>2</b>					<b>1</b>			<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>				<b>1</b>		<b>1</b>																	
<b>TRAFFIC:</b>																																							
Collision	235	170	65	70	32	77	27	17	6	6	51	21	39	12	9	7	3	2	119	44	55	30	64	14	7	3	10	2	5	2	16	3	10	3	9		7	1	
Non-Collision	7	7		1		4		2			3		3						4		3		1															1	
<b>TRAFFIC TOTAL</b>	<b>242</b>	<b>177</b>	<b>65</b>	<b>71</b>	<b>32</b>	<b>81</b>	<b>27</b>	<b>19</b>	<b>6</b>	<b>6</b>	<b>54</b>	<b>21</b>	<b>42</b>	<b>12</b>	<b>9</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>123</b>	<b>44</b>	<b>58</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>		<b>8</b>	<b>1</b>	
<b>GRAND TOTAL</b>	<b>246</b>	<b>180</b>	<b>66</b>	<b>73</b>	<b>32</b>	<b>82</b>	<b>27</b>	<b>19</b>	<b>7</b>	<b>6</b>	<b>56</b>	<b>22</b>	<b>43</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>124</b>	<b>44</b>	<b>59</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>		<b>8</b>	<b>1</b>	













## VEHICULAR FATALITIES WHILE AT WORK TRAFFIC AND NON-TRAFFIC—MONTHLY ALCOHOL INCIDENCE

Table Number 41

MONTH	TOTAL	NOT TESTED										TESTED						STAGES																					
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
JANUARY	1	1		1																1		1																	
FEBRUARY																																							
MARCH																																							
APRIL																																							
MAY																																							
JUNE																																							
JULY																																							
AUGUST																																							
SEPTEMBER																																							
OCTOBER																																							
NOVEMBER																																							
DECEMBER																																							
<b>TOTAL</b>	<b>1</b>	<b>1</b>		<b>1</b>																	<b>1</b>		<b>1</b>																

## VEHICULAR FATALITIES WEATHER CONDITIONS—ALCOHOL INCIDENCE

Table Number 42

WEATHER	TOTAL	NOT TESTED										TESTED						STAGES																						
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
CLEAR	197	144	53	58	26	67	21	14	6	5		40	16	30	11	8	4	2	1	104	37	48	25	56	12	5	3	6	2	5	2	15	2	8	2	9		8	1	
CLOUDY	2	1	1		1	1							1				1			1	1																			
FOG																																								
RAIN	27	19	8	11	4	7	4	1				6	3	3	1	2	1	1	1	13	5	4	4	9	1	2		4			1		2	1						
SLEET																																								
SNOW	11	9	2	3	1	3	1	2		1		5	1	5			1			4	1	4			1						1									
UNKNOWN	9	7	2	1		4	1	2	1			5	1	5	1					2	1	2	1																	
<b>TOTAL</b>	<b>246</b>	<b>180</b>	<b>66</b>	<b>73</b>	<b>32</b>	<b>82</b>	<b>27</b>	<b>19</b>	<b>7</b>	<b>6</b>		<b>56</b>	<b>22</b>	<b>43</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>124</b>	<b>44</b>	<b>59</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>		<b>8</b>	<b>1</b>	



# VEHICULAR FATALITIES

## ROAD CONDITIONS-ALCOHOL INCIDENCE

Table Number 43

ROAD	TOTAL	NOT TESTED												TESTED						STAGES																						
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
DRY	167	119	48	46	26	59	16	9	6	5	28	17	18	11	8	5	2	1	91	31	42	21	49	10	5	2	4	2	5	2	13	2	6	1	8		8	1				
ICE	1	1			1														1		1																					
SNOW	12	9	3	3	2	3	1	2		1	3	1	3		1			6	2	6	1		1		1																	
WET	57	44	13	23	4	15	9	6			19	3	16	1	2	1	1	1	25	10	9	7	16	3	2		6					3	1	4	2	1						
UNKNOWN	9	7	2	1		4	1	2	1			6	1	6	1			1	1	1	1																					
<b>TOTAL</b>	<b>246</b>	<b>180</b>	<b>66</b>	<b>73</b>	<b>32</b>	<b>82</b>	<b>27</b>	<b>19</b>	<b>7</b>	<b>6</b>	<b>56</b>	<b>22</b>	<b>43</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>124</b>	<b>44</b>	<b>59</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>	<b>8</b>	<b>1</b>					

# VEHICULAR FATALITIES

## LIGHT CONDITIONS-ALCOHOL INCIDENCE

Table Number 44

LIGHT	TOTAL	NOT TESTED												TESTED						STAGES																											
		Total		Cleve.		County		Out Of County		Turn-pike		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over									
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F										
DAWN	5	3	2	1	1	2	1					1			1			3	1	2	1	1																		1							
DAY	86	59	27	21	12	30	11	5	4	3	27	13	17	9	8	3	2	1	32	14	22	13	10	1	2		1	1				3		2		1										1	
DUSK	2	1	1	1	1							1		1					1																												
NIGHT WITH STREET LIGHTS	120	89	31	47	18	35	12	6	1	1	18	8	15	4	2	3	1	1	71	23	27	12	44	11	4	2	7	1	5	1	10	3	6	3	7											5	1
NIGHT WITHOUT STREET LIGHTS	27	23	4	3		14	2	4	2	2	6		6					17	4	7	2	10	2	1	1	2				1	3		2		1								1				
UNKNOWN	6	5	1			1	1	4			4		4					1	1	1	1																										
<b>TOTAL</b>	<b>246</b>	<b>180</b>	<b>66</b>	<b>73</b>	<b>32</b>	<b>82</b>	<b>27</b>	<b>19</b>	<b>7</b>	<b>6</b>	<b>56</b>	<b>22</b>	<b>43</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>124</b>	<b>44</b>	<b>59</b>	<b>30</b>	<b>65</b>	<b>14</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>10</b>	<b>3</b>	<b>9</b>	<b>8</b>	<b>1</b>										

# VEHICULAR FATALITIES

## CLASSIFICATION OF VICTIMS--AGE GROUPS

Table Number 45

CLASSIFICATION	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	BICYCLIST			1	1	1		1		1	1											1																	6	2
DRIVER								1	13	2	17	3	7	2	13		8	2	5		4		4	1	3		4	1	3				2		1	84	12	96		
CYCLIST DRIVER									6		6		1		3		1				1						1	1									20		20	
PASSENGER			1		1		2		7	9	2	5	1	3	1	1		1		1	2	1	1			1	2	1						3	1			21	27	48
PEDESTRIAN			3	1	1	3	2	1	5	3	4		6		1	1	1		2	1	3		2	3	4	3	4	1	4	3	1	2	2		4		49	22	71	
CYCLIST PASSENGER										2						1																							3	3
TOTAL			5	2	3	3	5	2	32	17	29	8	15	5	18	3	10	3	7	2	9	1	8	5	8	3	9	3	11	4	1	2	4	3	6		180	66	246	

# VEHICULAR FATALITIES

## MONTH AND AGE GROUPS

Table Number 46

MONTH	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	JANUARY			1					2	2	2		1		2		1								2				2		1									14	2
FEBRUARY								2		1				1	1	1		1	1					1		1												8	2	10	
MARCH					1		1		1	1					1	2	1	1						2		1			1		1	1						8	7	15	
APRIL			1					5	2			1				1							2					1										10	3	13	
MAY					2	1	2	1	2	2			2						1							2	1	1							1			12	6	18	
JUNE				1			2	3	1	2	1	1	1	3		1			1	3		1				2						1						19	4	23	
JULY				1	1			2	2	4	1	2		2	1				1		1		1					2										16	5	21	
AUGUST			2				1	4	5	6	2	3	1	1						1	1	1		2		1	1	4	1									26	11	37	
SEPTEMBER			1					1	1	1		4					1			1				2		1		2	1		1				2			13	6	19	
OCTOBER				2				6	1	4				2		1		2	1		1		1			1	1				1	1						21	3	24	
NOVEMBER							1	1		4		2	3	2		3								1	2							2	1					15	7	22	
DECEMBER							1	4	1	2	2	1	1	3			1	2		1		2	3		1						1				2			18	10	28	
TOTAL			5	2	3	3	5	2	32	17	29	8	15	5	18	3	10	3	7	2	9	1	8	5	8	3	9	3	11	4	1	2	4	3	6		180	66	246		

# AUTOPSIES-VEHICULAR FATALITIES

## MONTH AND AGE GROUPS

Table Number 47

MONTH	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
JANUARY			1				1		2	1	2				2		1								2				2		1			1			14	2	16
FEBRUARY									2		2				1	1			1	1					1		1										8	2	10
MARCH					1					1	1				1	1	2		1						2		1										8	3	11
APRIL			1				1	4	2			1			1	1							2				1		2			1			11	6	17		
MAY						2	1		3	1	1	2			2					1							1	1			1		1		10	7	17		
JUNE				1			2		3	1	2	1	1		3		1			1	3		1				1								17	4	21		
JULY				1	1				2	2	4	1	2		1	1					1		1				1								13	5	18		
AUGUST			1				1		4	3	5	2	3	1	1				1			1	1		1		1	1	5						24	8	32		
SEPTEMBER				2					1	1	2		3					1			1			1			1		3	2	1		1		14	6	20		
OCTOBER					1				6	1	3		1		1		1		2		1		1	1	1		1					2			21	2	23		
NOVEMBER									1		5		1	3	1		2															2	1		12	5	17		
DECEMBER							1	1	3	1	2	2	1	1	3			1	2		2			1	3		2					1	1		17	11	28		
TOTAL			5	2	2	3	6	2	31	14	29	8	13	5	15	3	9	3	7	2	9	1	7	5	8	2	9	2	10	4	1	2	4	3	4		169	61	230













**VEHICULAR FATALITIES**  
**MAJOR INJURY AND SURVIVAL INTERVAL-AGE GROUPS**  
**BICYCLIST**

Table Number 53

AGE	BRAIN					SPINAL CORD					TOTAL							
	TOTAL	DOA	LESS THAN 12 HOURS	12 - 24 HOURS	1 - 7 DAYS	8 DAYS OR MORE	TOTAL	DOA	LESS THAN 12 HOURS	12 - 24 HOURS	1 - 7 DAYS	8 DAYS OR MORE	TOTAL	DOA	LESS THAN 12 HOURS	12 - 24 HOURS	1 - 7 DAYS	8 DAYS OR MORE
1 - 4	1	1					1	1					2	2				
5 - 9	1	1											1	1				
10 - 14	1		1										1		1			
15 - 19	2		1			1							2		1			1
45 - 49	1				1								1				1	
60 - 64	1					1							1					1
<b>TOTAL</b>	<b>7</b>	<b>2</b>	<b>2</b>		<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>					<b>8</b>	<b>3</b>	<b>2</b>		<b>1</b>	<b>2</b>



# VEHICULAR FATALITIES

## GEOGRAPHICAL LOCATION-TYPE OF ACCIDENT

### CLASSIFICATION OF VICTIMS

Table Number 54 cont

CITIES	AUTO												TRUCK				BUS		MOTORCYCLE			NON-COLLISION				TOTAL												
	AUTO		BICYCLE		BUS		FIXED OBJECT		MOTORCYCLE		PEDESTRIAN		TRAIN		TRUCK		FIXED OBJECT		MOTORCYCLE		PEDESTRIAN		TRUCK		DRIVER*		PASSENGERS**		PEDESTRIANS		BICYCLIST							
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F						
Lyndhurst																																						
Driver	1		1																							1					1	2						
Maple Heights																																						
Driver						1																				1					1	1						
Pedestrian																															1	1						
Mayfield Heights																																						
Pedestrian																															2	1	3					
North Olmsted																																						
Passenger			1					1																							2	2						
Pedestrian																															1	1						
Olmsted Falls																																						
Driver																																1	1					
Passenger																																1	1					
Motorcyclist																																1	1					
Parma																																						
Driver	1																															1	3					
Pedestrian																																3	3					
Parma Heights																																						
Driver																																1	1					
Richmond Heights																																						
Driver	1																															1	1					
Passenger	1																															1	1					
Rocky River																																						
Driver	1																																					
Pedestrian																																1	1					
Seven Hills																																						
Pedestrian																																1	1					
Shaker Heights																																						
Driver																																1	2					
Motorcyclist																																1	1					
South Euclid																																						
Pedestrian																																1	1					
Solon																																						
Driver																																2	2					
Pedestrian																																1	1					
Strongsville																																						
Driver																																						
Passenger	1																															1	1					
Pedestrian																																2	2					
Motorcyclist																																2	2					
Warrensville Heights																																						
Driver																																						
Pedestrian																																1	2					
Westlake																																						
Driver	1																															3	3					
Passenger	1																															1	1					
<b>TOTAL</b>	<b>8</b>	<b>2</b>	<b>3</b>			<b>4</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>11</b>	<b>3</b>			<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>									<b>17</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>12</b>	<b>4</b>	<b>4</b>	<b>44</b>					
<b>GRAND TOTAL</b>	<b>22</b>	<b>11</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>26</b>	<b>11</b>	<b>9</b>	<b>2</b>	<b>43</b>	<b>17</b>	<b>2</b>	<b>1</b>	<b>7</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>75</b>	<b>11</b>	<b>8</b>	<b>20</b>	<b>47</b>	<b>19</b>	<b>6</b>	<b>2</b>	<b>188</b>

\* Motorcycle Drivers (4).  
 \*\* Motorcycle Passengers (0).

# VEHICULAR FATALITIES GEOGRAPHICAL LOCATION-TYPE OF ACCIDENT CLASSIFICATION OF VICTIMS

Table Number 55

VILLAGES	AUTO										TRUCK				MTC.*		TOTAL						GRAND TOTAL
	AUTO		FIXED OBJECT		PEDESTRIAN		TRACTOR-TRAILER		TRUCK		FIXED OBJECT		PEDESTRIAN		FIXED OBJECT		DRIVER**		PASSENGER		PEDESTRIAN		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Chagrin Falls: Pedestrian																						1	1
Gates Mills: Driver			1						1		1						3						3
Passenger			1	2															1	2			3
Motorcyclist															1	1							1
Mayfield: Driver	1			1													1	1					2
Newburgh Heights: Pedestrian						1																1	1
Orange: Driver			1														1						1
Valley View: Driver	2		1				4										7						7
Passenger							2	2											2	2			4
Walton Hills: Driver	1																1						1
<b>TOWNSHIPS</b>																							
Olmsted: Driver									1								1						1
Riveredge: Driver									1								1						1
<b>TURNPIKE</b>																							
In The County: Driver											3						3						3
Passenger									1		1								2				2
Pedestrian												1									1		1
<b>TOTALS</b>																							
Villages	4		4	3		1	6	2	1		1			1		14	1	3	4		2	24	
Townships									2							2							2
Turnpike in the County								1		4	1					3		2		1		6	
<b>GRAND TOTAL</b>	4		4	3		1	6	2	4		5		1	1	1	19	1	5	4	1	2	32	

\* Motorcycle

\*\* Motorcycle Driver (1)



**VEHICULAR FATALITIES**  
**GEOGRAPHICAL LOCATION—TYPE OF ACCIDENT**  
**CLASSIFICATION OF VICTIMS**

Table Number 56

	AUTO												TRUCK				NON-COLLISION				TOTAL						GRAND TOTAL
	AUTO		FIXED OBJECT		MOTORCYCLE		PEDESTRIAN		TRAIN		TRUCK		FIXED OBJECT		TRAIN		AUTO		TRUCK		DRIVERS		PASSENGERS*		PEDESTRIANS		
OUT OF COUNTY	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
DRIVERS	4		2						1		1		1				1				10						10
PASSENGERS	5	1	2	1		1					1				1		1	1					8	6			14
PEDESTRIANS							1	1																1	1		2
<b>TOTAL</b>	9	1	4	1		1	1	1	1		1	1	1		1		1	1	1		10		8	6	1	1	26

\* One (1) Passenger on Motorcycle.





# VEHICULAR FATALITIES

## HOURLY-DAILY-ALCOHOL INCIDENCE

### DRIVER

Table Number 59

HOURS OF DAY	SUNDAY			MONDAY			TUESDAY			WEDNESDAY			THURSDAY			FRIDAY			SATURDAY			TOTALS			GRAND TOTAL																
	TOTAL		TESTED	POSITIVE		TOTAL		TESTED	POSITIVE	TOTAL		TESTED	POSITIVE	TOTAL		TESTED	POSITIVE	TOTAL		TESTED	POSITIVE	TOTAL		TESTED		POSITIVE															
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F														
12 AM					1	1	1	1				1	1		1	1	1	3	3	2	1	1	1	8	1	6	1	4	1	9											
1 AM												3	1	1	1	1	1							4	1	2	1	2	1	5											
2 AM	1	1	1	1	1	1	1	1									1	1		1	1	1	4	1	4	1	3		5												
3 AM	1				1	1	1		1	1	1				2	2	2	1	1	1	2	1	1	7	1	5	1	5	1	8											
4 AM	2		2	1								1	1				2	2	1	3	3	3	8		8		5		8												
5 AM												1	1	1						1			1	1		1		1		2											
6 AM																	2	2	2				2		2		2		2		2										
7 AM												1	1				1	1					2		2					2		2									
8 AM																																									
9 AM																																									
10 AM	1	1		1					1	1														2	1	1	1				3										
11 AM												2	1								1	1		3		2					3										
TOTAL AM	5	2	3	2	2	3	3	3	2	1	1	1	1	1	1	4	2	3	2	3	2	10	10	6	9	7	6	41	6	32	6	21	4	47							
12 PM												1	1										1		1						1		1								
1 PM														1	1								1		1							1		1							
2 PM																			1				1		1								1		1						
3 PM												1											1		1								1		1						
4 PM																																									
5 PM					1	1			1	1		1	1	1	1	1							4	1	4		1						5		5						
6 PM					1	1	1	1	1														2		1		1						2		2						
7 PM					1	1									2	1	1	1	1		1		3	2	2	1		1					5		5						
8 PM	2		2	1	1									1	1		5	5	1				9		8		2						9		9						
9 PM	1				1				1	1	1				2	1	1	1	1		1	1	1	1	1	1	6	1	4		3		7		7						
10 PM	1		1		1	2						4	3	3		1	1		1	1	1	1	9	1	5	1	5						10		10						
11 PM		1	1	1	1				1	1		2	1		2	2	2	1					6	1	4	1	2	1						7		7					
TOTAL PM	4	1	3	1	2	1	6	1	3	1	4	3	1	9	1	6	4	7	3	6	2	3	1	9	8	2	4	1	1	43	6	30	3	14	2	49					
GRAND TOTAL	9	3	6	3	4	1	9	1	6	4	6	1	4	1	1	1	17	2	11	1	5	1	11	5	9	4	6	3	19	18	8	13	8	7	84	12	62	9	35	6	96



# VEHICULAR FATALITIES

## HOURLY-DAILY-ALCOHOL INCIDENCE

### PASSENGER

Table Number 60

HOURS OF DAY	SUNDAY						MONDAY						TUESDAY						WEDNESDAY						THURSDAY						FRIDAY						SATURDAY						TOTALS						GRAND TOTAL										
	TOTAL		TESTED		POSITIVE		TOTAL		TESTED		POSITIVE		TOTAL		TESTED		POSITIVE		TOTAL		TESTED		POSITIVE		TOTAL		TESTED		POSITIVE		TOTAL		TESTED		POSITIVE																								
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F																							
12 AM		1						1		1																									1	1	1	2	2	2	1	2		4															
1 AM																																				1	4	1	4		2														2	5			
2 AM																																					1	1		1		1														1	3		
3 AM																																					1	1		1		1														1	1		
4 AM																																																									1	2	
5 AM																																																											
6 AM								1		1																											1	1																			2		
7 AM	1			1																																																						1	
8 AM																																																											
9 AM																																																											
10 AM	1			1																																																						1	
11 AM																																					1																					1	
TOTAL AM	2	1	2				1	1	1	1							2	1																		3	6	2	6	1	4																	20	
12 PM																																																											
1 PM				1																																																						3	
2 PM																																																										1	
3 PM																																																										2	
4 PM																																					1																					2	
5 PM																																																										3	
6 PM																																																										1	
7 PM																																					1																					3	
8 PM																																					1	1																				6	
9 PM																																																										2	
10 PM																																					1	2	1	1																			4
11 PM																																					1	1		1																			4
TOTAL PM		1					1	1		1							4	3	2	2																2	8	1	6	1																		31	
GRAND TOTAL	2	2	2				1	2	1	2							4	5	2	3															5	14	3	12	2	4																	51		





# VEHICULAR FATALITIES

## HOURLY AND DAILY INCIDENCE ARRANGED ACCORDING TO DRIVER, PASSENGER, PEDESTRIAN

Table Number 62

HOURS OF DAY	SUNDAY			MONDAY			TUESDAY			WEDNESDAY			THURSDAY			FRIDAY			SATURDAY			TOTALS			GRAND TOTAL																						
	DRIVER a,b		PASSENGER	DRIVER a,b		PASSENGER c	DRIVER a		PASSENGER	DRIVER a,b		PASSENGER	DRIVER a		PASSENGER	DRIVER a,b		PASSENGER c	DRIVER a,b		PASSENGER	DRIVER a,b		PASSENGER c																							
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F																				
12 AM				1		2		1					1			2	1	1		1	3			1	1	1	1	2	10	1	2	2	4	19													
1 AM				1									3			2	1	1	4					1	1				5	1	1	4	2	1	14												
2 AM	1	1				1						1				1	1	1	1	1			2	1	1	1		5	1	2	1	4		13													
3 AM	2			1		1		1	1						2		1		1				1	4				11	1		1	3		16													
4 AM	2			1								1						1	2		1		3	1				8		1	1	2		12													
5 AM											1												1		1				1	1				2													
6 AM						1							1						1	2									2		1	1		5													
7 AM			1			1			1				1						1									2		1	1		1	5													
8 AM												1								1							1	3		1			2	6													
9 AM																																	1	1													
10 AM	1	1	1						1										1										2	1	1		1	5													
11 AM												2		1	1											1			2	1	1		1	5													
TOTAL AM	6	2	2	1	3	5	1	1	1	1	3	1		1	9	1	2	1	1	6	2	3	6	3	2	10		1	5	1	11	3	3	1	50	6	9	11	16	7	99						
12 PM									1	1					1														2				1	1	4												
1 PM				1	1										1																			1	1	4											
2 PM						1									1			2										3			3	2	1		9												
3 PM									1											1				1									1		3	5											
4 PM		1				1									1													1	2			2	1	1	6												
5 PM						1				1			1	1						1									1	1	1	1	3	1	8												
6 PM	1					1	1						1			1	2												5	1	1	2	1		10												
7 PM	1					1			1						1				2	1	1							1	1			4	1		1	6	2	14									
8 PM	2					1									1					1	1								4	2	1	2	5	2		16											
9 PM	1					1			1	1	1									1	1								11		4	2	4	2		23											
10 PM	1					2			1	1	1				3		1												8	1		2	1	2		14											
11 PM	1	1				1									2		1												10	1	2	2	2		17												
TOTAL PM	7	2		1	2	1	8	2		1	5	5	5		5	2	11	1	4	3	4	3	9	3	2	8	3	3	14		3	4	10	6	3	2	4	1	60	8	12	19	33	15	147		
GRAND TOTAL	13	4	2	2	5	1	13	2	1	2	6	6	8	1		5	3	20	2	4	5	5	4	15	5	5	14	6	5	24		3	5	15	1	17	6	2	7	2	110	14	21	30	49	22	246

- a. Motorcyclists included in Drivers (20).
- b. Bicyclists included in Drivers (8).
- c. Motorcycle Passengers included in Passengers (3).

# VEHICULAR FATALITIES

## HOURLY AND DAILY INCIDENCE ARRANGED ACCORDING TO PRE-SCHOOL, SCHOOL, AND ADULT AGE GROUPS


Table Number 63

HOURS OF DAY	SUNDAY			MONDAY			TUESDAY			WEDNESDAY			THURSDAY			FRIDAY			SATURDAY			TOTALS			GRAND TOTAL																																												
	PRE-SCHOOL		SCHOOL		ADULT		PRE-SCHOOL		SCHOOL		ADULT		PRE-SCHOOL		SCHOOL		ADULT		PRE-SCHOOL		SCHOOL		ADULT			PRE-SCHOOL		SCHOOL		ADULT																																							
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F																																				
12 AM					1			1	1	1						1												4	1	12	2	19																																					
1 AM				1												3														2	3	6	3	14																																			
2 AM				1	1			1								1														2		9	2	13																																			
3 AM				3						2																				1	14	1	16																																				
4 AM				3												1														1	10	1	12																																				
5 AM																	1															1	2																																				
6 AM																																3	2	5																																			
7 AM				1						1	1																					4	2	6																																			
8 AM																																	1	1																																			
9 AM																																																																					
10 AM					2	1																										3	2	5																																			
11 AM																																	1	3	1	6																																	
TOTAL AM					11	3				2	1	5	1																		11	6	64	18	99																																		
12 PM																																	1	2	1	4																																	
1 PM	1				1																												1	1	4	3	9																																
2 PM																																			2	1	2	5																															
3 PM																																				3	3	6																															
4 PM		1																																	1	2	1	3	8																														
5 PM																																				2	1	5	10																														
6 PM					1																															2	1	1	7	3	14																												
7 PM					1																															1	1	1	2	2	7	4	16																										
8 PM					2																																	1	1	3	1	15	2	23																									
9 PM					1																																		2	2	7	3	14																										
10 PM					1																																		3	2	8	1	17																										
11 PM					2	1																																		5	1	14	1	21																									
TOTAL PM	1	1	2	2	6	1				1	2	3	11	4																												6	2	8	1	17																							
GRAND TOTAL	1	1	2	2	17	4				1	4	4	16	5																															9	5	20	6	1	5	7	20	17	1	7	1	34	5	2	7	21	4	5	2	35	20	140	44	246

Note: Pre-School - 0 through 4 years. School - 5 through 18 years. Adult - 19 years and over.


# HOMICIDES

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT	
SEX	MALE	252	83
	FEMALE	53	17
RACE	WHITE	98	32
	NON-WHITE	207	68
ALCOHOL	TESTED	264	87
	POSITIVE	125	47
AUTOPSY	AUTOPSIED	295	97


BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
305

# HOMICIDE DISTRIBUTION

Map 5



# HOMICIDES

## MONTHLY ALCOHOL INCIDENCE

Table Number 64

MONTH	TOTAL	NOT TESTED												TESTED						STAGES																	
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
JANUARY	32	29	3	25	2	2	1	2		3	1	3			1			26	2	16	2	10	2		1		1		1		2		2		1		
FEBRUARY	29	21	8	15	4	6	4			3		1		1		1		18	8	8	4	10	4	2			3	1	2		1		1	3	1		
MARCH	26	24	2	22	2	2												24	2	5	2	19			7			3		3		2		4			
APRIL	19	15	4	11	3	4	1			1	1			1	1			14	3	7	3	7			2		1			2					2		
MAY	28	21	7	18	6	3	1			2	1	2	1					19	6	10	4	9	2	2	1			3			1	1	1	1	2		
JUNE	29	21	8	16	6	5	2			4	2	1		3	1		1	17	6	7	4	10	2		2		1	4	1		1	3					
JULY	30	23	7	19	6	4	1			6	1	2		2		2	1	17	6	7	3	10	3		1			2		1		1	1	5	2		
AUGUST	25	22	3	17	3	5												22	3	14	1	8	2	1			1	2	1				4		1		
SEPTEMBER	15	14	1	14	1					7	1	3		3	1	1		7		2		5	1				1		1		1		2				
OCTOBER	23	19	4	17	3	2	1			1	1	1	1					18	3	11	2	7	1	1	1		1		3		1	1	1				
NOVEMBER	21	19	2	18	1	1	1			2	1	2	1					17	1	10		7	1				1	3	1	1		2					
DECEMBER	28	24	4	20	4	4				2	1	2	1					22	3	15	2	7	1	2	1		1	1	3	1							
TOTAL	305	252	53	212	41	38	12	2		31	10	17	4	10	4	4	2	221	43	112	27	109	16	11		16		9	3	26	3	12	3	19	5	16	2



# HOMICIDES

## AGE-RACE-ALCOHOL INCIDENCE

Table Number 65

AGE	RACE	TOTAL	NOT TESTED												TESTED						STAGES											
			Total		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Under 1 Year	White	1	1											1		1																
	Non-White	1		1																												
1 - 4	White	2	1	1	1									1		1																
	Non-White	1	1		1																											
5 - 9	White	4	3	1	3	1								3	1																	
	Non-White	4	3	1	3	1								3	1																	
10 - 14	White																															
	Non-White	4	3	1	1	1								1	1																	
15 - 19	White	16	13	3	1		1							12	3	10	2	2	1													
	Non-White	19	17	2	1		1							16	2	12	2	4		2								1	1			
20 - 24	White	16	12	4	1	1	1							11	3	4	3	7									1	2	1			
	Non-White	34	32	2	3		2							29	2	17	2	12		1	3	1	3				2	2				
25 - 29	White	11	9	2	1		1							8	2	1	2	7		1	2		3	1								
	Non-White	27	22	5	1	1	1	1						21	4	11	3	10	1	2	2	2	1	3					1			
30 - 34	White	10	8	2			1							8	1	5	1	3										2				
	Non-White	29	23	6	3	1	3	1						20	5	9	3	11	2		1	2	2		1	2	1		4			
35 - 39	White	7	6	1	1									5	1	4		1	1		1						1					
	Non-White	21	16	5										16	5	6	2	10	3	1	3				2	1	1	2	1	1		
40 - 44	White	5	4	1										4	1	1		3	1	1							1	1	1			
	Non-White	14	13	1										13	1	2		11	1		1	1		3	1	2		3	1			
45 - 49	White	7	4	3	1									3	3		3	3		1							1		1			
	Non-White	20	17	3	2		2							15	3	5	1	10	2		1			3	2	3	1	1	1			
50 - 54	White	3	3											3		1		2									1		1			
	Non-White	11	9	2										9	2	5	1	4	1				2		1			1	1			
55 - 59	White	4	4											4		3		1														
	Non-White	8	7	1	1		1							6	1	2		4	1	1				1	1				2			
60 - 64	White	4	3	1	1									2	1	1		1	1									1	1			
	Non-White	6	4	2	1	1	1	1						3	1	3			1									1				
65 - 69	White	2	2		1		1							1		1																
	Non-White	4	4											4		2		2									1	1				
70 - 74	White	1	1											1		1																
	Non-White	2	2		2		2																									
75 - 79	White	2	2											2		2																
	Non-White	1		1												1		1														
80-over	White	3	2	1	1	1								1		1																
	Non-White	1	1																													
TOTAL	White	98	78	20	12	4	4	1	4	1	4	2		66	16	36	12	30	4	3												
	Non-White	207	174	33	19	6	13	3	6	3				155	27	76	15	79	12	8												
GRAND TOTAL		305	252	53	31	10	17	4	10	4	4	2		221	43	112	27	109	16	11												

# HOMICIDES MODE-ALCOHOL INCIDENCE

**Table Number 66**

MODE	TOTAL	NOT TESTED								TESTED						STAGES																					
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
BLUNT VIOLENCES	23	17	6	13	6	3		1		8	3	5	1	1	2	2		9	3	4	1	5	2					1		1	1	1			1	2	
BOMBINGS	1	1		1						1						1																					
CARBON MONOXIDES	2	1	1			1	1											1	1	1	1																
CUTTINGS AND STABBINGS	29	26	3	23	3	3				1		1						25	3	11	3	14		3	1			2		3		1			4		
POISONINGS	1	1				1												1	1																		
SHOOTINGS	237	202	35	171	27	30	8	1		21	7	11	3	9	2	1	2	181	28	93	16	88	12	8	14		8	2	23	1	8	3	17	4	10	2	
STRANGULATIONS	8	2	6	2	3		3										2	6	1	4	1	2		1		1		1									
STRUCK BY OBJECTS	1	1		1													1				1													1			
MISCELLANEOUS*	3	1	2	1	2												1	2	1	2																	
<b>TOTAL</b>	<b>305</b>	<b>252</b>	<b>53</b>	<b>212</b>	<b>41</b>	<b>38</b>	<b>12</b>	<b>2</b>		<b>31</b>	<b>10</b>	<b>17</b>	<b>4</b>	<b>10</b>	<b>4</b>	<b>4</b>	<b>221</b>	<b>43</b>	<b>112</b>	<b>27</b>	<b>109</b>	<b>16</b>	<b>11</b>	<b>16</b>	<b>9</b>	<b>3</b>	<b>26</b>	<b>3</b>	<b>12</b>	<b>3</b>	<b>19</b>	<b>5</b>	<b>16</b>	<b>2</b>			

\* Stress, Motor Vehicle, Legal Intervention.

# MODE-AGE GROUPS

**Table Number 67**

MODE	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	BLUNT VIOLENCES		1	1			1			1		1				2		2		1	1		1	1		3		3	1	1		1				1		17	6
BOMBINGS																					1																1		1
CARBON MONOXIDES	1			1																																	1	1	2
CUTTINGS AND STABBINGS								7		3		4	1	2		2	2	1		2		1		3										1		26	3	29	
POISONINGS								1																													1		1
SHOOTINGS		1		6	1	3	1	21	4	40	5	26	4	27	8	18	3	13	1	17	4	10	2	5		4	2	5		2		2		2		202	35	237	
STRANGULATIONS											1	1	2			1	1				1				1											2	6	8	
STRUCK BY OBJECTS																				1																	1		1
MISCELLANEOUS								1									1																1			1	2	3	
<b>TOTAL</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>6</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>30</b>	<b>5</b>	<b>44</b>	<b>6</b>	<b>31</b>	<b>7</b>	<b>31</b>	<b>8</b>	<b>22</b>	<b>6</b>	<b>17</b>	<b>2</b>	<b>21</b>	<b>6</b>	<b>12</b>	<b>2</b>	<b>11</b>	<b>1</b>	<b>7</b>	<b>3</b>	<b>6</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>252</b>	<b>53</b>	<b>305</b>		

# HOMICIDES (JUSTIFIABLE)

## PLACE OF OCCURRENCE—CIRCUMSTANCES—ASSAILANTS

### VICTIMS—ALCOHOL INCIDENCE

Table Number 68

ASSAILANTS	TOTAL	NOT TESTED										TESTED						STAGES																					
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
<b>HOME CIRCUMSTANCES:</b>																																							
During or Following an Argument:																																							
Acquaintance	3	3		3						1	1							2	1	1		1																	
During or Following the Commission or Attempted Commission of a Felony:																																							
Friend	2	2		1		1												2	1	1																1			
Stranger	2	2	2															2	1	1						1													
Spouse	1	1	1															1		1						1													
Resisting Arrest:																																							
Police Officer	1	1	1															1	1																				
Self Defense:																																							
Acquaintance	1	1	1															1		1																	1		
Spouse	1	1			1													1		1				1															
TOTAL	11	11	9		2					1	1							10	4	6		1	2	1										1			1		
<b>PUBLIC CIRCUMSTANCES:</b>																																							
During or Following an Argument:																																							
Acquaintance	2	2	2															2	1	1																			
Stranger	2	2	2															2	2																				
During or Following the Commission or Attempted Commission of a Felony:																																							
Security Guard	1	1	1															1	1																				
Stranger	9	9	9															9	4	5				1			1	1							2				
Resisting Arrest:																																							
Police Officer	6	6	3		3													6	3	3						1		1										1	
Self Defense:																																							
Acquaintance	3	3	3															3		3															1	2			
Stranger	2	2	2															2	2																				
TOTAL	25	25	22		3													25	13	12				1	1	3	2							4			1		
GRAND TOTAL	36	36	31		5					1	1							35	17	18		1	3	2	3	3						4			2				







**HOMICIDES IN COUNTY OF CUYAHOGA**  
**1951 - 1976**  
(Includes culpable and justifiable homicides)

**Table Number 69-B**


YEAR	TOTAL HOMICIDES	FIREARMS	FIREARM PERCENTAGE OF TOTAL	BLUNT VIOLENCES (MANUAL, PEDAL AND INSTRUMENTAL ASSAULT)	EDGED AND POINTED WEAPONS	STRANGULATIONS (MANUAL AND LIGATURE)	ALL OTHERS*
1951	91	48	52.75	14	24	3	2
1952	106	67	63.21	9	26	1	3
1953	93	68	69.39	9	21		
1954	93	56	60.22	12	24		1
1955	83	47	56.63	8	22	3	3
1956	128	64	50.00	18	42	2	2
1957	96	52	54.17	14	21	4	5
1958	95	45	47.37	17	25	5	3
1959	94	45	47.87	18	27	4	
1960	102	63	61.76	12	21	6	
1961	100	61	61.00	8	27	3	1
1962	74	38	51.35	16	16	1	3
1963	114	62	54.39	19	26	4	3
1964	137	83	60.58	17	30	5	2
1965	129	86	66.67	17	21	3	2
1966	166	111	66.87	15	35	3	2
1967	185	117	63.24	15	34	5	14
1968	210	167	79.52	16	26	1	
1969	317	254	80.13	29	29	1	4
1970	310	242	78.06	23	34	6	5
1971	324	265	81.79	24	28	4	3
1972	363	287	79.06	33	23	16	4
1973	327	271	82.87	24	20	10	2
1974	362	301	83.14	19	28	11	3
1975	351	274	78.06	29	30	7	11
1976	305	238	78.03	23	29	8	7

\* Poisoning, drowning, arson, starvation, neglect, explosion, hit by concrete block, carbon monoxide, stress, motor vehicle, legal intervention, hit by concrete block, and multiple modes.




# SUICIDES

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT
SEX	MALE	68
	FEMALE	32
RACE	WHITE	86
	NON-WHITE	14
ALCOHOL	TESTED	89
	POSITIVE	27
AUTOPSY	AUTOPSIED	45


BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
248

# SUICIDE DISTRIBUTION

Map 6



# SUICIDES

## MONTHLY ALCOHOL INCIDENCE

Table Number 70

MONTH	TOTAL	NOT TESTED										TESTED						STAGES																					
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
JANUARY	20	13	7	9	2	3	4	1	1		1		1					13	6	9	5	4	1			1			1	1					1		1		
FEBRUARY	16	12	4	2	1	10	3											12	4	9	3	3	1				2	1										1	
MARCH	19	12	7	8	6	4	1				2	1				2	1	10	6	7	6	3					1	1		1									
APRIL	16	13	3	7	1	6	2				1					1		12	3	7	3	5				1	1	2						1					
MAY	27	16	11	8	2	8	8		1	2	1	2	1				14	10	9	8	5	2					2	1		1		2		1			1		
JUNE	16	11	5	3	3	8	2				3		1			2		8	5	8	3		2															2	
JULY	22	18	4	8	2	8	2	2			2		2				16	4	10	3	6	1			2	1	2								1	1			
AUGUST	33	23	10	10	1	12	9	1			4		3			1		19	10	11	10	8		1			3	1	1		2				2				
SEPTEMBER	15	12	3	4	1	7	2	1			1	1				1	1	11	2	7	2	4		1	1	1								1					
OCTOBER	20	12	8	3	2	9	5		1	4	1	1				3	1	8	7	6	5	2	2			1	1								1	1			
NOVEMBER	20	11	9	3	1	8	8				1		1				11	8	7	5	4	3	2	1		1			1	1		1							
DECEMBER	24	16	8	6	5	10	3				1	2	1	2			15	6	12	6	3		2		1														
<b>TOTAL</b>	<b>248</b>	<b>169</b>	<b>79</b>	<b>71</b>	<b>27</b>	<b>93</b>	<b>49</b>	<b>5</b>	<b>3</b>	<b>20</b>	<b>8</b>	<b>10</b>	<b>5</b>		<b>10</b>	<b>3</b>	<b>149</b>	<b>71</b>	<b>102</b>	<b>59</b>	<b>47</b>	<b>12</b>	<b>6</b>	<b>1</b>	<b>7</b>	<b>2</b>	<b>9</b>	<b>3</b>	<b>9</b>	<b>1</b>	<b>4</b>		<b>8</b>	<b>2</b>	<b>4</b>	<b>3</b>			

AGE-RACE-ALCOHOL INCIDENCE

Table Number 71

AGE	RACE	TOTAL	NOT TESTED												TESTED						STAGES											
			Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over			
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
10 - 14	White	1		1		1		1																								
	Non-White																															
15 - 19	White	19	12	7	1	1	1	1			11	6	10	4	1	2			1	1	1											
	Non-White	4	2	2							2	2	2	2																		
20 - 24	White	24	22	2	1	1	1			1	21	1	15		6	1	2	1	2			1				1						
	Non-White	5	5								5		4		1							1										
25 - 29	White	19	14	5	1		1				13	5	8	4	5	1	1		2	1	1					1						
	Non-White	6	6								6		4		2		1									1						
30 - 34	White	16	10	6	4	1	2	1		2	6	5	4	5	2							1		1								
	Non-White	5	3	2							3	2		2	3							3										
35 - 39	White	16	10	6	3	1		1		3	7	5	2	5	5				1		1						1	2				
	Non-White	2	1	1	1		1				1				1														1			
40 - 44	White	12	8	4							8	4	6	4	2							1					1					
	Non-White																															
45 - 49	White	17	9	8	1					1	8	8	6	6	2	2					1	1					1			1		
	Non-White	2	2								2		2																			
50 - 54	White	25	11	14	2		1			1	9	14	4	11	5	3	1				1		2	1			1	2				
	Non-White	5	4	1	1					1	3	1	2	1	1												1					
55 - 59	White	16	11	5							11	5	7	5	4		1		1				2									
	Non-White	1	1								1				1														1			
60 - 64	White	7	5	2	1		1				4	2	3	2	1														1			
	Non-White	1		1							1		1																			
65 - 69	White	14	10	4	1	1				1	9	3	5	2	4	1			1		1	1			1		1					
	Non-White	3	2	1							2	1	1	1	1												1					
70 - 74	White	10	8	2	1	1	1	1			7	1	6	1	1								1									
	Non-White																															
75 - 79	White	7	6	1	1		1				5	1	5	1																		
	Non-White	1	1								1		1																			
80-over	White	10	6	4	1	1				1	5	3	5	2		1														1		
	Non-White																															
TOTAL	White	213	142	71	18	8	9	5		9	124	63	86	52	38	11	5	1	7	2	6	3	8	1	3		6	2	3	2		
	Non-White	35	27	8	2		1			1	25	8	16	7	9	1	1				3		1		1		2		1	1		
TOTAL		248	169	79	20	8	10	5		10	149	71	102	59	47	12	6	1	7	2	9	3	9	1	4		8	2	4	3		

# SUICIDES

## MODE-ALCOHOL INCIDENCE

Table Number 72

MODE	TOTAL	NOT TESTED								TESTED						STAGES																					
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ASPHYXIAS	82	57	25	18	8	38	17	1		4	4	2	1			2	3	53	21	39	17	14	4	1		3		2	1	4	1	2		2	2		
BURNINGS	3	3				2		1		1		1						2		2																	
CUTTINGS AND STABBINGS	2	1	1	1			1											1	1		1	1															
JUMPINGS	15	9	6	6	3	3	3			2		1				1		7	6	3	5	4	1	2					1					1			1
POISONINGS	43	17	26	3	7	13	17	1	2	1	1	1	1					16	25	12	21	4	4	2	1	1			1					1			2
SHOOTINGS	103	82	21	43	9	37	11	2	1	12	3	5	3			7		70	18	46	15	24	3	1		3	2	7	1	4		1		4			4
<b>TOTAL</b>	<b>248</b>	<b>169</b>	<b>79</b>	<b>71</b>	<b>27</b>	<b>93</b>	<b>49</b>	<b>5</b>	<b>3</b>	<b>20</b>	<b>8</b>	<b>10</b>	<b>5</b>			<b>10</b>	<b>3</b>	<b>149</b>	<b>71</b>	<b>102</b>	<b>59</b>	<b>47</b>	<b>12</b>	<b>6</b>	<b>1</b>	<b>7</b>	<b>2</b>	<b>9</b>	<b>3</b>	<b>9</b>	<b>1</b>	<b>4</b>		<b>8</b>	<b>2</b>	<b>4</b>	<b>3</b>

## MODE-ALCOHOL INCIDENCE

Table Number 73

MODE	TOTAL	NOT TESTED								TESTED						STAGES																							
		Total		Cleve.		County		Out Of County		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
<b>ASPHYSIAS:</b>																																							
Carbon Monoxide																																							
Auto Exhaust	44	30	14	3	4	26	10	1		1						1		29	14	20	10	9	4	1		3		1	1	2	1				2	2			
Drowning	2	2		2														2		1		1														1			
Hanging	33	25	8	13	3	12	5			3	3	2	1			1	2	22	5	18	5	4						1		2		1							
Suffocating	3		3		1		2					1					1		2		2																		
<b>TOTAL</b>	<b>82</b>	<b>57</b>	<b>25</b>	<b>18</b>	<b>8</b>	<b>38</b>	<b>17</b>	<b>1</b>		<b>4</b>	<b>4</b>	<b>2</b>	<b>1</b>			<b>2</b>	<b>3</b>	<b>53</b>	<b>21</b>	<b>39</b>	<b>17</b>	<b>14</b>	<b>4</b>	<b>1</b>		<b>3</b>		<b>2</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>2</b>		<b>2</b>	<b>2</b>				
<b>JUMPINGS:</b>																																							
Building Window	5	3	2	2	1	1	1			1		1						2	2	1	2	1														1			
Bridge	7	4	3	2	1	2	2			1						1		3	3	1	3	2		2															
Fire Escape	1	1		1														1												1									
Porch	1		1		1														1																				1
In Front of Train	1	1		1														1		1																			
<b>TOTAL</b>	<b>15</b>	<b>9</b>	<b>6</b>	<b>6</b>	<b>3</b>	<b>3</b>	<b>3</b>			<b>2</b>		<b>1</b>				<b>1</b>		<b>7</b>	<b>6</b>	<b>3</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>2</b>										<b>1</b>			<b>1</b>		<b>1</b>





# SUICIDES

## MODE-AGE GROUPS

Table Number 75

MODE	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ASPHYXIAS										3	2	10	1	6	2	4	2	3		4	1	4	2	4	5	5	2		1	5	3	3	1	4		2	3	57	25	82
BURNINGS									1		1													1														3		3
CUTTINGS AND STABBINGS										1																												1	1	2
JUMPINGS											3		1		1			3						4	2									1			9	6	15	
POISONINGS									1	2	3	1	4	1		3	1	3		1		3	2	6	4	2		1		1	2	1			1	17	26	43		
SHOOTINGS								1	9	4	10		9	2	8	3	7	1	4	2	7	3	4	2	3	1	5	1	6	1	3		3		4		82	21	103	
TOTAL								1	14	9	27	2	20	5	13	8	11	7	8	4	11	8	15	15	12	5	5	3	12	5	8	2	7	1	6	4	169	79	248	


## MODE-GEOGRAPHICAL LOCATION AND MARITAL STATUS

Table Number 76

MODE	CLEVELAND												COUNTY												OUT OF COUNTY												GRAND TOTAL		
	MARRIED		SINGLE		DIVORCED		WIDOWED		UNKNOWN		TOTAL		MARRIED		SINGLE		DIVORCED		WIDOWED		UNKNOWN		TOTAL		MARRIED		SINGLE		DIVORCED		WIDOWED		UNKNOWN		TOTAL			TOTAL	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
ASPHYXIAS	6	4	6	2	4		2	2			18	8	22	9	10	3	5		1	5			38	17			1									1	57	25	82
BURNINGS														1					1				2				1								1	3		3	
CUTTINGS AND STABBINGS					1						1				1								1													1	1	2	
JUMPINGS	2	1	3	1	1			1			6	3	2	1	1					2			3	3												9	6	15	
POISONINGS	1	2	1	1	1	4				3	7	7	9	3	4	2	3	1	1			13	17		2		1								1	2	17	26	43
SHOOTINGS	16	4	20	4	5		2	1		43	9	18	5	10	3	2	2	7	1			37	11	1	1	1								2	1	82	21	103	
TOTAL	25	11	30	8	12	4	4	4		71	27	49	24	25	11	9	5	10	9			93	49	1	3	3	1							5	3	169	79	248	


# VIOLENCE OF UNDETERMINED ORIGIN

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT	
SEX	MALE	22	76
	FEMALE	7	24
RACE	WHITE	16	55
	NON-WHITE	13	45
ALCOHOL	TESTED	21	72
	POSITIVE	11	52
AUTOPSY	AUTOPSIED	25	86

BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
29




**FATALITIES FROM VIOLENCE OF UNDETERMINED ORIGIN  
AGE-RACE-ALCOHOL INCIDENCE**

Table Number 79

AGE	RACE	TOTAL	NOT TESTED												TESTED						STAGES											
			Total		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1 - 4	White																															
	Non-White	1	1		1					1																						
5 - 9	White																															
	Non-White																															
10 - 14	White	1		1									1		1																	
	Non-White																															
15 - 19	White	2	2									2		1		1						1										
	Non-White	1	1		1		1																									
20 - 24	White																															
	Non-White	1	1									1		1																		
25 - 29	White	2	1	1								1	1		1	1										1						
	Non-White																															
30 - 34	White	1	1									1				1																
	Non-White	1	1									1		1																		
35 - 39	White																															
	Non-White																															
40 - 44	White	2	1	1								1	1		1	1													1			
	Non-White	1		1		1		1																								
45 - 49	White																															
	Non-White	3	2	1	1					1		1	1	1		1							1									
50 - 54	White	1	1									1		1																		
	Non-White	1	1									1		1																		
55 - 59	White	2	2									2				2							1						1			
	Non-White	1	1									1			1							1										
60 - 64	White	1		1									1				1						1									
	Non-White	2	2		1	1						1				1							1									
65 - 69	White	2	2		2	1				1																						
	Non-White																															
70 - 74	White	1		1									1		1																	
	Non-White																															
80-over	White	1	1		1	1																										
	Non-White	1	1																													
TOTAL	White	16	11	5	3		2			1		8	5	2	4	6	1	1			1	1	1		1				2			
	Non-White	13	11	2	4	1	2	1	1	1		7	1	4	3	1	1			1	1	1										
GRAND TOTAL		29	22	7	7	1	4	1	1	2		15	6	6	4	9	2	2			2	1	2	1	1				2			


FOR A PERIOD OF TWELVE YEARS



2834.2 AVERAGE

	NUMBER	PER CENT
SEX	MALE	63
	FEMALE	37
RACE	WHITE	76
	NON-WHITE	24
ALCOHOL	TESTED	81
	POSITIVE	11
AUTOPSY	AUTOPSIED	21

BY MONTH FOR THE YEAR 1976



226.7 AVERAGE

1976  
TOTAL CASES  
2720

# DEATHS FROM NATURAL CAUSES

## MONTHLY ALCOHOL INCIDENCE

Table Number 80

MONTH	TOTAL	NOT TESTED										TESTED						STAGES														
		Total		Total		Surv'd Too Long		Under Age		Other		Total		Neg.		Pos.		0.01% 0.04%		0.05% 0.09%		0.10% 0.14%		0.15% 0.19%		0.20% 0.24%		0.25% 0.29%		0.30% or over		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
JANUARY	270	171	99	31	14	6	2	5		20	12	140	85	123	82	17	3	3	1	1	1	1	3		4		2		1		3	1
FEBRUARY	264	157	107	15	20	5	4	1	2	9	14	142	87	120	80	22	7	5		6	2	5		2	1	2	2		1	2	1	
MARCH	237	155	82	29	15	5	3	1	2	23	10	126	67	115	65	11	2	3		4		1		1				1		2	1	
APRIL	236	147	89	33	16	5	3	1	1	27	12	114	73	97	69	17	4	6		5	1	1		1		1	1		1	3	1	
MAY	219	141	78	26	17	8	2	3	3	15	12	115	61	99	59	16	2			6		1		3		4		1		1	2	
JUNE	197	125	72	22	16	2	3	4		16	13	103	56	88	52	15	4	3	1	5		1		2	1	2	1	1		1	1	
JULY	200	129	71	24	28	4	8	3		17	20	105	43	99	39	6	4			1	1	2				1	3			2		
AUGUST	186	115	71	19	19	5	3		1	14	15	96	52	83	47	13	5	5	3	1	1	2						2		3	1	
SEPTEMBER	193	116	77	20	18	2	6	3		15	12	96	59	86	54	10	5	4	4	1		1	1	1		1		1		1		
OCTOBER	236	142	94	32	22	8			4	24	18	110	72	90	62	20	10	7	6	1	1	5	1	2	2			4		1		
NOVEMBER	231	145	86	20	19	10	7		2	10	10	125	67	113	65	12	2	2	1	1		1	1	1		2		1		4		
DECEMBER	251	163	88	28	18	6	3	2	3	20	12	135	70	117	60	18	10	10	8	4		1		1	1	1	1		1		1	
<b>TOTAL</b>	<b>2720</b>	<b>1706</b>	<b>1014</b>	<b>299</b>	<b>222</b>	<b>66</b>	<b>44</b>	<b>23</b>	<b>18</b>	<b>210</b>	<b>160</b>	<b>1407</b>	<b>792</b>	<b>1230</b>	<b>734</b>	<b>177</b>	<b>58</b>	<b>48</b>	<b>24</b>	<b>36</b>	<b>7</b>	<b>24</b>	<b>3</b>	<b>17</b>	<b>6</b>	<b>16</b>	<b>7</b>	<b>13</b>	<b>2</b>	<b>23</b>	<b>9</b>	



# DEATHS FROM NATURAL CAUSES

## INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY MONTH

Table Number 81

CLASSIFICATION OF DISEASES BY CODE	JAN.		FEB.		MAR.		APRIL		MAY		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		GRAND
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	TOTAL
Infective and Parasitic Diseases					1		2									1				1			2	5	2	7	
Neoplasms	4	2	1	2	2	2	7	4	6	4	2	6	3	1	5	6	6	5	4	5	8	4	6	4	54	45	99
Allergic, Endocrine System, Metabolic, and Nutritional Diseases		2	2		1		2	2						1	4	1		1	2	1				1	11	9	20
Diseases of the Blood and Blood-forming Organs				1																						1	1
Mental, Psychoneurotic, and Personality Disorders**	1			1	1		2							1			1				2		1	1	8	3	11
Diseases of the Nervous System and Sense Organs			2	3	1		2		1	1	1	1	2	2	3	1	1		2	1	1	1	1	2	17	12	29
Diseases of the Circulatory System	142	88	140	89	137	73	118	76	118	64	106	55	112	65	95	59	94	65	120	73	122	71	146	70	1450	848	2298
Diseases of the Respiratory System	9	2	4	7	7	4	7	2	7	5	7	2	3	1	3	2	7	3	2	4	4	5	3	4	63	41	104
Diseases of the Digestive System	9	5	8	3	5	1	6	3	8	3	8	6	6		4	1	6	2	12	4	5	4	5	2	82	34	116
Diseases of the Genito-urinary System	1									1		1			1			1		1	1				3	4	7
Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium				1																1						2	2
Diseases of the Skin and Cellular Tissue	1																								1		1
Diseases of the Bones and Organs of Movement																								1		1	1
Congenital Malformations	2				1		1	1		1		1		2	1			1			4			1	7	8	15
Certain Diseases of Early Infancy					1																					1	1
Symptoms, Senility, and Ill-defined Conditions	2						1	1				1									1	1	1		5	3	8
<b>TOTAL</b>	<b>171</b>	<b>99</b>	<b>157</b>	<b>107</b>	<b>155</b>	<b>82</b>	<b>147</b>	<b>89</b>	<b>141</b>	<b>78</b>	<b>125</b>	<b>72</b>	<b>129</b>	<b>71</b>	<b>115</b>	<b>71</b>	<b>116</b>	<b>77</b>	<b>142</b>	<b>94</b>	<b>145</b>	<b>86</b>	<b>163</b>	<b>88</b>	<b>1706</b>	<b>1014</b>	<b>2720</b>

\* International Classification of Diseases by World Health Organization: Volume I.

\*\* In Mental, Psychoneurotic, and Personality Disorders, 7 were due to alcoholism.

# AUTOPSIES-DEATHS FROM NATURAL CAUSES

## INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY MONTH

Table Number 82

CLASSIFICATION OF DISEASES BY CODE *	JAN.		FEB.		MAR.		APRIL		MAY		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		GRAND TOTAL
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Infective and Parasitic Diseases							2										1				1			1	4	1	5
Neoplasms				1			3		1						1			2	1	1				1	7	4	11
Allergic, Endocrine System, Metabolic, and Nutritional Diseases			1			1									2				2	1					6	1	7
Diseases of the Blood and Blood-forming Organs																											
Mental, Psychoneurotic, and Personality Disorders**				1			1								1						1				2	2	4
Diseases of the Nervous System and Sense Organs			2	1	1		1						2		3				1	1	1	1	1	1	12	4	16
Diseases of the Circulatory System	25	6	31	13	24	7	29	8	18	8	21	13	15	10	19	6	20	10	19	10	29	7	31	11	281	109	390
Diseases of the Respiratory System	7	2	3	6	6	1	4	2	5	3	5	1	2		1	3	2	1	4		2	2	3	38	27	65	
Diseases of the Digestive System	6	3	6	3	1	1	3	2	4	2	4	5	3		3	1	6		7	3	3	2	1	2	47	24	71
Diseases of the Genito-urinary System											1							1		1					3	3	
Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium				1																1					2	2	
Diseases of the Skin and Cellular Tissue																											
Diseases of the Bones and Organs of Movement																											
Congenital Malformations	1									1										1					2	1	3
Certain Diseases of Early Infancy						1																			1	1	1
Symptoms, Senility, and Ill-defined Conditions																					1				1		1
<b>TOTAL</b>	<b>39</b>	<b>11</b>	<b>43</b>	<b>26</b>	<b>33</b>	<b>10</b>	<b>43</b>	<b>12</b>	<b>29</b>	<b>13</b>	<b>30</b>	<b>20</b>	<b>22</b>	<b>10</b>	<b>28</b>	<b>9</b>	<b>30</b>	<b>15</b>	<b>31</b>	<b>23</b>	<b>36</b>	<b>12</b>	<b>36</b>	<b>18</b>	<b>400</b>	<b>179</b>	<b>579</b>

\* International Classification of Diseases by World Health Organization: Volume I.

\*\* In Mental, Psychoneurotic, and Personality Disorders 4 were due to Alcoholism.

# DEATHS FROM NATURAL CAUSES

## MONTHS AND AGE GROUPS

Table Number 83

AGE	JAN.		FEB.		MAR.		APRIL		MAY		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		GRAND	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	TOTAL	
Under 1 Year	7			2	3	2	1	1	3	2	3		3			1	2			4		2		2	2	24	16	40
1 - 4	1		1					1		1									1						2	3	4	7
5 - 9				1							1						2			2						3	3	6
10 - 14			1								1								1							3		3
15 - 19			1	1							1		1		2		1	1			1					7	2	9
20 - 24	1		1		1		3			1			1		1		1	1	1		1			3		14	2	16
25 - 29	2	2		1	1										1				1	2	2			2		9	5	14
30 - 34	1	1	2	1		2	1			1	1				1	1	2	1	1	1	1				8	10	18	
35 - 39	2	1	4	1	4	1	1	1	2	1	1	1	3	4	3	1	2	2		1	1			4	2	27	16	43
40 - 44	6	3	4	3	4	1	6	2	3	1	4	1	2	3	6		5		6	5	10	1	5	2	61	22	83	
45 - 49	8	3	10	9	8	3	16	1	6	4	7	8	8		8	3	8	1	10	4	2	5	6	3	97	44	141	
50 - 54	28	5	17	12	10	3	15	4	19	7	12	8	19	3	13	3	12	5	18	5	23	4	12	2	198	61	259	
55 - 59	23	3	17	6	19	5	13	5	17	3	19	8	13	6	16	6	14	7	15	9	12	11	23	11	201	80	281	
60 - 64	16	13	20	7	23	4	15	13	22	9	20	6	9	10	16	4	15	8	22	7	16	12	31	6	225	99	324	
65 - 69	19	7	22	14	19	8	18	7	24	9	17	5	28	7	16	8	11	8	20	7	25	14	27	11	246	105	351	
70 - 74	16	11	18	13	22	8	18	13	15	16	7	11	12	7	15	9	13	12	14	5	14	10	20	11	184	126	310	
75 - 79	19	22	16	11	18	13	15	15	16	8	13	7	12	10	9	10	11	12	13	18	19	10	10	12	171	148	319	
80 - over	22	28	23	25	23	32	25	26	14	15	18	17	18	21	9	25	18	18	19	24	18	16	18	24	225	271	496	
<b>TOTAL</b>	<b>171</b>	<b>99</b>	<b>157</b>	<b>107</b>	<b>155</b>	<b>82</b>	<b>147</b>	<b>89</b>	<b>141</b>	<b>78</b>	<b>125</b>	<b>72</b>	<b>129</b>	<b>71</b>	<b>115</b>	<b>71</b>	<b>116</b>	<b>77</b>	<b>142</b>	<b>94</b>	<b>145</b>	<b>86</b>	<b>163</b>	<b>88</b>	<b>1706</b>	<b>1014</b>	<b>2720</b>	

# AUTOPSIES-DEATHS FROM NATURAL CAUSES

## MONTH AND AGE GROUPS

Table Number 84

AGE	JAN.		FEB.		MAR.		APRIL		MAY		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		GRAND	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	TOTAL	
Under 1 Year	6			1	3	1	1	1	3	2	3		3			1	2			4		2	2	2	23	14	37	
1 - 4	1		1							1									1					2	3	3	6	
5 - 9				1																1						2	2	
10 - 14			1																						1		1	
15 - 19			1	1							1				2		1	1				1			6	2	8	
20 - 24			1				3			1			1		1			1	1			1		2	10	2	12	
25 - 29	1	2		1	1										1				1	2	2		2		8	5	13	
30 - 34	1	1	2	1		2	1			1	1						1	2	1		1	1			8	8	16	
35 - 39	1	1	2	1	4	1	1	1	2	1	1	1	1	3	1	1	1	2				1		4	2	19	14	33
40 - 44	5	3	4	2	3		5	2	3	1	2	1	2	2	4		4		4	4	6	1	4	1	46	17	63	
45 - 49	6	1	5	5	5	2	12	1	6	3	4	7	3		6	1	8		7	3	2	3	4	2	68	28	96	
50 - 54	12	1	7	6	3	1	10	1	7	1	8	5	3	1	5		6	3	6	4	9	2	4	1	80	26	106	
55 - 59	2	1	2		5	2	4		4		5	1	3	1	3		4	1	7	1	6	2	5	2	50	11	61	
60 - 64	1		9	1	2		1	3	2	1	2	2	2	1	3	2			1			3		3	1	29	11	40
65 - 69	2	1	3	3	1		1	2	1	1	2	1	1	1	2			1	1	2			3	1	17	13	30	
70 - 74			2	1	3		1					1	1					1	2	1		2		1	2	12	6	18
75 - 79	1		1	1	1	1	2	1	1		1		1	1		1				2	1		1	1	10	8	18	
80 - over			2	1	2		1					1	1			3	2	2				1	1	1	1	10	9	19
<b>TOTAL</b>	<b>39</b>	<b>11</b>	<b>43</b>	<b>26</b>	<b>33</b>	<b>10</b>	<b>43</b>	<b>12</b>	<b>29</b>	<b>13</b>	<b>30</b>	<b>20</b>	<b>22</b>	<b>10</b>	<b>28</b>	<b>9</b>	<b>30</b>	<b>15</b>	<b>31</b>	<b>23</b>	<b>36</b>	<b>12</b>	<b>36</b>	<b>18</b>	<b>400</b>	<b>179</b>	<b>579</b>	

# DEATHS FROM NATURAL CAUSES

## INTERNATIONAL CODE OF CAUSES OF DEATH LISTED BY AGE GROUPS

Table Number 85

CLASSIFICATION OF DISEASES BY CODE*	Under 1 year		1 - 4		5 - 9		10 - 14		15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44		45 - 49		50 - 54		55 - 59		60 - 64		65 - 69		70 - 74		75 - 79		80-over		TOTAL		GRAND TOTAL			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
	Infective and Parasitic Diseases	1										1										3		1															5	2	7	
Neoplasms					1					1						3		1		2	2	9	8	7	9	6	3	11	4	6	6	5	5	3	7	54	45	99				
Allergic, Endocrine System, Metabolic, and Nutritional Disease						1							1		1		1				2		1		1	1		2	1	1		2				3	2	11	9	20		
Diseases of the Blood and Blood-forming Organs		1																																					1	1		
Mental, Psychoneurotic and Personality Disorders**											2		1			1					1	1			1	1		2							1		8	3	11			
Diseases of the Nervous System and Sense Organs	1		1	1					3		5		1			1	2			1	2			1	3	2	3			1		1						17	12	29		
Diseases of the Circulatory System	1		1	1			2		3		5	1	6	3	5	5	17	9	48	16	75	27	156	40	173	56	195	85	221	93	170	114	159	138	213	260	1450	848	2298			
Disease of the Respiratory System	20	12		1		1	1			1		1				3		1	3	3	9	4	4	4	7	1	6	4	6	2	4	2	3	1		63	41	104				
Diseases of the Digestive System													1	2	3	3	1	10	4	11	9	19	5	14	3	12	5	4	2	2		2	1	3			82	34	116			
Diseases of the Genito-urinary System															1		1						2	1			1						1						-3	4	7	
Deliveries and Complications of Pregnancy, Childbirth, and the Puerperium													1		1																									2	2	
Diseases of the Skin and Cellular Tissue																																								1	1	
Diseases of the Bones and Organs of Movement																											1														1	1
Congenital Malformations	1	2	1	1	2	1			1						1	1			1				1		1					1								7	8	15		
Certain Diseases of Early Infancy		1																																						1	1	
Symptoms, Senility, and Ill-defined Conditions											1					1							2	1	1	1		1											5	3	8	
<b>TOTAL</b>	<b>24</b>	<b>16</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>		<b>7</b>	<b>2</b>	<b>14</b>	<b>2</b>	<b>9</b>	<b>5</b>	<b>8</b>	<b>10</b>	<b>27</b>	<b>16</b>	<b>61</b>	<b>22</b>	<b>97</b>	<b>44</b>	<b>198</b>	<b>61</b>	<b>201</b>	<b>80</b>	<b>225</b>	<b>99</b>	<b>246</b>	<b>105</b>	<b>184</b>	<b>126</b>	<b>171</b>	<b>148</b>	<b>225</b>	<b>271</b>	<b>1706</b>	<b>1014</b>	<b>2720</b>			

\* International Classification of Diseases by World Health Organization: Volume I.


\*\* In Mental, Psychoneurotic, and Personality Disorders, 7 were due to Alcoholism.






# ABORTIONS

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT
SEX	MALE	0
	FEMALE	1
RACE	WHITE	0
	NON-WHITE	1
ALCOHOL	TESTED	0
	POSITIVE	0
AUTOPSY	AUTOPSIED	1

BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
1


**ABORTION FATALITIES**

**Table Number 87**

<b>MONTH</b>	<b>SINGLE</b>		<b>MARRIED</b>	
	<b>WHITE</b>	<b>NON-WHITE</b>	<b>WHITE</b>	<b>NON-WHITE</b>
<b>JANUARY</b>		1		
<b>TOTAL</b>		1		


# NEONATAL AND INTRA-UTERINE DEATHS

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT	
SEX	MALE	2	40
	FEMALE	3	60
RACE	WHITE	2	40
	NON-WHITE	3	60
ALCOHOL	TESTED	0	0
	POSITIVE	0	0
AUTOPSY	AUTOPSIED	3	60

BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
5

## NEONATAL AND INTRA-UTERINE DEATHS BY MONTH AND AGE GROUPS\*

Table Number 88

MONTH	GROUP I				GROUP II				GROUP III				GROUP IV				TOTAL	
	LIVE BIRTH		FOETAL DEATH		LIVE BIRTH		FOETAL DEATH		LIVE BIRTH		FOETAL DEATH		LIVE BIRTH		FOETAL DEATH		M	F
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
JANUARY																		
FEBRUARY																		
MARCH																		
APRIL																		
MAY									1	1							1	1
JUNE																		
JULY																		
AUGUST																		
SEPTEMBER																		
OCTOBER										1	1						1	1
NOVEMBER																		
DECEMBER												1						1
<b>TOTAL</b>									1	2	1	1					2	3

\* INTERNATIONAL CLASSIFICATION OF DISEASES by World Health Organization: Volume 1.

This category includes stillbirths (foetal deaths) and deaths due to natural causes in the early neonatal period (live births).

Group I - Less than 20 completed weeks of gestation.

Group II - 20 completed weeks of gestation but less than 28.

Group III - 28 completed weeks of gestation and over.

Group IV - Gestation period not classifiable in Group I, II, or III.

**AUTOPSIES**  
**NEONATAL AND INTRA-UTERINE DEATHS**  
**BY MONTH AND GROUPS\***

Table Number 89

MONTH	GROUP I				GROUP II				GROUP III				GROUP IV				TOTAL	
	LIVE BIRTH		FOETAL DEATH		LIVE BIRTH		FOETAL DEATH		LIVE BIRTH		FOETAL DEATH		LIVE BIRTH		FOETAL DEATH		M	F
	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
JANUARY																		
FEBRUARY																		
MARCH																		
APRIL																		
MAY									1									1
JUNE																		
JULY																		
AUGUST																		
SEPTEMBER																		
OCTOBER											1							1
NOVEMBER																		
DECEMBER													1					1
TOTAL									1		1	1					2	1

\* INTERNATIONAL CLASSIFICATION OF DISEASES by World Health Organization: Volume 1.

This category includes stillbirths (foetal deaths) and deaths due to natural causes in the early neonatal period (live births).

Group I - Less than 20 completed weeks of gestation.


Group III - 28 completed weeks of gestation and over.

Group II - 20 completed weeks of gestation but less than 28.

Group IV - Gestation period not classifiable in Group I, II, or III.


# UNDETERMINED CAUSES

FOR A PERIOD OF TWELVE YEARS



	NUMBER	PER CENT	
SEX	MALE	3	50
	FEMALE	3	50
RACE	WHITE	3	50
	NON-WHITE	3	50
ALCOHOL	TESTED	3	50
	POSITIVE	2	67
AUTOPSY	AUTOPSIED	5	83

BY MONTH FOR THE YEAR 1976



1976  
TOTAL CASES  
6



## DEATHS FROM UNDETERMINED CAUSES

Table Number 90

COLOR	SEX	AGE	MARITAL STATUS	DATE OF DEATH	OCCUPATION	WHERE DEATH OCCURRED	CASE NUMBER
Colored	F	38	Widowed	2-27-76	Housewife	Cleveland	161296
White	M	unk.	Unknown	3-30-76	Unknown	Bratenahl	161650
Colored	F	33	Single	4-06-76	Nurse	Euclid	161737
White	M	33	Widowed	4-09-76	Baker	Cleveland	161780
White	F	62	Widowed	10-21-76	Housewife	Cleveland	163791
Colored	M	30	Single	11-02-76	Maintenance	Cleveland	163930

5 cases autopsied but no cause of death could be assigned.

Advanced Postmortem Decomposition in 2 cases.

Toxicological examinations and alcohol determinations conducted on 3 cases.

Alcohol determinations resulted in 2 positive cases and 1 negative case.

## TOXICOLOGY LABORATORY REPORT

	CASES INVESTIGATED	ANALYSES
CUYAHOGA COUNTY CORONER'S OFFICE	3,218*	39,318
SOURCES OF OTHER SPECIMENS (police depts., other coroners, local hospitals)	3,280	11,558
TOTAL	6,498	50,876

\* 79% of CUYAHOGA COUNTY CORONER'S CASES

# TOXICOLOGY LABORATORY REPORT

**Table Number 91 A**

ANALYSES	CUYAHOGA COUNTY CORONER'S LABORATORY CASES				OUTSIDE CASES	TOTAL
	CASES		SPECIMENS ANALYSED		ANALYSES	
	TESTED *	POSITIVE***	POSITIVE**	TESTED	TESTED	
Blood Alcohol	3184	610	610	3184	628	3812
Urine Alcohol	1156	354	354	1156	34	1190
Isopropyl Alcohol	4340	9	11	4785	572	5357
Acetones	4340	46	50	4766	574	5340
Methanol	4340	3	3	4755	572	5327
Carbon Monoxide	168	98	98	168	78	246
Sugars	1156	100	100	1156	18	1174
Barbiturates	666	50	66	684	2202	2886
Salicylates	1156	120	150	1190	142	1332
Other Organic Bases	1070	52	100	1520	532	2052
Arsenic					24	24
Cyanide	2	5	5	5		5
Chloral Hydrates	1	3	3	3	22	25
Opiates	1070	78	206	1318	362	1680
Doriden	4	4	12	12	56	68
Phenothiazines	1156	18	34	1180	226	1406
Local Anesthetics	4			4		4
Antihistamines	1070	2	8	1076	10	1086
Methadone	1070	18	32	540	366	906
Amphetamine	1070	2	4	1084	532	1616
Propoxyphene	1070	12	38	1108	532	1640
Cocaine	1070	2	4	1082	10	1092
Amitriptyline	1070	4	10	1084	532	1616
Tofranil	1156	8	20	1478	532	2010
Aminophyllines	8			8	26	34
Bromides					24	24
Meprobamate	2			2	36	38
Dilantin	30	20	20	30	1186	1216
Chlordiazepoxide	1070	2	2	1092	82	1174
Diazepam	1070	12	14	1092	532	1624
Noludar	1070	2	10	1082	532	1614
Ethchlorvynol	1156	8	20	1478	532	2010
Acetaminophen	1156	18	22	1160	16	1176
Miscellaneous****	22	14	24	36	36	72
<b>TOTAL</b>	<b>36,973</b>	<b>1,674</b>	<b>2,030</b>	<b>39,318</b>	<b>11,558</b>	<b>50,876</b>

Replicate analyses are not included in the above data.

\*In any given case several different analyses may be required. Consequently the total number of cases analyzed for each chemical agent as reported in column (1) will not equal the total number of actual cases.

\*\*In a positive case more than one kind of biological material may be analyzed. Thus the number of positive analyses may exceed the number of positive cases.

\*\*\*Positive cases include those where therapeutic levels were detected.

\*\*\*\*Aminophylline(1), Aromatic Hydrocarbons (1), Clorox Bleach (1), Cogentin (3), Cutting Oil (1), Doxepin (5), Ethylene Glycol (2), Formaldehyde (1), Gasoline (1), Hydroxychloroquine (3), Hydroxyzine (1), Iodine (1), Lithium (2), Nitrous Oxide (6), Palladium Chloride (1), Paraldehyde (1), Phenacetin (5), Phencyclidine (1), Spirits of Camphor (1), Soma (5), Theophylline (10), Toluene (6), Tricyclics (3), Turpentine (3), Volatiles (3), Volatile Hydrocarbons (3), Xylene (1).

# SUBSTANCES INVOLVED IN FATAL POISONINGS

1965 - 1976

Table Number 92

	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	TOTAL
Alcohol other than ethyl	4	2	6	5	4	1	2	3	1	4		1	33
Carbon Monoxide	54(8)	64(14)	78(37)	90(30)	47(30)	61(17)	100(38)	87(22)	98(33)	83(31)	69(20)	73(15)	904(295)
<b>Sedatives:</b>													
Barbiturates	19	18	15	18	18	23	26	24	19	15	10	10	215
Barbiturates & other drugs	15	10	19	13	12	26	18	19	20	2	7	10	171
Meprobamate	1	1	1		1	1				1			6
Glutethimide		2	4	3	8	2	3	2		6	1	1	32
Glutethimide & other drugs	1												1
Chloral Hydrate & Paraldehyde	1*					1							2
Chlorobutanol											1		1
Ethyl alcohol & other drugs				2						9	16	26	53
Ethchlorvynol			1		2				2	2	2	3	12
Chloral Hydrate			1		1				1		1	1	5
Methypylon			1									1	2
Propoxyphene & Meprobamate				1									1
Valmid									1				1
Salicylates	3	3	2		3	4	2	1		3	2	2	25
Organic Bases**	4	4	2	5	12	24	28	25	22	7	5	10	148
Lead		2						1					3
Narcotics						2			2	11	22	15	52
Phenothiazine						2	1		1	2			6
<b>Corrosives</b>													
Mercury Bichloride	2												2
Alkalies	3	3		1	3	3	3	4	2		2	1	25
Cyanides		1		2	1		1	1	4	1		2	13
Inorganic Acids			1		1	1			2	2			7
Draino & Clorox									1	1			2
<b>Economic Poisons:</b>													
Arsenicals	2	1				1			1				5
Nicotine	2	1											3
Other economic poisons						1						1	2
<b>Solvents:</b>													
Chlorinated Hydrocarbons	2												2
<b>Miscellaneous***</b>	4	3	1	3	7	8	5	7	11	5	2	5	61
Combination of other drugs		15	7	6	4	19	9	11	32	18	33	20	174
<b>TOTALS</b>	<b>117</b>	<b>130</b>	<b>139</b>	<b>149</b>	<b>124</b>	<b>180</b>	<b>198</b>	<b>185</b>	<b>220</b>	<b>172</b>	<b>173</b>	<b>182</b>	<b>1969</b>

( ) Includes fatalities resulting from smoke inhalation during fire.

\* Indicates paraldehyde poisoning.

\*\* Amphetamine, Elavil, Librium, Morphine, Opiates, Phenylephrine, Pyribenzamine, Valium, Procaine, Diphenhydramine, Desipramine, Talwin, and Methapyrilene.

\*\*\* Aromatic Benzene Derivative, Boric Acid, Brake Fluid, Cardiovascular Drugs, Chlorine Gas, Cleaning Fluid, Copper Sulfate, Ethyl Ether, Ferrous Sulfate, Fluothane, Freon, Furniture Polish, Hydrogen Sulfide, Insuline, Methanol and Nitromethane, Nitrous Oxide, Oil of Cloves, Salts, Sodium Chloride, Sulphur Dioxide, Thalium, Toluol, Undetermined Drugs, Dilantin, Volatile Organic Compounds, and Soma.

# POISONING FATALITIES BY TYPE IN COUNTY OF CUYAHOGA

1943 - 1976

Table Number 93

YEAR	HOME	WHILE AT WORK	OTHER	HOMICIDE	SUICIDE	V.U.O.	TOTAL
1943	30	1	7	1	38	0	77
1944	25	1	5	0	31	0	62
1945	38	0	9	1	34	0	82
1946	33	4	22	0	29	0	88
1947	19	2	19	1	41	0	82
1948	31	3	5	0	43	0	82
1949	34	1	8	0	41	0	84
1950	20	1	24	0	33	0	78
1951	21	2	10	2	21	0	56
1952	26	3	17	0	31	0	77
1953	36	2	13	0	33	0	84
1954	47	8	9	1	44	0	109
1955	50	1	9	1	36	0	97
1956	67	1	12	1	46	0	127
1957	43	1	13	2	35	0	94
1958	66	2	7	1	51	0	127
1959	44	4	12	0	50	0	110
1960	52	2	10	2	50	0	116
1961	35	3	4	0	49	0	91
1962	34	0	6	2	54	0	96
1963	47	0	4	0	62	0	113
1964	41	0	14	0	68	0	123
1965	46	3	3	0	65	0	117
1966	54	2	7	0	67	0	130
1967	62	1	8	0	63	0	134
1968	68	0	19	0	60	3	150
1969	70	3	11	0	67	3	154
1970	67	0	20	0	83	10	180
1971	92	0	27	0	75	4	198
1972	80	0	17	0	84	4	185
1973	102	0	19	0	94	5	220
1974	87	0	6	0	75	4	172
1975	93	0	22	1	51	5	172
1976	70	0	13	3	87	9	182
<b>TOTAL</b>	<b>1730</b>	<b>51</b>	<b>411</b>	<b>17</b>	<b>1791</b>	<b>47</b>	<b>4049</b>

# SUBSTANCES INVOLVED IN FATAL POISONINGS

**Table Number 93 A**

Alcohol other than Ethyl		1
Carbon Monoxide*		73
Ethyl Alcohol and Amphetamine	1	
Diazepam	1	
Ethchlorvynol	3	
Flurazepam	1	
Methaqualone	1	
Opiate	6	
Propoxyphene	4	
Combined other drugs	9	26
Barbiturates	10	
Barbiturates and other drugs	10	20
Salicylates		2
Corrosives		
Cyanide	1	
Lye	2	3
Narcotics		
Opiates	15	15
Other chemical agents		
Amitriptyline	1	
Chloral Hydrate	1	
Chlorpromazine	1	
Chlorpropamide	1	
Desipramine	2	
Digitalis	1	
Ethchlorvynol	3	
Ethylene Glycol	1	
Glutethimide	1	
Methypylon	1	
Nitrous Oxide	1	
Pentazocine	1	
Propoxyphene	4	
Undetermined	3	22
Combination of drugs**		20
<b>TOTAL</b>		<b>182</b>

\* Fatalities resulting from smoke inhalation during fire (15).

\*\* Breakdowns of individual drugs in combination with other drugs shown on tables 14, 29, and 74.



## TRACE EVIDENCE LABORATORY

**Table Number 94**

	CORONER'S CASES	SPECIMENS FROM OTHER SOURCES** RE: CORONER'S CASES	SPECIMENS FROM OTHER SOURCES** RE: CORONER'S CASES COLLECTED BY TRACE EVIDENCE	SPECIMENS FROM OTHER SOURCES ** NOT RE: CORONER'S CASES	TOTAL
INDIVIDUAL CASES	772 *	60		13	845
ACTUAL SPECIMENS SUBMITTED	2022	236		38	2296
EXAMINATIONS	2352	469	0	84	2905

\* The 772 Coroner's Cases requiring Trace Evidence Examinations represents 19% of the total Coroner's Cases for 1976.

\*\* Other Sources: Specimens from investigations submitted by Police and Sheriff's Departments.

**FOR THE YEAR 1976:**

Personnel of the Trace Evidence Department testified in various courts in the county in trials which required 120 man hours away from the laboratory.

## TRACE EVIDENCE LABORATORY

Table Number 94 A

	CORONER'S CASES	SPECIMENS FROM OTHER SOURCES** RE: CORONER'S CASES	SPECIMENS FROM OTHER SOURCES** NOT RE: CORONER'S CASES	TOTAL
<b>EXAMINATIONS</b>				
<b>ACID PHOSPHATASE</b>				
Specimens from bodies	67			67
Stains	7	6	5	18
Microscopic exam for spermatozoa				
Specimens from bodies	67			67
Stains	7	4	6	17
<b>BLOOD DETECTION</b>				
"Benzidine" and similar tests		115	15	130
<b>BLOOD GROUP DETERMINATIONS</b>				
Fluid blood	705	9	5	719
Stains		93	16	109
<b>PRECIPITIN TESTS</b>				
Species identification		105	15	120
<b>COMPARISON OF BLOOD FROM RIGHT AND LEFT VENTRICLES OF HEART</b>				
Chloride levels (whole blood)	1			1
Specific gravity (plasma)	1			1
<b>CLOTHING DESCRIPTIONS</b>				
Full descriptions	198	1		199
Inspections	156	3	3	162
Stereomicroscopic examinations	52	13	9	74
Infra-red examinations	78			78
<b>NITRITE DETECTION (Walker Test)</b>				
Clothing and related items	249	5	2	256
Targets		55		55
Walkers on targets		11		11

## TRACE EVIDENCE LABORATORY

Table Number 94 A cont

	CORONER'S CASES	SPECIMENS FROM OTHER SOURCES** RE: CORONER'S CASES	SPECIMENS FROM OTHER SOURCES** NOT RE: CORONER'S CASES	TOTAL
<b>EXAMINATIONS CONTINUED</b>				
<b>HAND EXAMINATIONS</b>				
Trace Metal Detection	327	2		329
Primer Residue (Harrison-Gilroy Test)	322		1	323
<b>MICROSCOPIC EXAMINATIONS</b>				
Fingernail scrapings	19			19
Gastric contents	18			18
Hair	1	21		22
Fibers	1	11	4	16
Paint		3	1	4
Miscellaneous		6	2	8
<b>STEREOMICROSCOPIC EXAMINATIONS</b>				
Powder grains	64			64
Hair	4			4
Wound	8			8
<b>PHYSICAL MATCH</b>		1		1
<b>ANATOMIC SPECIMENS</b>		2		2
<b>SLIDES</b>		3		3
<b>TOTAL</b>	<b>2352</b>	<b>469</b>	<b>84</b>	<b>2905</b>

\*\* Other Sources: Specimens from field investigations submitted by police and sheriff's departments.

## HISTOLOGY LABORATORY REPORT

Table Number 95

	CUYAHOGA COUNTY CORONER'S CASES	OTHER SOURCES	TOTAL
<b>TISSUE SPECIMENS RECEIVED FROM:</b>			
AUTOPSIES	1,455	14	1,469
BIOPSIES, ETC.	5	1	6
<b>TOTAL</b>	<b>1,460</b>	<b>15</b>	<b>1,475</b>
<b>SLIDES PREPARED AND STAINED:</b>			
ROUTINE HEMATOXYLIN - EOSIN	20,399	197	20,596
<b>SPECIAL STAINS FOR DEMONSTRATION OF:</b>			
ACID FAST BACTERIA	5		5
E.V.G.	25		25
FAT	39		39
METHYLENE SILVER	10		10
TRICHROME	13		13
<b>TOTAL</b>	<b>20,491</b>	<b>197</b>	<b>20,688</b>

## PHOTOGRAPHIC DEPARTMENT

It is a generally accepted fact that only color photography can provide a reasonably accurate record of conditions which cannot be preserved satisfactorily by other means. Thus color photography is required to accurately record evidence at a scene of death or injury, associated evidence, wounds and recognizable features of identification on the body.

For the purpose of selecting the film that would best satisfy our needs, a study which included practical tests and standard routine use was conducted by the Photographic Department of the Cuyahoga County Coroner's Laboratories.

Various materials were evaluated on the basis of the following demands on photography for medicolegal purposes:

1. Accurate record of visible evidence.
2. Maintenance of uninterrupted chain of possession of photographic records.
3. Ability to produce multiple prints of equal quality on paper or projection slides in color and in black and white.
4. Low cost per unit.

In order that expense shall not be a limiting factor in securing sufficient photographic records, the cost per unit must be as low as possible. Most of the evidence presented to the Coroner's Office is perishable and affords no opportunity for retakes or to delay photographing evidence until investigation demonstrates the need for photographic records. Therefore it is desirable to routinely photograph all evidence as soon as possible after it is received.

For many reasons it is desirable to process all films and prints within the department. This procedure maintains the uninterrupted chain of possession, keeping the links at a minimum and expedites availability of prints at any time.

The studies evaluating color photographic materials commercially available demonstrated that 35mm negative color film in bulk quantities satisfied all requirements cited above. In addition, this system provided unique advantages in providing wider exposure latitude and, also, permitting color control, after exposure, over a wide range of deviations. This color system has been used routinely by this department for a period of several years and has proven to be even more satisfactory than anticipated.

## PHOTOGRAPHIC DEPARTMENT REPORT

IDENTIFICATION PICTURES	4,099
PICTURES OF BODIES AND EVIDENCE	11,178
5' x 7' COLOR PRINTS PRODUCED	7,079
COLOR SLIDES ADDED TO FILE	11,178
TOTAL	33,534

\* Includes 14 Out of County Cases







