

CUYAHOGA COUNTY LEAD REMEDIATION CONTRACT
between
CUYAHOGA COUNTY
and
BDL GENERAL CONTRACTING INC.

Property Address: 22448 Arms Ave. Community: Euclid

This Contract, made and entered into this 15th day of August, 2011, by and between **Cuyahoga County, a political subdivision of the State of Ohio, on behalf of the Cuyahoga County Department of Development ("County")**, and BDL General Contracting Inc., an Ohio corporation ("Contractor"), located at P O. Box 32430, Euclid, Ohio 44132,:

- 1) **SCOPE OF WORK:** The scope of work for this contract is set forth in the completed Cuyahoga County Lead Remediation Specifications, attached hereto and incorporated herein by reference.
- 2) **EFFECTIVE DATE OF CONTRACT:** The Contract shall become binding upon the parties concerned when both parties have properly signed the Contract and a written Proceed Order has been issued. If a Proceed Order is not issued within 90 calendar days of submission of the contractor's proposal, the Contractor may withdraw its proposal.
- 3) **TIME FOR PERFORMANCE:** All work to be performed by the Contractor shall be completed in accordance with the Contract **within thirty (30) calendar days after the date of the Proceed Order**. Notwithstanding the aforesaid, the Contractor is excused from the performance time requirement if, during the progress of the work, an extension for a definite period of time is authorized in writing by the County, or delay is caused by strikes, lockouts, fire, unusual delay in transportation, unavoidable casualties, or any other causes completely beyond the Contractor's control.
- 4) **WORK PRACTICES:** The Contractor is to provide all labor, material and equipment necessary to complete all aspects of the work in the Contract. All materials and equipment shall be installed in accordance with the manufacturer's specifications applicable. All labor shall be done by skilled mechanics, qualified and competent to perform the best grade of workmanship as usually recognized in the building industry. The work shall also comply with requirements of all current versions of applicable national, state and local regulations. Where there is a conflict between this Specification and the cited federal, state or local regulations or guidelines, the more restrictive or stringent requirements shall prevail. The County reserves the right to have personnel removed from the job who are not performing their services in a workmanlike manner.

The Contractor will follow all "HUD Guidelines for the Evaluation and Control of Lead Based Paint Hazards in Housing", found at 24 CFR Parts 35,36,37. All lead remediation work shall be supervised by State of Ohio Licensed Lead Abatement Contractors and carried out by State of Ohio Licensed Lead Abatement Workers. The Contractor will not use open-flame burning, chemical strippers containing methylene chloride, dry scraping, un-contained hydroblasting or hydrowashing, uncontained abrasive blasting, or machine sanding without HEPA attachments or heat stripping above 1100 degrees (F) at any time.

WORK PRACTICES (cont'd):

The Contractor will observe the procedures for worker protection established by the Federal Occupational Safety and Health Administration, including but not limited to:

29 CFR 1910 General Industry Standards

29 CFR 1910.1025 Lead Standards for General Industry

29 CFR 1910.134 Respiratory Protections

29 CFR 1910.1200 Hazard Communications

29 CFR 1910.245 Specifications for Accident Prevention (Sign and Tags)

29 CFR 1926 Construction Industry Standards

29 CFR 1926.62 Construction Industry Lead Standard

The contractor will dispose of waste resulting from abatement in accordance with all applicable local, State, and Federal regulations.

The job site must be left clean and must pass final lead clearance inspection by the Cuyahoga County Board of Health prior to payment under this contract

- 5) **SUBSTITUTIONS/CHANGES:** It is not the desire of the County to exclude any products or materials of equal or greater merit to those specified herein. Trade names are designated to establish the quality desired. Contractors wishing to make substitutions under the provisions of "or equal," will provide the County with complete information and samples where required. All changes in the Contract (material, labor, etc.) shall be approved in advance by the County and Contractor on a written Change Order Document.
- 6) **SAMPLES:** The Contractor shall furnish, for the approval of the County, all samples as directed. The work shall be in accordance with the approved samples.
- 7) **MATERIAL REMOVAL/RETAINAGE:** The Contractor shall keep the premises clean and orderly during the course of the work and remove all debris upon completion of the work. Materials and equipment that have been removed as part of the work shall belong to the Contractor unless otherwise stated in the Contract. New materials remaining after installation shall belong to the Contractor and are given to the property owner solely at the discretion of the Contractor.
- 8) **UTILITIES:** The contract price is based on the Contractor using, at no cost, existing utilities such as light, heat, power and water necessary to the completion of the work.
- 9) **PERMITS/LICENSES:** All permits and licenses necessary for the completion and execution of the work shall be secured and paid for by the Contractor. All work shall be performed in conformance with all applicable federal, State, and local laws, regulations, codes and requirements. If the Contractor performs contrary to such laws, ordinances, etc., he shall bear all costs to correct the work.

10) **INSURANCE:** The Contractor shall maintain such insurance as will protect him from claims under worker's compensation acts and other employee benefits acts, from claims for damages to property which may arise both out of and during operations under the Contract, whether such operations be by himself or by any Subcontractor or anyone directly or indirectly employed by either of them. Public liability insurance protecting the Contractor and the County shall be written for not less than \$100,000/\$300,000 one occurrence for injury to persons and not less than \$100,000 for damages to property. Additional pollution liability insurance for the lead remediation work will be required for not less than \$100,000/\$300,000 one occurrence for injury to persons and not less than \$100,000 for damages to property. Certifications of proof of such insurance shall be filed with the County prior to executing the Contract. The Contractor shall defend, indemnify and hold harmless the the County, its officers and employees, for liability and claim for damages because of bodily injury, death, property damages, sickness, disease, or loss and expense arising from the Contractor's operations under the Contract.

11) **SUPERINTENDENCE:** The Contractor shall furnish the County with the name and telephone number of one State Licensed Lead Abatement Contractor who will represent the Contractor and be responsible for all the Lead Remediation Work under this contract

Name of State Licensed Abatement Contractor (Person): Robert Rotert

Daytime Phone Number: 216-261-6600

12) **INSPECTION OF WORK:** The County shall at all times have access to the work. If the Contract plans, instructions, law, ordinances, other applicable assistance program, or any public authority requires any work to be specifically inspected, tested or approved, the Contractor shall give the County timely notice. Hidden work that has not been inspected may be uncovered for examination at the Contractor's own expense. If such work should be found not in accordance with this contract the Contractor shall pay such cost.

13) **SUBCONTRACTING:** Because this work requires a State of Ohio Lead Abatement Contractor License, subcontracting of the work is not permitted without prior written consent of the County.

14) **ANTI-KICKBACK RULES:** Salaries of architects, draftsmen, technical engineers, and technicians performing work under the Contract shall be paid unconditionally and not less often than once a month without deduction or rebate on any account except only such payroll deductions as are mandatory by law or permitted by the applicable regulations issued by the Secretary of Labor pursuant to the "Anti-Kickback Act" of June 13, 1934 (48 Stat. 948; 62 Stat. 740; 63 ST. 108; Title 18 U.S.C., Section 874; and Title 40 U.S.C., Section 276 c). The Contractor shall comply with all applicable "Anti-Kickback" regulations and shall insert appropriate provisions in all subcontracts covering work under the Contract to insure compliance by Subcontractors with such regulations, and shall be responsible for the submission of affidavits required of Subcontractors thereunder except as the Secretary of Labor may specifically provide for variation of or exemption from the requirements thereof.

15) **EQUAL EMPLOYMENT OPPORTUNITY:** During the performance of the Contract, the Contractor agrees as follows:

- A. The Contractor will not discriminate against any employee or applicant for employment because of race, creed, color, sex or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, creed, color or national origin. Such action shall include, but not be limited to, the following: employment upgrading, demotion or transfer, recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training including apprenticeship.
- B. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, or national origin.
- C. The Contractor will cause the foregoing provisions to be inserted in all Subcontracts for any work covered by the Contract so that such provisions will be binding upon each Subcontractor provided that the foregoing provisions shall not apply to Contracts or Subcontractors for standard commercial supplies or raw materials.
- D. The Contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, advising the said labor union or workers' representative of the Contractor's commitments under this section and shall post copies of the notice in conspicuous place available to employees and applicants for employment.
- E. The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor or the Secretary of Housing and Urban Development, or pursuant thereto, and will permit access to his books, records and accounts by the Secretary of Housing and Urban Development, or his designee, and the Secretary of Labor for the purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- F. In the event of the Contractor's noncompliance with the nondiscrimination clauses of the Contract or with any of the said rules, regulations, or orders, this Contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for future Government contractors or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

16) **DEFAULT AND TERMINATION FOR CAUSE:** In case the Contractor fails to furnish materials or execute work in accordance with the provisions of the Contract, or fails to proceed with or complete the work within the time specified in the Contract, or if the provisions of the Contract are otherwise violated by the Contractor, then in any case upon ten (10) days written notice to the Contractor, the County shall have the right to declare Contractor in default in the performance of his obligations under Contract. Said notice shall contain the reason for the County's intent to declare Contractor in default and unless within ten (10) days after service of said notice, the violation shall cease or satisfactory arrangements shall be made for its correction, the Contractor, by written notice, may be declared in default and his right to proceed under the Contract terminated. In the event the Contractor is thus declared to be in default, the County, after notifying the Contractor, will proceed to have the work completed, shall apply to the cost of having the work completed any money due to Contractor under the Contract, and the Contractor shall be responsible for any damages resulting to the County by reason of said default.

17) **METHOD OF PAYMENT:** The full amount of this contract will be paid in one lump sum upon completion of all work to the satisfaction of the property owner and the County, and receipt of a satisfactory written clearance examination report from the Cuyahoga County Board of Health. No advances or partial payments will be made

Payment will be mailed directly to the Contractor at the address of record within 30 days after signature of the Owner Satisfaction Statement by all parties, satisfactory inspection of the work by the County, and receipt of all required permits, lien waivers, clearance inspection reports and any other documents reasonably requested by the County

18) **LIEN WAIVERS AND WARRANTIES REQUIRED:** Before Contractor requests a payment; he shall give the County good and sufficient evidence that the premises are free from liens, damages, or claims against the Contractor. The County shall reserve the right to retain out of the payment then due or thereafter to come due, an amount sufficient to indemnify the County against all such liens, damages, and claims until the same shall be effectually satisfied, discharged and canceled. The invoice requesting Final Payment must also have attached all manufacturers and supplier's written guarantees and warranties covering materials and equipment furnished under this Contract. Neither final certificate nor payment shall relieve the Contractor of responsibility for negligence, faulty materials, or faulty workmanship within the period provided by the Contract

19) **DEFECTS AFTER COMPLETION:** The Contractor shall guarantee the work performed for a period of twelve (12) months from the date of final acceptance of all work required by the Contract. Any defects that appear within this twelve (12) month period and arise out of defective or improper materials or workmanship shall be corrected and made good by the Contractor at his expense.

LEAD REMEDIATION CONTRACT SIGNATURE PAGE

Property Address: 22448 Arms Ave. Community: Euclid

Contract Time of Performance: August 9, 2011 through September 30, 2011

This contract specifically includes all 20 paragraphs of Terms and Conditions listed above. The Contractor's authorized representative has read and initialed each page of this Contract.

Having read the Terms and Conditions and having examined the attached specifications, for the considerations named therein, the Contractor agrees to do the work listed in the Cuyahoga County Lead Remediation Specifications, attached hereto and incorporated herein by reference, at the property address stated above and on the Lead Remediation Specifications, for the lump sum price of \$ 9,805.00.

Electronic Signature Clause: By entering into this Contract or by submitting a bid or a proposal, I agree on behalf of the contracting or submitting business entity, its officers, employees, subcontractors, sub grantees, agents or assigns, to conduct this transaction by electronic means by agreeing that all documents requiring county signatures may be executed by electronic means, and that the electronic signatures affixed by the county to said documents shall have the same legal effect as if that signature was manually affixed to a paper version of the document. I also agree on behalf of the aforementioned entities and persons, to be bound by the provisions of chapters 304 and 1306 of the Ohio Revised Code as they pertain to electronic transactions, and to comply with the electronic signature policy of Cuyahoga County.

BDL General Contracting Inc.

P.O Box 32430

Euclid, OH. 44132

Robert Kotert ^{VP}
by Owner or Authorized Officer (wi/Title)

Robert Kotert
Printed Name of Person Signing Above

6/20/11
Signature Date

Cuyahoga County
Department of Development
1701 East 12th Street, 1st Floor
Cleveland, OH 44114

Edward FitzGerald
by County Executive or Designee (wi/Title)

Edward FitzGerald
County Executive

Contractor's Initials: 

OK 22
Cuyahoga County
Department of Development

BID REQUEST FORM

DATE BIDS DUE 6-23-11

DATE BIDS RELEASED

RECEIVED
JUN 21 2011
By: JCC 6-27-11

Project

Donna Roberts
22448 Arms Ave
Euclid, OH 44123
216-261-7181

The following is hereby submitted as per your request. This bid covers all work and/or specified in the bid documents received for this job.

The undersigned, having become thoroughly familiar with the terms and conditions of the proposed Contract Documents and with local conditions affecting the performance and costs of the Work at the place where the work is to be completed, and having fully inspected the site in all particulars, hereby proposes and agrees to fully perform the Work within the time stated and in strict accordance with the proposed Contract Document, including furnishing of any construct, and complete said Work in accordance with the Contract Documents, for the sum of money:

All labor, materials, services, and equipment necessary for the completion of the Work shown on the Drawings and in the Specifications:

Total Bid _____ Dollars: \$ 9805.00

If awarded the Contract, the Bidder agrees to have on file with the Agency all required documents for verification of licensing and insurance. Completion of the project will require _____ calendar days. This proposal is valid for a period of 60 days.

For questions, please contact:

Cuyahoga County, Department of Development

Reserve Square

1701 East 12th Street, 1st Floor

Cleveland, OH 44114

Michael Towarnicky

Phone- 216-299-6543

Contractor Information

Name: BOL General

Address: _____

City, St, Zip: _____

Phone: _____

Fed. Tax ID: _____

Contractor Signature: Donna Roberts

Date: 6-20-11

Bid Request Form	Donna Roberts		
Item	Specification	Quantity/Unit	Total Cost

LEAD

1	Cover furniture, access containment, etc.	1.00 each	\$ <u>100</u>
2	Post-cleaning (interior) Clean all horizontal surfaces Must pass BOH clearance testing Carpets and rugs to be HEPA vacuumed All other horizontal areas to be washed with a solution such as "TOP JOB" or an approved equal or Tri-sodium wiper		
	Includes exterior and both rooms in basement.	11.00 room	\$ <u>700</u>
3	Demolition and debris removal (small job)	1.00 each	\$ <u>50</u>
4	Optional bid item for pollution liability insurance cost for site	1.00 each	\$ <u>50</u>
5	Furnace filter replace with (High-Particulate Pleated Filter)	1.00 each	\$ <u>20</u>

LEAD Total \$ 920

WINDOWS

Bid Request Form	Donna Roberts		
Item	Specification	Quantity/Unit	Total Cost

6 WINDOWS Double0Hung Units: Vinyl replacement window (full casing)

Remove and dispose of sash, stop and parting beads. Leave trim intact, retaining casing, interior sill (stool) and apron. Repair or replace all rotted or defective wood. Remove pulley assembly and weights. Fill weight cavity with fiberglass insulation (no foam). **Prime jamb opening. Cover existing window frame opening with coil stock (vinyl or aluminum) completely.** Back-caulk all seams per HUD specs. Apply aluminum coil stock (.019) to the exterior window sill and casing to cover all exposed wood (if applicable). Provide and install a prefabricated welded frame and welded sash Double-hung vinyl W / W energy star insulated 3/4" glass replacement window, including half screens. All street facing windows shall match existing windows in style and mullion detail. Caulk blind-stop and the edges to seal. **Prime and paint all casing, sill's and apron's.** **PRODUCT STANDARD:** Minimum 3/4" insulated glass, energy star, welded sash and frame, tilt in capable. **NOTE:** If there is any conflict in specifications, window shall be installed according to manufacturer's instructions unless otherwise indicated. **PLEASE EXPRESS WINDOW BRAND TO BE INSTALLED, NOTE BRAND HERE:**

Double-Hung Units:

Some replacements are all ready installed on C/D Side.

Match existing replacement units in home. French Upper divided lites.

Bath gets frosted glass.

12.00 Each

\$ 3120

7 WINDOW AWNING TYPE:

Remove and dispose of sash, stop and parting beads. Leave trim intact, retaining casing, interior sill (stool) and apron. Repair or replace all rotted or defective wood. **Cover existing window frame opening with coil stock (vinyl or aluminum) completely.** Back-caulk all seams per HUD specs. Apply aluminum coil stock (.019) to the exterior window sill, to cover all exposed wood (if applicable). Provide and install a prefabricated Double-hung vinyl W / W replacement window including half screens. All windows shall match existing windows in style and mullion detail. Caulk blind-stop and the edges to seal. **Prime and paint all casing, sill's and apron's.** **PRODUCT STANDARD:** Minimum 3/4" insulated glass, welded sash & frame, tilt in capable. **NOTE:** If there is any conflict in specifications, window shall be installed according to manufacturer's instructions unless otherwise indicated. **PLEASE EXPRESS WINDOW BRAND TO BE INSTALLED, NOTE BRAND HERE:**

Replace C and D side Windows.

3.00 Each

\$ 600

8 WINDOWS: Exterior stabilize, prime, glaze, & paint.

Wet scrape and wet sand exterior window surfaces. Repair all poor glazing. Caulk all gaps and seams with latex caulk. Fully Prime all surfaces with Sherwin Williams primer or an approved equal. FINISH Paint with an approved exterior paint to properly bond and cover existing surfaces. Paint complete unit to match existing.

B-Side windows Level 1.

2.00 all

\$ 100

9 WINDOWS: Storms install new

Match existing units in style and color. Install using appropriate fasteners, after window treatment work has been completed.

B-Side Level-1 Match new windows.

2.00 all

\$ 150

Bid Request Form	Donna Roberts		
Item	Specification	Quantity/Unit	Total Cost

10 WINDOWS: AWNING TYPE Vinyl replacement window (full casing)

Remove and dispose of sash stop and parting beads. Leave trim intact, retaining casing, interior sill (stool) and apron. **Repair or replace all rotted or defective wood.** Cover existing window frame opening with coil stock (vinyl or aluminum) completely. Back-caulk all seams per HUD specs. Apply aluminum coil stock { 019} to the exterior window sill to cover all exposed wood (if applicable) Provide and install a prefabricated Double-hung vinyl W / W replacement window, including half screens. All street facing windows shall match existing windows in style and mullion detail. Caulk blind-stop and the edges to seal. Prime and paint all casing, sill's and apron's. **PRODUCT STANDARD:** Minimum 3/4" insulated glass welded sash & frame, tilt in capable. **NOTE:** If there is any conflict in specifications, window shall be installed according to manufacturer's instructions unless otherwise indicated. **PLEASE EXPRESS WINDOW BRAND TO BE INSTALLED, NOTE BRAND HERE:**

ADDRESS GARAGE WINDOWS

7 00 Each

\$1820

WINDOWS Total \$5790.00

DOORS

11 DOORS:: Exterior Casing and thresholds

Cap Exterior Door Casings in matching coil stock.

Paint exposed wood thresholds and apply rubber threshold cover after paint work has been completed. Follow manufacturers specifications for install

ADDRESS DOORS: Sides C,D,A

Rubber threshold to be heavy industrial grade.

1 00 all

\$120

12 DOOR: Garage Man Door

Shall match existing in style

Remove old door complete, including threshold, jambs, all casing, and trim - re-frame, prime, insulate and seal as

needed using urethane caulk

Install new prep-hung, factory finished, steel or fiberglass door with new jam, new casings, new threshold, new trim new molding and all hardware. Prime and paint two coats all interior casing and trim to match existing

Prime, paint and coil all exterior casing and trim. To be installed in a lead safe manner following HUD Protocols followed by a passing clearance inspection. Include keyed lock and dead bolt set.

ALL LOCKS KEYED ALIKE

B-Side of Garage :Match existing. Support threshold properly.

1 00 EA

\$575

DOORS Total \$695

Bid Request Form	Donna Roberts		
Item	Specification	Quantity/Unit	Total Cost

PAINT/CARPENTRY

13 PAINT :DOORS: CASINGS, JAMBS, DOORS interior prep & paint complete
(BOTH SIDES) Match existing. Level-2 Hall All

Follow appropriate containment measures. Wet scrape all loose, peeling, blistered, cracked paint from jamb and door. Remove all hooks, nails, brackets, pipes, and unused fixtures and attachments. Re-secure all loose wood prior to painting. Replace all defective, missing and/or missing materials to ensure a sound surface. Feather edge and dull gloss with wet sand paper. Dispose of chips properly. Caulk and fill holes level to existing surface with acrylic caulk or exterior grade spackle compound. Protect surrounding surfaces from paint spatter. Spot prime and paint with "Fiberlock" brand paint. Color to match existing.

Address: Level 2 hall Doors, Door Trim, Baseboard Complete.
 Continue painted baseboard paint down steps to end at first floor.

1 00 all

\$ 525

14 PAINT : GARAGE exterior (complete with trim)

Follow appropriate containment measures. Wet scrape all loose, peeling, blistered, and cracked paint from siding, fascia, trim, and moldings. Remove all hooks, nails, brackets, and unused hardware or fixtures. Re-secure all loose wood prior to painting. Replace all defective, missing and/or rotten materials to ensure sound surface. Caulk and fill holes level to existing surface with acrylic caulk or exterior grade spackling compound. Featheredge and dull gloss with wet sand paper. **PRIME ENTIRE GARAGE** with a primer. **FINISH PAINT** to hide undercoat with contractors grade approved exterior grade paint. Owner has choice of two colors from available colors for trim and siding.

ADDRESS GARAGE COMPLETE.

700 00 SF

\$ 900

15 PAINT: Porch complete prep & stabilize and Paint

Follow appropriate containment measures. Wet scrape all loose, peeling, blistered, and cracked paint from porch, rails and railings, floor, fascia, trim, moldings, posts and lattice. Remove all hooks, nails, brackets, and unused hardware or fixtures. Re-secure all loose wood prior to painting. **Replace all defective, missing and/or rotten materials to ensure sound surface.** Caulk and fill holes level to existing surface with acrylic caulk, or exterior grade spackling compound. Feather edge and dull gloss with wet sand paper. Fully Prime and paint to properly bond and cover existing with an approved exterior grade paint. Owner has choice of two colors from available colors for trim and floor.

Address A-Side Porch complete

inc Floor, Railing, Rail Cap, Trim, Posts, Lattice and any painted surfaces.

Seal varnished ceiling.

Replace any rotted flooring and lattice prior to paint work.

1.00 all

\$ 975

PAINT/CARPENTRY Total \$ 2400

Bid Request Form

Donna Roberts
22448 Arms Ave., Euclid OH 44123

Item Specification

Quantity/Unit

Total Cost

Total Bid	\$ 9805.00
-----------	------------