CUYAHOGA COUNTY LEAD REMEDIATION CONTRACT

between

CUYAHOGA COUNTY

and

MAE CONSTRUCTION LLC

Property Address: 7015 Gerald Avenue Community: Parma

This Contract, made and entered into this 6th day of September, 2011, by and between Cuyahoga County, a political subdivision of the State of Ohio, on behalf of the Cuyahoga County Department of Development ("County"), and MAE Construction LLC, an Ohio LLC ("Contractor"), located at 960 West Hill Drive, Sagamore Hills, Ohio 44067,:

- 1) SCOPE OF WORK: The scope of work for this contract is set forth in the completed Cuyahoga County Lead Remediation Specifications, dated <u>6/29/11</u>, attached hereto and incorporated herein by reference.
- 2) **EFFECTIVE DATE OF CONTRACT:** The Contract shall become binding upon the parties concerned when both parties have properly signed the Contract and a written Proceed Order has been issued. If a Proceed Order is not issued within 90 calendar days of submission of the contractor's proposal, the Contractor may withdraw its proposal.
- TIME FOR PERFORMANCE: All work to be performed by the Contractor shall be completed in accordance with the Contract within thirty (30) calendar days after the date of the Proceed Order. Notwithstanding the aforesaid, the Contractor is excused from the performance time requirement if, during the progress of the work, an extension for a definite period of time is authorized in writing by the County, or delay is caused by strikes, lockouts, fire, unusual delay in transportation, unavoidable casualties, or any other causes completely beyond the Contractor's control.
- WORK PRACTICES: The Contractor is to provide all labor, material and equipment necessary to complete all aspects of the work in the Contract. All materials and equipment shall be installed in accordance with the manufacturer's specifications applicable. All labor shall be done by skilled mechanics, qualified and competent to perform the best grade of workmanship as usually recognized in the building industry. The work shall also comply with requirements of all current versions of applicable national, state and local regulations. Where there is a conflict between this Specification and the cited federal, state or local regulations or guidelines, the more restrictive or stringent requirements shall prevail. The County reserves the right to have personnel removed from the job who are not performing their services in a workmanlike manner.

The Contractor will follow all "HUD Guidelines for the Evaluation and Control of Lead Based Paint Hazards in Housing", found at 24 CFR Parts 35,36,37 All lead remediation work shall be supervised by State of Ohio Licensed Lead Abatement Contractors and carried out by State of Ohio Licensed Lead Abatement Workers. The Contractor will not use open-flame burning, chemical strippers containing methylene chloride, dry scraping, un-contained hydroblasting or hydrowashing, uncontained abrasive blasting, or machine sanding without HEPA attachments or heat stripping above 1100 degrees (F) at any time.

WORK PRACTICES (cont'd):

The Contractor will observe the procedures for worker protection established by the Federal Occupational Safety and Health Administration, including but not limited to:

29 CFR 1910 General Industry Standards

29 CFR 1910.1025 Lead Standards for General Industry

29 CFR 1910.134 Respiratory Protections

29 CFR 1910.1200 Hazard Communications

29 CFR 1910.245 Specifications for Accident Prevention (Sign and Tags)

29 CFR 1926 Construction Industry Standards

29 CFR 1926.62 Construction Industry Lead Standard

The contractor will dispose of waste resulting from abatement in accordance with all applicable local, State, and Federal regulations

The job site must be left clean and must pass final lead clearance inspection by the Cuyahoga County Board of Health prior to payment under this contract

- 5) SUBSTITUTIONS/CHANGES: It is not the desire of the County to exclude any products or materials of equal or greater merit to those specified herein. Trade names are designated to establish the quality desired. Contractors wishing to make substitutions under the provisions of "or equal," will provide the County with complete information and samples where required. All changes in the Contract (material, labor, etc.) shall be approved in advance by the County and Contractor on a written Change Order Document
- 6) **SAMPLES:** The Contractor shall furnish, for the approval of the County, all samples as directed. The work shall be in accordance with the approved samples.
- 7) MATERIAL REMOVAL/RETAINAGE: The Contractor shall keep the premises clean and orderly during the course of the work and remove all debris upon completion of the work. Materials and equipment that have been removed as part of the work shall belong to the Contractor unless otherwise stated in the Contract. New materials remaining after installation shall belong to the Contractor and are given to the property owner solely at the discretion of the Contractor.
- 8) UTILITIES: The contract price is based on the Contractor using, at no cost, existing utilities such as light, heat, power and water necessary to the completion of the work.
- PERMITS/LICENSES: All permits and licenses necessary for the completion and execution of the work shall be secured and paid for by the Contractor. All work shall be performed in conformance with all applicable federal, State, and local laws, regulations, codes and requirements. If the Contractor performs contrary to such laws, ordinances, etc., he shall bear all costs to correct the work.

- INSURANCE: The Contractor shall maintain such insurance as will protect him from claims under worker's compensation acts and other employee benefits acts, from claims for damages to property which may arise both out of and during operations under the Contract, whether such operations be by himself or by any Subcontractor or anyone directly or indirectly employed by either of them. Public liability insurance protecting the Contractor and the County shall be written for not less than \$100,000/\$300,000 one occurrence for injury to persons and not less than \$100,000 for damages to property. Additional pollution liability insurance for the lead remediation work will be required for not less than \$100,000/\$300,000 one occurrence for injury to persons and not less than \$100,000 for damages to property. Certifications of proof of such insurance shall be filed with the County prior to executing the Contract. The Contractor shall defend, indemnify and hold harmless the the County, its officers and employees, for liability and claim for damages because of bodily injury, death, property damages, sickness, disease, or loss and expense arising from the Contractor's operations under the Contract.
- 11) SUPERINTENDENCE: The Contractor shall furnish the County with the name and telephone number of one State Licensed Lead Abatement Contractor who will represent the Contractor and be responsible for all the Lead Remediation Work under this contract.

Name of State Licensed Abatement Contractor (Person): Bob Miller

Daytime Phone Number: 216-215-7656

- 12) INSPECTION OF WORK: The County shall at all times have access to the work. If the Contract plans, instructions, law, ordinances, other applicable assistance program, or any public authority requires any work to be specifically inspected, tested or approved, the Contractor shall give the County timely notice. Hidden work that has not been inspected may be uncovered for examination at the Contractor's own expense. If such work should be found not in accordance with this contract the Contractor shall pay such cost.
- 13) **SUBCONTRACTING:** Because this work requires a State of Ohio Lead Abatement Contractor License, subcontracting of the work is not permitted without prior written consent of the County.
- ANTI-KICKBACK RULES: Salaries of architects, draftsmen, technical engineers, and technicians performing work under the Contract shall be paid unconditionally and not less often than once a month without deduction or rebate on any account except only such payroll deductions as are mandatory by law or permitted by the applicable regulations issued by the Secretary of Labor pursuant to the "Anti-Kickback Act" of June 13, 1934 (48 Stat 948; 62 Stat 740; 63 STT 108; Title 18 U.S.C., Section 874; and Title 40 U.S.C., Section 276 c) The Contractor shall comply with all applicable "Anti-Kickback" regulations and shall insert appropriate provisions in all subcontracts covering work under the Contract to insure compliance by Subcontractors with such regulations, and shall be responsible for the submission of affidavits required of Subcontractors thereunder except as the Secretary of Labor may specifically provide for variation of or exemption from the requirements thereof.

- 15) **EQUAL EMPLOYMENT OPPORTUNITY:** During the performance of the Contract, the Contractor agrees as follows:
 - A. The Contractor will not discriminate against any employee or applicant for employment because of race, creed, color, sex or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, creed, color or national origin. Such action shall include, but not be limited to, the following: employment upgrading, demotion or transfer, recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training including apprenticeship.
 - B. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, or national origin.
 - C. The Contractor will cause the foregoing provisions to be inserted in all Subcontracts for any work covered by the Contract so that such provisions will be binding upon each Subcontractor provided that the foregoing provisions shall not apply to Contracts or Subcontractors for standard commercial supplies or raw materials.
 - D. The Contractor will send a notice to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, advising the said labor union or workers' representative of the Contractor's commitments under this section and shall post copies of the notice in conspicuous place available to employees and applicants for employment.
 - E. The Contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor or the Secretary of Housing and Urban Development, or pursuant thereto, and will permit access to his books, records and accounts by the Secretary of Housing and Urban Development, or his designee, and the Secretary of Labor for the purposes of investigation to ascertain compliance with such rules, regulations, and orders.
 - In the event of the Contractor's noncompliance with the nondiscrimination clauses of the Contract or with any of the said rules, regulations, or orders, this Contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for future Government contractors or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law

- DEFAULT AND TERMINATION FOR CAUSE: In case the Contractor fails to furnish materials or execute work in accordance with the provisions of the Contract, or fails to proceed with or complete the work within the time specified in the Contract, or if the provisions of the Contract are otherwise violated by the Contractor, then in any case upon ten (10) days written notice to the Contractor, the County shall have the right to declare Contractor in default in the performance of his obligations under Contract Said notice shall contain the reason for the County's intent to declare Contractor in default and unless within ten (10) days after service of said notice, the violation shall cease or satisfactory arrangements shall be made for its correction, the Contractor, by written notice, may be declared in default and his right to proceed under the Contract terminated. In the event the Contractor is thus declared to be in default, the County, after notifying the Contractor, will proceed to have the work completed, shall apply to the cost of having the work completed any money due to Contractor under the Contract, and the Contractor shall be responsible for any damages resulting to the County by reason of said default.
- METHOD OF PAYMENT: The full amount of this contract will be paid in one lump sum upon completion of all work to the satisfaction of the property owner and the County, and receipt of a satisfactory written clearance examination report from the Cuyahoga County Board of Health. No advances or partial payments will be made.

Payment will be mailed directly to the Contractor at the address of record within 30 days after signature of the Owner Satisfaction Statement by all parties, satisfactory inspection of the work by the County, and receipt of all required permits, lien waivers, clearance inspection reports and any other documents reasonably requested by the County.

- LIEN WAIVERS AND WARRANTIES REQUIRED: Before Contractor requests a payment; he shall give the County good and sufficient evidence that the premises are free from liens, damages, or claims against the Contractor The County shall reserve the right to retain out of the payment then due or thereafter to come due, an amount sufficient to indemnify the County against all such liens, damages, and claims until the same shall be effectually satisfied, discharged and canceled The invoice requesting Final Payment must also have attached all manufacturers and supplier's written guarantees and warranties covering materials and equipment furnished under this Contract. Neither final certificate nor payment shall relieve the Contractor of responsibility for negligence, faulty materials, or faulty workmanship within the period provided by the Contract
- 19) **DEFECTS AFTER COMPLETION:** The Contractor shall guarantee the work performed for a period of twelve (12) months from the date of final acceptance of all work required by the Contract. Any defects that appear within this twelve (12) month period and arise out of defective or improper materials or workmanship shall be corrected and made good by the Contractor at his expense.

LEAD REMEDIATION CONTRACT SIGNATURE PAGE

Property Address: 7015 Gerald Avenue Community: Parma

Contract Time of Performance: September 6, 2011 through October 31, 2011

This contract specifically includes all 19 paragraphs of Terms and Conditions listed above. The Contractor's authorized representative has read and initialed each page of this Contract.

Having read the Terms and Conditions and having examined the attached specifications, for the considerations named therein, the Contractor agrees to do the work listed in the Cuyahoga County Lead Remediation Specifications, attached hereto and incorporated herein by reference, at the property address stated above and on the Lead Remediation Specifications, for the lump sum price of \$7,325.00

Electronic Signature Clause: By entering into this Contract or by submitting a bid or a proposal, I agree on behalf of the contracting or submitting business entity, its officers, employees, subcontractors, sub grantees, agents or assigns, to conduct this transaction by electronic means by agreeing that all documents requiring county signatures may be executed by electronic means, and that the electronic signatures affixed by the county to said documents shall have the same legal effect as if that signature was manually affixed to a paper version of the document. I also agree on behalf of the aforementioned entities and persons, to be bound by the provisions of chapters 304 and 1306 of the Ohio Revised Code as they pertain to electronic transactions, and to comply with the electronic signature policy of Cuyahoga County.

MAE Construction LLC 960 West Hill Drive	Cuyahoga County Department of Development
Sagamore Hills, Ohio 44067	1701 East 12th Street, 1st Floor Cleveland, OH 44114 EDWARD FITZGERALD, COUNTY EXECUTIVE
by Owner or Authorized Officer (wi/Title)	by2610410493Fix061#4ive of Designee (wi/Title)
Printed Name of Person Signing Above	Signature Date
9-9-11 Signature Date	

Cuyahoga County Department of Development

DECEIVED
JUL 1 3 2011
BY:

BID REQUEST FORM

			goroi roi	€i#I	1	/
DATE BIDS DU	JE	indeplementarion of the State of State	DATE BIDS RE	LEASED	6	29/
Project					1	1
Stefan Ste 7015 Gera Parma, Ol 440-842-1	ald Ave 1 44129					
The following is his bid documents re	ereby submitt ceived for this	ed as per your reques job.	t. This bid covers	all work and/or	r specifie	d in the
place where the v proposes and agr proposed Contrac	vork is to be co ees to fully pe it Document, i	ne thoroughly familiar ocal conditions affectin ompleted, and having inform the Work within the luding furnishing of a ocuments, for the sum	g the performance fully inspected the the time stated and any construct, and	e and costs of the site in all particular to the site in all particular to the site of the	he Work culars, he	at the ereby
Total Bid ATE	THov Aw) htract, the Bidd	three twenty ler agrees to have on	Fire Dollars: \$	1605	7,32	5 Jec
verification of licen proposal is valid fo	ang and mag	ance. Completion of t	he project will req	uire caler	idar days	ts tor 3. This
For questions, pla Cuyahoga Cou Reserve Square	inty, Departme	ent of Development				
1701 East 12th						
Cleveland, OH 4 Michael Towar		Phone- 216-299-6543				
Contractor Information Name: Address: City, St, Zip: Phone: Fed. Tax ID:	POD M	med				
Contractor Signature	o. K.ol 2	MAA		-7 .5 .	-11	

Bid Request Form		Stefan Stefaniuk		
tem	Specification	7015 Gerald Ave., Parma, OH 44129	Quantity/Unit	Total Cost
1	Cover furniture,	access containment, etc.		
2	HEPA vacuume	nterior) ntal surfaces. Must pass BOH clearance testing. a d. All other horizontal areas to be washed with a s equal or Tri-sodium wipes.	1.60 each Carpets and rugs to be relution such as "TOP JOB"	s 100
	Includes Basem	ent and exterior		
3	Demolition and c	lebris removal (small job)	9.00 room	<u>\$ 200</u>
			1.00 each	<u>\$ 200</u>
4 5		for pollution liability insurance cost for site. lace with (High-Particulate Pleated Filter)	1 00 each	<u>\$ 150</u>
		(311 araboliste i reated Filter)	1 00 each	\$ 25
			Total \$??	

WINDOWS

6 WINDOWS: (AWNING) Vinyl replacement window (full casing)

Remove and dispose of sash, stop and parting beads. Leave trim intact, retaining casing, interior sill (stool) and apron. Repair or replace all rotted or defective wood. Cover existing window frame opening with coil stock (vinyl or aluminum) completely. Back-caulk all seams per HUD specs. Apply aluminum coil stock {.019} to the exterior window sill, to cover all exposed wood (if applicable) Provide and install a prefabricated Double-hung vinyl W / W replacement window, including half screens. All street facing windows shall match existing windows in style and mullion detail. Caulk blind-stop and the edges to seal. Prime and paint all casing, sill's and apron's. PRODUCT STANDARD: Minimum 3/4" insulated glass, welded sash & frame, tilt in capable. NOTE: If there is any conflict in specifications, window shall be installed according to manufacturer's instructions unless otherwise indicated. PLEASE EXPRESS WINDOW BRAND TO BE INSTALLED, NOTE BRAND HERE:

ADDRESS: B-Side Level-3 Attic, C-Side Level-1, D-Side Level-1

Match existing Mutton Bars.

3.00 Each

s 795

Stefan Stefaniuk

item Specification

7015 Gerald Ave., Parma, OH 44129

Quantity/Unit

Total Cost

7 Vinyl replacement window (HOPPER).

Remove and dispose of existing sash, and stop. Leave trim intact, retaining casing, interior sill (stool) and apron. Cover existing frame opening with coil stock(vinyl or aluminum and back-caulk to seal. Apply aluminum coil stock {.019} to the exterior window sill, to cover all exposed wood. Provide and install a prefabricated vinyl replacement window, including screens. All street facing windows are to match existing windows in style and mullion detail. Caulk blindstop and the edges to seal. PRODUCT STANDARD: Minimum 3/4" insulated glass, welded sash & frame, tilt in capable. NOTE: If there is any conflict in specifications, window shall be installed according to manufacturer's instructions unless otherwise indicated. PLEASE EXPRESS WINDOW BRAND TO BE INSTALLED, NOTE BRAND HERE:

Address : D-Side Basement Window in Bath.

1.00 Each

\$ 275

8 WINDOW TRIM (PAINT): Interior stabilize prime & seal paint sill/trough/ all trim complete - Wet scrape and wet sand interior window surfaces. HEPA vacuum sill and trough areas. Wipe all horizontal surfaces of the sashes with tri-sodium wipes. Provide smooth clean surface in the well area via aluminum coil stock; back caulked and nailed into position, (only if well area cannot be painted smooth or is not new). Caulk all gaps and seams with latex caulk. PRIME all surfaces with primer or an approved equal. Paint one coat with Acrylic latex paint. Paint or seal to match existing.

ADDRESS ALL interior window trim including windows that have all ready been replaced.

including those listed below:

- 1) Attic D-Side window casing (May need replacement)
- 2) Bedroom # 2 Interior window trim
- 3) Second floor Hall windows complete.

16 00 Each

s_250

WINDOWS Total \$ 1350

DOORS

Stefan Stefaniuk

Item Specification

7015 Gerald Ave., Panna, OH 44129

Quantity/Unit

Total Cost

9 DOORS: Stabilize, prime and paint <u>exterior and interior</u> door slab, jambs and threshold complete

Wet scrape and wet sand exterior door surfaces. Repair all poor glazing. Caulk all gaps and seams with latex caulk. PRIME all surfaces with the appropriate primer. FINISH Paint to fully cover existing with appropriate house paint. Paint to match existing.

Both doors are stained. Seal with varnish or urethane to match

ADDRESS THESE DOORS: A-Side Entrance, B-Side Entrance,

Owner wants to retain both doors and storm doors.

Be sure doors operate properly prior to paint work.

STRIP or Threshold replacement on both doors. Cover threshold with tread cover after paint work.

Cover jamb Side- A door or replace

Install jamb up weather stripping and brush sweep after all door work is complete. (remove all old weather strip prior to paint work.)

Repair lock operation and install Wrap around if necessary,

2.00 each

700

10 DOOR: Paint Stabilize, full prime (KILZS STAIN BLOCK) and paint interior door & components.

Repair Door as needed. Complete repairs to Door prior to paint work.

Address: A side Kitchen Door / casing/ lamb Match existing.

1.00 each

\$ 250

11 DOOR: COMPLETE SYSTEM INC STORM DOOR.

Shall match existing in style

Remove old door complete, including threshold, jambs, all casing, and trim - re-frame, prime, insulate and seal as needed using urethane caulk

Install new prep-hung, factory finished, steel or fiberglass door with new jam, new casings, new threshold, new trim, new molding and all hardware. Prime and paint two coats all interior casing and trim to match existing. Prime, paint and coil all exterior casing and trim. To be installed in a lead safe manner following HUD Protocols followed by a passing clearance inspection. Include keyed lock and dead bolt set.

ALL LOCKS KEYED ALIKE

C-Side Level 2 Door to porch

Door Size warrants special order!

Includes replacement of storm/screen assembly.

1.00 EA

\$ 800

Stefan Stefaniuk

ltem Specification 7015 Gerald Ave., Parma, OH 44129

Quantity/Unit

Total Cost

DOOR Garage - remove existing and dispose. Install overhead type garage door with 12 galvanized hardware, torsion or extension springs and sectioned door. Owner may choose color and style of door from available styles.

Match Existing in style and lite design

2.00 All 0 65800 \$650 1300 DOORS Total \$ 2405 3050 pt

PAINT/CARPENTRY

MILK-CHUTE- Remove exterior milk chute door and replace / cover with aluminum capping to frame in opening. Match existing trim cover.

Client requests converting opening to mail box. Client to provide box for install in opening.

1.00 all

s 150

PAINT GARAGE: exterior (complete with trim)

Follow appropriate containment measures. Wet scrape all toose, peeling, blistered, and cracked paint from siding, fascia, trim, and moldings. Remove all hooks, nails, brackets, and unused hardware or fixtures. Re-secure all loose wood prior to painting. Replace all defective, missing and/ or rotten materials to ensure sound surface. Caulk and fill holes level to existing surface with acrylic caulk, or exterior grade Spackling compound. Featheredge and dull gloss with wet sand paper. Prime entire house with a primer. Paint to hide undercoat with contractors grade Acrylic latex exterior grade paint. Owner has choice of two colors from available colors for trim and siding.

Make wood repairs prior to paint work.

600.00 SF

1000

Stefan Stefaniuk

Item Specification

7015 Gerald Ave., Panna, OH 44129

Quantity/Unit

Total Cost

PORCH: SIDE- B Porch FLOOR re-deck with 3/4" in-kind (COMPLETE)
Replace old, aged porch flooring with matching lumber and rust resistant nails. Tongue and groove boards are to be used and fastened using blind nailing techniques were applicable. Lumber shall be of "select" grade or better. Sister joists were necessary for soundness. Chalk line cut entire porch deck for appearances.

B Side porch floor:

Floor is buckled and rotted in spots. Seal and pitch floor properly to contain water from leaking into shed area underneath.

Client wishes to retain wood grain look.

Porch is approx: 6X12

100.00 sq.ft

s 1,000

PAINT/CARPENTRY Total \$ 2/50

Total Bid \$

325 pc