

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R44

**Damper Type**

Vertical Fire Damper

**Damper Size**

24" x 14"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5 x 13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-OA

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x38

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC2-R

### Damper Type

Vertical Fire Damper

### Damper Size

32x38

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5" x 14.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5" x 16.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6/12/23	Reference I.D.#: AC2-S2
Inspected By: JG	
Next Inspect. By: 6/12/25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5" x 12.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16 x 16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

35.5x19.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC3-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5" x 19.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12" x 12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC3-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

18" x 17"

**Damper Manufacturer**

Air Balance

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12" x 12"

**Pass / Fail / Abandoned**

Fail

**Comments / Corrections**

Broken Spring

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-12

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC4-OA

### Damper Type

Vertical Fire Damper

### Damper Size

48.5" x 23.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18x18

### Pass / Fail / Abandoned

Pass


### Comments / Corrections

Damper in closed position per building engineer

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

28x33

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5" x 14.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5" x 15.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20" x 20"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5 x 12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

36"x36"

**Damper Manufacturer**

Unknown

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Open

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-02

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC#5-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
23.5"x14.5"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16"x16"

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

AC5-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

15x5

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

AC5-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6-2-23	Reference I.D. #: AC#5-S6
Inspected By: TULCEWICZ	
Next Inspect. By: 6-2-25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S7

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21"x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S8

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5"x12.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC6-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

22"x26"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians

MEMBER



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-14

### Facility Location

Old Courthouse

### Damper Location

Sub-Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC6-S1

### Damper Type

Horizontal Fire Damper

### Damper Size

37"x15"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

16"x16"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

Cut in new 16"x16" access door.  
In bottom of parker fitting.


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC6-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

13.5"x7.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

7"x5"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC6-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12"x12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC6-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

13.5"x7.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

7"x5"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

33.5x27.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18 x 18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

13.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-13

### Facility Location

Old Courthouse

### Damper Location

Sub-Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC7-S4

### Damper Type

Horizontal Fire Damper

### Damper Size

15.5" x 14.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

12" x 12"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC7-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5" x 16.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14" x 14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-13

### Facility Location

Old Courthouse

### Damper Location

Sub-Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC7-S6

### Damper Type

Horizontal Fire Damper

### Damper Size

31.5x19.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18"x18"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

20"x29"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC9-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x24

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC10-R1

### Damper Type

Horizontal Fire Damper

### Damper Size

15.5"x15.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14"x14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC10-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5"x9.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20"x20"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18"x18"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12"x12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians

MEMBER



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Attic

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC12-R3

### Damper Type

Horizontal Fire Damper

### Damper Size

29.5x14.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14"x14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5x11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"


**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC12-R5

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
12x12

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x8.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12"x12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Attic

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC12-S3

### Damper Type

Horizontal Fire Damper

### Damper Size

31.5x16.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14"x14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC12-S4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
20.5x18.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC13-R1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
29.5x23.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
18x18

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC13-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
30.5x16.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
20x20

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC13-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
15.5x12.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
10x10

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC13-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-R2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-R4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x11

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label

**FIRE DAMPER**

Inspection Date: 6/1/23	Reference I.D. #: AC14-R4
Inspected By: Gue	
Next Inspect. By: 6/1/25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5x8

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
12x12

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x9.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-R1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-R5

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-R6

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
10x7.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
8x8

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: <u>6/1/23</u>	Reference I.D.# <u>AC15-R6</u>
Inspected By: <u>Julie Gue</u>	
Next Inspect. By: <u>6/1/25</u>	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
12x9.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
10x10

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6/1/23	Reference I.D.#: AC15-S1
Inspected By: Gue	
Next Inspect. By: 6/1/25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
14.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-S3

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
16.5x10.4

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5 x 13

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC16-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5" x 10.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14" x 14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC16-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5" x 10.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14" x 14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-07

**Facility Location**  
Old Courthouse

**Damper Location**  
NE library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC16-R4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
9 x 5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2ow

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Remove duct.

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-06

**Facility Location**  
Old Courthouse

**Damper Location**  
NE library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC16-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
14 x 7.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14 x 14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-04-07

### Facility Location

Old Courthouse

### Damper Location

NE library

### Inspector Name

Julie Gue

### Damper I.D. #

AC16-S2

### Damper Type

Horizontal Fire Damper

### Damper Size

8.5 x 5x6

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2ow

### Fusible Link Temperature

165 Degrees

### Access Door Size

6x6

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

SE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

47.5x23.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23 x 12

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass


**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23 x 11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

32 x 21

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

L23.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-06

**Facility Location**  
Old Courthouse

**Damper Location**  
NE library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC18-R1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5 x 13.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 4/6/23

Inspected By: Gue

Reference I.D. #: **AC18-R1**

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NE Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5 x 17.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-04-07

### Facility Location

Old Courthouse

### Damper Location

NE library

### Inspector Name

Julie Gue

### Damper I.D. #

AC18-R4

### Damper Type

Horizontal Fire Damper

### Damper Size

19.5 x 10.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18"x18"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5 x 12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-07

**Facility Location**  
Old Courthouse

**Damper Location**  
NE Library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC18-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5x11.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
Ibd2


**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
18x18

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

c

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4rh floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC19-R1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
31.5x16.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

35.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-07

**Facility Location**  
Old Courthouse

**Damper Location**  
NW Library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC19-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x12 Oval

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x17.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-14

### Facility Location

Old Courthouse

### Damper Location

4<sup>th</sup> Floor

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC20-R1

### Damper Type

Horizontal Fire Damper

### Damper Size

11.5" x 11.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

10" x 10"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label

<b>FIRE DAMPER</b>	
Inspection Date: <u>6-14-23</u>	Reference I.D. #: <u>AC20-R1</u>
Inspected By: <u>Tulcewicz</u>	
Next Inspect. By: <u>6-14-25</u>	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
NFPA

Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5"x12.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18"x18"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Larry Coreno

**Damper I.D. #**

AC20-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-13

**Facility Location**  
Old Courthouse

**Damper Location**  
4<sup>th</sup> Floor

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC20-R4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5"x13.5"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
18"x18"

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-13

### Facility Location

Old Courthouse

### Damper Location

4<sup>th</sup> Floor

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC20-R5

### Damper Type

Horizontal Fire Damper

### Damper Size

19.5"x13.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18"x18"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor.

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-R6

**Damper Type**

Vertical Fire Damper

**Damper Size**

11.5 "x 6"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10" x 10"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-14

**Facility Location**  
Old Courthouse

**Damper Location**  
4<sup>th</sup> Floor

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC20-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
9.5" x 9.5"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
10" x 10"

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

14.5"x10.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10"x10"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-S3

**Damper Type**

Vertical Smoke Damper

**Damper Size**

14.5"x8.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC22-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

22.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

Ibd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10X10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-R2

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x10

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

28x13

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-S2

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x10

**Damper Manufacturer**

Ruskin

**Damper Model #**

Ibd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC24-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

22.4x114.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC24-S1

**Damper Type**

Vertical Fire Damper

**Damper Size**

29x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

Ibd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 4 7 23	Reference I.D. # AC24-S1
Inspected By: Gue	
Next Inspect. By: 4 7 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
24	FD	AC#5-S4	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
25	FD	AC#5-S5	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
26	FD	AC#5-S6	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
27	FD	AC#5-S7	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
28	FD	AC#5-S8	23.5x12.5	Ruskin	IBD2	Pass	Pass	None
29	FD	AC#6-R	22x26	M&T Engineering	Unkown	Pass	Pass	None
30	FD	AC#6-S1	37x15	Ruskin	IBD2	Pass	Pass	None
31	FD	AC#6-S2	13.5x7.5	Ruskin	IBD2	Pass	Pass	None
32	FD	AC#6-S3	12.5x15.5	Ruskin	IBD2	Pass	Pass	None
33	FD	AC#7-R1	33.5x27.5	Ruskin	IBD2	Pass	Pass	None
34	FD	AC#7-S1	17.5x14.5	Ruskin	IBD2	Pass	Pass	None
35	FD	AC#7-S2	17.5x14.5	Ruskin	IBD2	Pass	Pass	None
36	FD	AC#7-S3	13.5x14.5	Ruskin	IBD2	Pass	Pass	None
37	FD	AC#7-S4	15.5x14.5	Ruskin	IBD2	Pass	Pass	None
38	FD	AC#7-S5	27.5x16.5	Ruskin	IBD2	Pass	Pass	None
39	FD	AC#7-S6	31.5x19.5	Ruskin	IBD2	Pass	Pass	None
40	FD	AC#8-S1	17.5x16.5	Ruskin	IBD2	Pass	Pass	None
41	FD	AC#8-S2	19.5x16.5	Ruskin	IBD2	Pass	Pass	None
42	FD	AC#8-S3	17.5x16.5	Ruskin	IBD2	Pass	Pass	None
43	FD	AC#8-R1	22x24	Ruskin	IBD2	Pass	Pass	None

Inspector:

Julie Gue / Dan Tulcewicz

SA = Supply Air

FD = Fire Damper

Inspection Dates:

May 29, 2023 - June 15, 2023

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
64	FD	AC#14-R6	17.5x10.5	Ruskin	IBD2	Pass	N/A	None
65	FD	AC#14-S1	21.5x10.5	Ruskin	IBD2	Pass	N/A	None
66	FD	AC#14-S2	17.5x8	Ruskin	IBD2	Pass	N/A	None
67	FD	AC#14-S3	21.5x9.5	Ruskin	IBD2	Pass	N/A	None
68	FD	AC#15-R1	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
69	FD	AC#15-R2	25.5x16.5	Ruskin	IBD2	Pass	N/A	None
70	FD	AC#15-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
71	FD	AC#15-R4	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
72	FD	AC#15-S1	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
73	FD	AC#15-S2	14.5x10.5	Ruskin	IBD2	Pass	N/A	None
74	FD	AC#15-S3	16.5x10.5	Ruskin	IBD2	Pass	N/A	None
75	FD	AC#15-S4	25.5x14.5	Ruskin	IBD2	Pass	N/A	None
76	FD	AC#16-R1	19.5x13	Ruskin	IBD2	Pass	N/A	None
77	FD	AC#16-R2	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
78	FD	AC#16-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
79	FD	AC#16-R4	9x5	Ruskin	IBD2	Pass	N/A	None
80	FD	AC#16-R5	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
81	FD	AC#16-S1	14x7.5	Ruskin	IBD2	Pass	N/A	None
82	FD	AC#16-S2	8.5x6	Ruskin	IBD2	Pass	N/A	None
83	FD	AC#17-R1	47.5x23.5	Ruskin	IBD2	Pass	N/A	None
84	FD	AC#17-S1	23x12	Ruskin	IBD2	Pass	N/A	None

Inspector: Julie Gue / Dan TulcewiczLarry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper



Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
85	FD	AC#17-S2	23x12	Ruskin	IBD2	Pass	Pass	None
86	FD	AC#17-S3	32x21	Ruskin	IBD2	Pass	Pass	None
87	FD	AC#17-S4	15.5x12.5	Ruskin	IBD2	Pass	Pass	None
88	FD	AC#17-S5	23.5x14.5	Ruskin	IBD2	Pass	Pass	None
89	FD	AC#18-R1	17.5x13.5	Ruskin	IBD2	Pass	Pass	None
90	FD	AC#18-R2	17.5x13.5	Ruskin	IBD2	Pass	Pass	None
91	FD	AC#18-R3	18.5x12.5	Ruskin	IBD2	Pass	Pass	None
92	FD	AC#18-R4	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
93	FD	AC#18-R5	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
94	FD	AC#18-R6	17.5x12.5	Ruskin	IBD2	Pass	Pass	None
95	FD	AC#18-S1	18.5x14.5	Ruskin	IBD2	Pass	Pass	None
96	FD	AC#18-S2	18.5x14.5	Ruskin	IBD2	Pass	Pass	None
97	FD	AC#18-S3	19.5x14.5	Ruskin	IBD2	Pass	Pass	None
98	FD	AC#19-R1	31.5x16.5	Ruskin	IBD2	Pass	Pass	None
99	FD	AC#19-S1	35.5x16.5	Ruskin	IBD2	Pass	Pass	None
100	FD	AC#19-S2	19.5x10.5	Ruskin	IBD2	Pass	Pass	None
101	FD	AC#19-S3	29.5x17.5	Ruskin	IBD2	Pass	Pass	None
102	FD	AC#20-R1	11.5x11.5	Ruskin	IBD2	Pass	Pass	None
103	FD	AC#20-R2	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
104	FD	AC#20-R3	19.5x14.5	Ruskin	IBD2	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewz/Larry Coreno  
Inspection Dates May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
1	FD	AC#1-R1	24x29	M&T Engineering	Unknown	Pass	Pass	None
2	FD	AC#1-S1	16.5x15.5	Ruskin	IBD2	Pass	Pass	None
3	FD	AC#1-S2	16.5x15.5	Ruskin	IBD2	Pass	Pass	None
4	FD	AC#1-S3	16.5x13.5	Ruskin	IBD2	Pass	Pass	None
5	FD	AC#2-R	32x38	M&T Engineering	Unknown	Pass	Pass	None
6	FD	AC#2-OA	35.5x35.5	Ruskin	IBD2	Pass	Pass	None
7	FD	AC#2-S1	23.5x14.5	Ruskin	IBD2	Pass	Pass	None
8	FD	AC#2-S2	23.5x16.5	Ruskin	IBD2	Pass	Pass	None
9	FD	AC#2-S3	15.5x12.5	Ruskin	IBD2	Pass	Pass	None
10	FD	AC#2-S4	35.5x19.5	Ruskin	IBD2	Pass	Pass	None
11	FD	AC#3-R1	19.5x9.5	Ruskin	IBD2	Pass	Pass	None
12	FD	AC#3-S1	19.5x19.5	Ruskin	IBD2	Pass	Pass	None
13	FD	AC#3-S2	17x18	Ruskin	IBD2	Pass	Pass	None
14	FD	AC#4-OA	46x24	Ruskin	IBD2	Pass	Pass	None
15	FD	AC#4-R	28x32.5	M&T Engineering	Unknown	Pass	Pass	None
16	FD	AC#4-S1	15.5x10.5	Ruskin	IBD2	Pass	Pass	None
17	FD	AC#4-S2	21.5x14.5	Ruskin	IBD2	Pass	Pass	None
18	FD	AC#4-S3	29.5x15.5	Ruskin	IBD2	Pass	Pass	None
19	FD	AC#4-S4	25.5x12.5	Ruskin	IBD2	Pass	Pass	None
20	FD	AC#5-R	36x36	Unknown	Unknown	Pass	Pass	None
21	FD	AC#5-S1	23.5x14.5	Ruskin	IBD2	Pass	Pass	None
22	FD	AC#5-S2	25.5x14.5	Ruskin	IBD2	Pass	Pass	None
23	FD	AC#5-S3	25.5x12.5	Ruskin	IBD2	Pass	Pass	None

Inspector:

Julie Gue/Dan Tulcewicz/Larry Coreno

SA = Supply Air

FD = Fire Damper

Inspection Dates

May 29, 2023-June 15, 2023

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
120	FD	SB-R-#1	16x15	M&T Engineering	Unknown	Pass	Pass	None
121	FD	SB-R#2	18x15	M&T Engineering	Unknown	Pass	Pass	None
122	FD	SB-R-#3	24X14	Ruskin	IBD2	Pass	Pass	None
123	FD	SB-R-#4	24x15	M&T Engineering	Unknown	Pass	Pass	None
124	FD	SB-R-#5	18x17	M&T Engineering	Unknown	Pass	Pass	None
125	FD	SB-R-#6	25X15.5	M&T Engineering	Unknown	Pass	Pass	None
126	FD	SB-R-#7	18X15	M&T Engineering	Unknown	Pass	Pass	None
127	FD	SB-R-#8	32X24	M&T Engineering	Unknown	Pass	Pass	None
128	FD	SB-R-#9	32X24	M&T Engineering	Unknown	Pass	Pass	None
129	FD	SB-R-#10	12X15	M&T Engineering	Unknown	Pass	Pass	None
130	FD	SB-R-#11	22X15	M&T Engineering	Unknown	Pass	Pass	None
131	FD	SB-R-#12	22X15	M&T Engineering	Unknown	Pass	Pass	None
132	FD	SB-R-#13	12X11	M&T Engineering	Unknown	Pass	Pass	None
133	FD	SB-R-#14	16X20	M&T Engineering	Unknown	Pass	Pass	None
134	FD	SB-R-#15	24x22	M&T Engineering	Unknown	Pass	Pass	None
135	FD	SB-R-#16	30x29.5	Ruskin	IBD20	Pass	Pass	None
136	FD	SB-R-#17	30x29	M&T Engineering	Unknown	Pass	Pass	None
137	FD	SB-R-#18	16x15	M&T Engineering	Unknown	Pass	Pass	None
138	FD	SB-R-#19	25x20	M&T Engineering	Unknown	Pass	Pass	None
139	FD	SB-R-#20	24x22	M&T Engineering	Unknown	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
44	FD	AC#10-R1	15.5x15.5	Ruskin	IBD2	Pass	Pass	None
45	FD	AC#10-S	27.5x9.5	Ruskin	IBD2	Pass	Pass	None
46	FD	AC#12-R1	25.5x12.5	Ruskin	IBD2	Pass	Pass	None
47	FD	AC#12-R2	19x10.5	Ruskin	IBD2	Pass	Pass	None
48	FD	AC#12-R3	29.5x14.5	Ruskin	IBD2	Pass	Pass	None
49	FD	AC#12-R4	27.5x11.5	Ruskin	IBD2	Pass	Pass	None
50	FD	AC#12-R5	17.5x10.5	Ruskin	IBD2	Pass	Pass	None
51	FD	AC#12-S1	31.5x14.5	Ruskin	IBD2	Pass	Pass	None
52	FD	AC#12-S2	17.5x8.5	Ruskin	IBD2	Pass	Pass	None
53	FD	AC#12-S3	35.5x16.5	Ruskin	IBD2	Pass	Pass	None
54	FD	AC#12-S4	20.5x15.5	Ruskin	IBD2	Pass	Pass	None
55	FD	AC#13-R1	29.5x23.5	Ruskin	IBD2	Pass	Pass	None
56	FD	AC#13-S1	30.5x16.5	Ruskin	IBD2	Pass	Pass	None
57	FD	AC#13-S2	15.5x12.5	Ruskin	IBD2	Pass	Pass	None
58	FD	AC#13-S3	29.5x14.5	Ruskin	IBD2	Pass	Pass	None
59	FD	AC#14-R1	17.5x10.5	Ruskin	IBD2	Pass	Pass	None
60	FD	AC#14-R2	19.5x10.5	Ruskin	IBD2	Pass	Pass	None
61	FD	AC#14-R3	19.5x10.5	Ruskin	IBD2	Pass	Pass	None
62	FD	AC#14-R4	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
63	FD	AC#14-R5	19.5x11.5	Ruskin	IBD2	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper



Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
105	FD	AC#20-R4	19.5x13.5	Ruskin	IBD2	Pass	N/A	None
106	FD	AC#20-R5	19.5x13.5	Ruskin	IBD2	Pass	N/A	None
107	FD	AC#20-R6	11.5x6	Ruskin	IBD2	Pass	N/A	None
108	FD	AC#20-S1	9.5x9.5	Greenheck	Unknown	Pass	N/A	None
109	FD	AC#20-S2	14.5x10.5	Ruskin	IBD2	Pass	N/A	None
110	FD	AC#20-S3	14.5x8.5	Ruskin	IBD2	Pass	N/A	None
111	FD	AC#22-S1	22.5x15	Ruskin	IBD2	Pass	N/A	None
112	FD	AC#23-R1	27x14	Ruskin	IBD2	Pass	N/A	None
113	FD	AC#23-S1	29x13	Ruskin	IBD200W	Pass	N/A	None
114	FD	AC#23-R2	18x10	Ruskin	IBD2	Pass	N/A	None
115	FD	AC#23-S2	28.5x8	Ruskin	IBD2	Pass	N/A	None
116	FD	AC#24-R	23x14	Ruskin	IBD200W	Pass	N/A	None
117	FD	AC#24-S1	29x15	Ruskin	IBD200W	Pass	Pass	None

Inspector: Julie Gue/Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29,2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
139	FD	SB-R-#21	29x20	M&T Engineering	Unknown	Pass	Pass	None
140	FD	SB-R-#22	24x22	M&T Engineering	Unknown	Pass	Pass	None
141	FD	SB-R-#23	24x22	M&T Engineering	Unknown	Pass	Pass	None
142	FD	SB-R-#24	24x22	M&T Engineering	Unknown	Pass	Pass	None
143	FD	SB-R-#25	20x20	M&T Engineering	Unknown	Pass	Pass	None
144	FD	SB-R-#26	24x11	M&T Engineering	Unknown	Pass	Pass	None
145	FD	SB-R-#27	32x29	M&T Engineering	Unknown	Pass	Pass	None
146	FD	SB-R-#28	32x29	M&T Engineering	Unknown	Pass	Pass	None
147	FD	SB-R-#29	15x13	M&T Engineering	Unknown	Pass	Pass	None
148	FD	SB-R-#30	24x11	M&T Engineering	Unknown	Pass	Pass	None
149	FD	SB-R-#31	24x16	M&T Engineering	Unknown	Pass	Pass	None
150	FD	SB-R-#32	24x22	M&T Engineering	Unknown	Pass	Pass	None
151	FD	SB-R-#33	24x15	M&T Engineering	Unknown	Pass	Pass	None
152	FD	SB-R-#34	16x15	M&T Engineering	Unknown	Pass	Pass	None
153	FD	SB-R-#35	16x15	M&T Engineering	Unknown	Pass	Pass	None
154	FD	SB-R-#36	25x25	M&T Engineering	Unknown	Pass	Pass	None
155	FD	SB-R-#37	22x15	M&T Engineering	Unknown	Pass	Pass	None
156	FD	SB-R-#38	22x14	M&T Engineering	Unknown	Pass	Pass	None
157	FD	SB-R-#39	30x29	M&T Engineering	Unknown	Pass	Pass	None
158	FD	SB-R-#40	30x35	M&T Engineering	Unknown	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
160	FD	SB-R-#41	11.5x24	Ruskin	IBD20	Pass	Pass	None
160	FD	SB-R-#42	16X14	Ruskin	IBD20	Pass	Pass	None
161	FD	SB-R-#43	12X12	M&T Engineering	Unknown	Pass	Pass	None
162	FD	SB-R-#44	24X14	Ruskin	IBD20	Pass	Pass	None
163	FD	SB-R-#45	30X28.5	M&T Engineering	Unknown	Pass	Pass	None
164	FD	SB-R-#46	20X20	M&T Engineering	Unknown	Pass	Pass	None
165	FD	SB-R-#47	16X15	M&T Engineering	Unknown	Pass	Pass	None
166	FD	SB-R-#48	17.5x13.5	Ruskin	IBD2	Pass	Pass	None
167	FD	SB-R-#49	27.5x21.5	Ruskin	IBD2	Pass	Pass	None
168	FD	ELV#3-S	14x18	Ruskin	IBD2	Pass	Pass	None
169	FD	ELV#3-R	30x14	Ruskin	IBD2	Pass	Pass	None
170	FD	ELV#4-S	18x14	Ruskin	IBD2	Pass	Pass	None
171	FD	ELV#4-R	30x14	Ruskin	IBD2	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

ELV.3- R

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

212 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

ELV.3- S

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

212 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

ELV.4-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

30" x 14"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

ELV.4-S

**Damper Type**

Vertical Fire Damper

**Damper Size**

18" x 14"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

212 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
1	FD	AC#1-R1	24x29	M&T Engineering	Unknown	Pass	Pass	None
2	FD	AC#1-S1	16.5x15.5	Ruskin	IBD2	Pass	Pass	None
3	FD	AC#1-S2	16.5x15.5	Ruskin	IBD2	Pass	Pass	None
4	FD	AC#1-S3	16.5x13.5	Ruskin	IBD2	Pass	Pass	None
5	FD	AC#2-R	32x38	M&T Engineering	Unknown	Pass	Pass	None
6	FD	AC#2-OA	35.5x35.5	Ruskin	IBD2	Pass	Pass	None
7	FD	AC#2-S1	23.5x14.5	Ruskin	IBD2	Pass	Pass	None
8	FD	AC#2-S2	23.5x16.5	Ruskin	IBD2	Pass	Pass	None
9	FD	AC#2-S3	15.5x12.5	Ruskin	IBD2	Pass	Pass	None
10	FD	AC#2-S4	35.5x19.5	Ruskin	IBD2	Pass	Pass	None
11	FD	AC#3-R1	19.5x9.5	Ruskin	IBD2	Pass	Pass	None
12	FD	AC#3-S1	19.5x19.5	Ruskin	IBD2	Pass	Pass	None
13	FD	AC#3-S2	17x18	Ruskin	IBD2	Pass	Pass	None
14	FD	AC#4-OA	46x24	Ruskin	IBD2	Pass	Pass	None
15	FD	AC#4-R	28x32.5	M&T Engineering	Unknown	Pass	Pass	None
16	FD	AC#4-S1	15.5x10.5	Ruskin	IBD2	Pass	Pass	None
17	FD	AC#4-S2	21.5x14.5	Ruskin	IBD2	Pass	Pass	None
18	FD	AC#4-S3	29.5x15.5	Ruskin	IBD2	Pass	Pass	None
19	FD	AC#4-S4	25.5x12.5	Ruskin	IBD2	Pass	Pass	None
20	FD	AC#5-R	36x36	Unknown	Unknown	Pass	Pass	None
21	FD	AC#5-S1	23.5x14.5	Ruskin	IBD2	Pass	Pass	None
22	FD	AC#5-S2	25.5x14.5	Ruskin	IBD2	Pass	Pass	None
23	FD	AC#5-S3	25.5x12.5	Ruskin	IBD2	Pass	Pass	None

Inspector:

Julie Gue/Dan Tulcewicz/Larry Coreno

SA = Supply Air

FD = Fire Damper

Inspection Dates

May 29, 2023-June 15, 2023

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
24	FD	AC#5-S4	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
25	FD	AC#5-S5	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
26	FD	AC#5-S6	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
27	FD	AC#5-S7	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
28	FD	AC#5-S8	23.5x12.5	Ruskin	IBD2	Pass	Pass	None
29	FD	AC#6-R	22x26	M&T Engineering	Unkown	Pass	Pass	None
30	FD	AC#6-S1	37x15	Ruskin	IBD2	Pass	Pass	None
31	FD	AC#6-S2	13.5x7.5	Ruskin	IBD2	Pass	Pass	None
32	FD	AC#6-S3	12.5x15.5	Ruskin	IBD2	Pass	Pass	None
33	FD	AC#7-R1	33.5x27.5	Ruskin	IBD2	Pass	Pass	None
34	FD	AC#7-S1	17.5x14.5	Ruskin	IBD2	Pass	Pass	None
35	FD	AC#7-S2	17.5x14.5	Ruskin	IBD2	Pass	Pass	None
36	FD	AC#7-S3	13.5x14.5	Ruskin	IBD2	Pass	Pass	None
37	FD	AC#7-S4	15.5x14.5	Ruskin	IBD2	Pass	Pass	None
38	FD	AC#7-S5	27.5x16.5	Ruskin	IBD2	Pass	Pass	None
39	FD	AC#7-S6	31.5x19.5	Ruskin	IBD2	Pass	Pass	None
40	FD	AC#8-S1	17.5x16.5	Ruskin	IBD2	Pass	Pass	None
41	FD	AC#8-S2	19.5x16.5	Ruskin	IBD2	Pass	Pass	None
42	FD	AC#8-S3	17.5x16.5	Ruskin	IBD2	Pass	Pass	None
43	FD	AC#8-R1	22x24	Ruskin	IBD2	Pass	Pass	None

Inspector:

Julie Gue / Dan Tulcewicz

SA = Supply Air

FD = Fire Damper

Inspection Dates:

May 29, 2023 - June 15, 2023

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
44	FD	AC#10-R1	15.5x15.5	Ruskin	IBD2	Pass	Pass	None
45	FD	AC#10-S	27.5x9.5	Ruskin	IBD2	Pass	Pass	None
46	FD	AC#12-R1	25.5x12.5	Ruskin	IBD2	Pass	Pass	None
47	FD	AC#12-R2	19x10.5	Ruskin	IBD2	Pass	Pass	None
48	FD	AC#12-R3	29.5x14.5	Ruskin	IBD2	Pass	Pass	None
49	FD	AC#12-R4	27.5x11.5	Ruskin	IBD2	Pass	Pass	None
50	FD	AC#12-R5	17.5x10.5	Ruskin	IBD2	Pass	Pass	None
51	FD	AC#12-S1	31.5x14.5	Ruskin	IBD2	Pass	Pass	None
52	FD	AC#12-S2	17.5x8.5	Ruskin	IBD2	Pass	Pass	None
53	FD	AC#12-S3	35.5x16.5	Ruskin	IBD2	Pass	Pass	None
54	FD	AC#12-S4	20.5x15.5	Ruskin	IBD2	Pass	Pass	None
55	FD	AC#13-R1	29.5x23.5	Ruskin	IBD2	Pass	Pass	None
56	FD	AC#13-S1	30.5x16.5	Ruskin	IBD2	Pass	Pass	None
57	FD	AC#13-S2	15.5x12.5	Ruskin	IBD2	Pass	Pass	None
58	FD	AC#13-S3	29.5x14.5	Ruskin	IBD2	Pass	Pass	None
59	FD	AC#14-R1	17.5x10.5	Ruskin	IBD2	Pass	Pass	None
60	FD	AC#14-R2	19.5x10.5	Ruskin	IBD2	Pass	Pass	None
61	FD	AC#14-R3	19.5x10.5	Ruskin	IBD2	Pass	Pass	None
62	FD	AC#14-R4	21.5x12.5	Ruskin	IBD2	Pass	Pass	None
63	FD	AC#14-R5	19.5x11.5	Ruskin	IBD2	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper



Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
64	FD	AC#14-R6	17.5x10.5	Ruskin	IBD2	Pass	N/A	None
65	FD	AC#14-S1	21.5x10.5	Ruskin	IBD2	Pass	N/A	None
66	FD	AC#14-S2	17.5x8	Ruskin	IBD2	Pass	N/A	None
67	FD	AC#14-S3	21.5x9.5	Ruskin	IBD2	Pass	N/A	None
68	FD	AC#15-R1	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
69	FD	AC#15-R2	25.5x16.5	Ruskin	IBD2	Pass	N/A	None
70	FD	AC#15-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
71	FD	AC#15-R4	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
72	FD	AC#15-S1	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
73	FD	AC#15-S2	14.5x10.5	Ruskin	IBD2	Pass	N/A	None
74	FD	AC#15-S3	16.5x10.5	Ruskin	IBD2	Pass	N/A	None
75	FD	AC#15-S4	25.5x14.5	Ruskin	IBD2	Pass	N/A	None
76	FD	AC#16-R1	19.5x13	Ruskin	IBD2	Pass	N/A	None
77	FD	AC#16-R2	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
78	FD	AC#16-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
79	FD	AC#16-R4	9x5	Ruskin	IBD2	Pass	N/A	None
80	FD	AC#16-R5	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
81	FD	AC#16-S1	14x7.5	Ruskin	IBD2	Pass	N/A	None
82	FD	AC#16-S2	8.5x6	Ruskin	IBD2	Pass	N/A	None
83	FD	AC#17-R1	47.5x23.5	Ruskin	IBD2	Pass	N/A	None
84	FD	AC#17-S1	23x12	Ruskin	IBD2	Pass	N/A	None

Inspector: Julie Gue / Dan TulcewiczLarry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
85	FD	AC#17-S2	23x12	Ruskin	IBD2	Pass	Pass	None
86	FD	AC#17-S3	32x21	Ruskin	IBD2	Pass	Pass	None
87	FD	AC#17-S4	15.5x12.5	Ruskin	IBD2	Pass	Pass	None
88	FD	AC#17-S5	23.5x14.5	Ruskin	IBD2	Pass	Pass	None
89	FD	AC#18-R1	17.5x13.5	Ruskin	IBD2	Pass	Pass	None
90	FD	AC#18-R2	17.5x13.5	Ruskin	IBD2	Pass	Pass	None
91	FD	AC#18-R3	18.5x12.5	Ruskin	IBD2	Pass	Pass	None
92	FD	AC#18-R4	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
93	FD	AC#18-R5	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
94	FD	AC#18-R6	17.5x12.5	Ruskin	IBD2	Pass	Pass	None
95	FD	AC#18-S1	18.5x14.5	Ruskin	IBD2	Pass	Pass	None
96	FD	AC#18-S2	18.5x14.5	Ruskin	IBD2	Pass	Pass	None
97	FD	AC#18-S3	19.5x14.5	Ruskin	IBD2	Pass	Pass	None
98	FD	AC#19-R1	31.5x16.5	Ruskin	IBD2	Pass	Pass	None
99	FD	AC#19-S1	35.5x16.5	Ruskin	IBD2	Pass	Pass	None
100	FD	AC#19-S2	19.5x10.5	Ruskin	IBD2	Pass	Pass	None
101	FD	AC#19-S3	29.5x17.5	Ruskin	IBD2	Pass	Pass	None
102	FD	AC#20-R1	11.5x11.5	Ruskin	IBD2	Pass	Pass	None
103	FD	AC#20-R2	19.5x12.5	Ruskin	IBD2	Pass	Pass	None
104	FD	AC#20-R3	19.5x14.5	Ruskin	IBD2	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewz/Larry Coreno  
Inspection Dates May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
105	FD	AC#20-R4	19.5x13.5	Ruskin	IBD2	Pass	N/A	None
106	FD	AC#20-R5	19.5x13.5	Ruskin	IBD2	Pass	N/A	None
107	FD	AC#20-R6	11.5x6	Ruskin	IBD2	Pass	N/A	None
108	FD	AC#20-S1	9.5x9.5	Greenheck	Unknown	Pass	N/A	None
109	FD	AC#20-S2	14.5x10.5	Ruskin	IBD2	Pass	N/A	None
110	FD	AC#20-S3	14.5x8.5	Ruskin	IBD2	Pass	N/A	None
111	FD	AC#22-S1	22.5x15	Ruskin	IBD2	Pass	N/A	None
112	FD	AC#23-R1	27x14	Ruskin	IBD2	Pass	N/A	None
113	FD	AC#23-S1	29x13	Ruskin	IBD200W	Pass	N/A	None
114	FD	AC#23-R2	18x10	Ruskin	IBD2	Pass	N/A	None
115	FD	AC#23-S2	28.5x8	Ruskin	IBD2	Pass	N/A	None
116	FD	AC#24-R	23x14	Ruskin	IBD200W	Pass	N/A	None
117	FD	AC#24-S1	29x15	Ruskin	IBD200W	Pass	Pass	None

Inspector: Julie Gue/Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29,2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
120	FD	SB-R-#1	16x15	M&T Engineering	Unknown	Pass	Pass	None
121	FD	SB-R#2	18x15	M&T Engineering	Unknown	Pass	Pass	None
122	FD	SB-R-#3	24X14	Ruskin	IBD2	Pass	Pass	None
123	FD	SB-R-#4	24x15	M&T Engineering	Unknown	Pass	Pass	None
124	FD	SB-R-#5	18x17	M&T Engineering	Unknown	Pass	Pass	None
125	FD	SB-R-#6	25X15.5	M&T Engineering	Unknown	Pass	Pass	None
126	FD	SB-R-#7	18X15	M&T Engineering	Unknown	Pass	Pass	None
127	FD	SB-R-#8	32X24	M&T Engineering	Unknown	Pass	Pass	None
128	FD	SB-R-#9	32X24	M&T Engineering	Unknown	Pass	Pass	None
129	FD	SB-R-#10	12X15	M&T Engineering	Unknown	Pass	Pass	None
130	FD	SB-R-#11	22X15	M&T Engineering	Unknown	Pass	Pass	None
131	FD	SB-R-#12	22X15	M&T Engineering	Unknown	Pass	Pass	None
132	FD	SB-R-#13	12X11	M&T Engineering	Unknown	Pass	Pass	None
133	FD	SB-R-#14	16X20	M&T Engineering	Unknown	Pass	Pass	None
134	FD	SB-R-#15	24x22	M&T Engineering	Unknown	Pass	Pass	None
135	FD	SB-R-#16	30x29.5	Ruskin	IBD20	Pass	Pass	None
136	FD	SB-R-#17	30x29	M&T Engineering	Unknown	Pass	Pass	None
137	FD	SB-R-#18	16x15	M&T Engineering	Unknown	Pass	Pass	None
138	FD	SB-R-#19	25x20	M&T Engineering	Unknown	Pass	Pass	None
139	FD	SB-R-#20	24x22	M&T Engineering	Unknown	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
139	FD	SB-R-#21	29x20	M&T Engineering	Unknown	Pass	Pass	None
140	FD	SB-R-#22	24x22	M&T Engineering	Unknown	Pass	Pass	None
141	FD	SB-R-#23	24x22	M&T Engineering	Unknown	Pass	Pass	None
142	FD	SB-R-#24	24x22	M&T Engineering	Unknown	Pass	Pass	None
143	FD	SB-R-#25	20x20	M&T Engineering	Unknown	Pass	Pass	None
144	FD	SB-R-#26	24x11	M&T Engineering	Unknown	Pass	Pass	None
145	FD	SB-R-#27	32x29	M&T Engineering	Unknown	Pass	Pass	None
146	FD	SB-R-#28	32x29	M&T Engineering	Unknown	Pass	Pass	None
147	FD	SB-R-#29	15x13	M&T Engineering	Unknown	Pass	Pass	None
148	FD	SB-R-#30	24x11	M&T Engineering	Unknown	Pass	Pass	None
149	FD	SB-R-#31	24x16	M&T Engineering	Unknown	Pass	Pass	None
150	FD	SB-R-#32	24x22	M&T Engineering	Unknown	Pass	Pass	None
151	FD	SB-R-#33	24x15	M&T Engineering	Unknown	Pass	Pass	None
152	FD	SB-R-#34	16x15	M&T Engineering	Unknown	Pass	Pass	None
153	FD	SB-R-#35	16x15	M&T Engineering	Unknown	Pass	Pass	None
154	FD	SB-R-#36	25x25	M&T Engineering	Unknown	Pass	Pass	None
155	FD	SB-R-#37	22x15	M&T Engineering	Unknown	Pass	Pass	None
156	FD	SB-R-#38	22x14	M&T Engineering	Unknown	Pass	Pass	None
157	FD	SB-R-#39	30x29	M&T Engineering	Unknown	Pass	Pass	None
158	FD	SB-R-#40	30x35	M&T Engineering	Unknown	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper



Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
160	FD	SB-R-#41	11.5x24	Ruskin	IBD20	Pass	Pass	None
160	FD	SB-R-#42	16X14	Ruskin	IBD20	Pass	Pass	None
161	FD	SB-R-#43	12X12	M&T Engineering	Unknown	Pass	Pass	None
162	FD	SB-R-#44	24X14	Ruskin	IBD20	Pass	Pass	None
163	FD	SB-R-#45	30X28.5	M&T Engineering	Unknown	Pass	Pass	None
164	FD	SB-R-#46	20X20	M&T Engineering	Unknown	Pass	Pass	None
165	FD	SB-R-#47	16X15	M&T Engineering	Unknown	Pass	Pass	None
166	FD	SB-R-#48	17.5x13.5	Ruskin	IBD2	Pass	Pass	None
167	FD	SB-R-#49	27.5x21.5	Ruskin	IBD2	Pass	Pass	None
168	FD	ELV#3-S	14x18	Ruskin	IBD2	Pass	Pass	None
169	FD	ELV#3-R	30x14	Ruskin	IBD2	Pass	Pass	None
170	FD	ELV#4-S	18x14	Ruskin	IBD2	Pass	Pass	None
171	FD	ELV#4-R	30x14	Ruskin	IBD2	Pass	Pass	None

Inspector: Julie Gue / Dan Tulcewicz/Larry Coreno  
Inspection Dates: May 29, 2023 - June 15, 2023  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC6-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

13.5"x7.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

7"x5"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5 x 13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-OA

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x38

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x38

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5" x 14.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5" x 16.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5" x 12.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16 x 16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

35.5x19.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC3-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5" x 19.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12" x 12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC3-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

18" x 17"

**Damper Manufacturer**

Air Balance

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12" x 12"

**Pass / Fail / Abandoned**

Fail

**Comments / Corrections**

Broken Spring

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-12

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC4-OA

### Damper Type

Vertical Fire Damper

### Damper Size

48.5" x 23.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18x18

### Pass / Fail / Abandoned

Pass


### Comments / Corrections

Damper in closed position per building engineer

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

28x33

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5" x 14.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5" x 15.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20" x 20"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5 x 12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

36"x36"

**Damper Manufacturer**

Unknown

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Open

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-02

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC#5-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
23.5"x14.5"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16"x16"


**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

AC5-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

15x5

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

AC5-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: <b>6-2-23</b>	Reference I.D. #: <b>AC#5-S6</b>
Inspected By: <b>TULCEWICZ</b>	
Next Inspect. By: <b>6-2-25</b>	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S7

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21"x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC5-S8

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5"x12.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16"x16"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC6-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

22"x26"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians

MEMBER



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-14

### Facility Location

Old Courthouse

### Damper Location

Sub-Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC6-S1

### Damper Type

Horizontal Fire Damper

### Damper Size

37"x15"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

16"x16"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

Cut in new 16"x16" access door.  
In bottom of parker fitting.


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label







## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC6-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12"x12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC6-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

13.5"x7.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

7"x5"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

33.5x27.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18 x 18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

13.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-13

### Facility Location

Old Courthouse

### Damper Location

Sub-Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC7-S4

### Damper Type

Horizontal Fire Damper

### Damper Size

15.5" x 14.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

12" x 12"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC7-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5" x 16.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14" x 14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC7-S6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x19.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18"x18"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC8-R1

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
20"x29"

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Remove the screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC9-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x24

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC10-R1

### Damper Type

Horizontal Fire Damper

### Damper Size

15.5"x15.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14"x14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC10-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5"x9.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20"x20"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18"x18"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-02

**Facility Location**  
Old Courthouse

**Damper Location**  
Attic

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC12-R2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
12"x12"

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Attic

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC12-R3

### Damper Type

Horizontal Fire Damper

### Damper Size

29.5x14.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14"x14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5x11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"


**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC12-R5

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
12x12

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC12-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x8.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12"x12"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Attic

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC12-S3

### Damper Type

Horizontal Fire Damper

### Damper Size

31.5x16.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14"x14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC12-S4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
20.5x18.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC13-R1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
29.5x23.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
18x18

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label

**FIRE DAMPER**

Inspection Date: 6/1/23  
Inspected By: Gue  
Next Inspect. By: 6/1/25

Reference I.D. #: AC13-R1

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC13-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

30.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC13-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
15.5x12.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
10x10

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC13-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-R2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-R4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x11

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6/1/23	Reference I.D. #: AC14-R4
Inspected By: Gue	
Next Inspect. By: 6/1/25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-R5

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
21.5x11.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
21.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC14-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5x8

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
12x12

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x9.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-R5

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-R6

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
10x7.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
8x8

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6 / 23	Reference I.D. # AC15-R6
Inspected By: Cue	
Next Inspect. By: 6 / 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
12x9.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
10x10

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6/1/23  
Inspected By: Julie Gue  
Next Inspect. By: 6/1/25

Reference I.D. #: AC15-S1

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
14.5x10.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-01

**Facility Location**  
Old Courthouse

**Damper Location**  
4th Floor

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC15-S3

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
16.5x10.4

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th Floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5 x 13

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-14

### Facility Location

Old Courthouse

### Damper Location

4<sup>th</sup> Floor

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC16-R2

### Damper Type

Horizontal Fire Damper

### Damper Size

19.5" x 10.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14" x 14"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-14

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC16-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5" x 10.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14" x 14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-07

**Facility Location**  
Old Courthouse

**Damper Location**  
NE library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC16-R4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
9 x 5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2ow

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Remove duct.

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-06

**Facility Location**  
Old Courthouse

**Damper Location**  
NE library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC16-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
14 x 7.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14 x 14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-04-07

### Facility Location

Old Courthouse

### Damper Location

NE library

### Inspector Name

Julie Gue

### Damper I.D. #

AC16-S2

### Damper Type

Horizontal Fire Damper

### Damper Size

8.5 x 5x6

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2ow

### Fusible Link Temperature

165 Degrees

### Access Door Size

6x6

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

SE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

47.5x23.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23 x 12

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass


**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23 x 11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

32 x 21

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-06

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

L23.5 x 14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-06

**Facility Location**  
Old Courthouse

**Damper Location**  
NE library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC18-R1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5 x 13.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
16x16

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 4 6 23

Inspected By: Gue

Reference I.D. #: **AC18-R1**

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-07

**Facility Location**  
Old Courthouse

**Damper Location**  
NE Library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC18-R2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5 x 17.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
14x14

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-04-07

### Facility Location

Old Courthouse

### Damper Location

NE library

### Inspector Name

Julie Gue

### Damper I.D. #

AC18-R4

### Damper Type

Horizontal Fire Damper

### Damper Size

19.5 x 10.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18"x18"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NE library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5 x 12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-04-07

**Facility Location**  
Old Courthouse

**Damper Location**  
NE Library

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
AC18-S2

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
17.5x11.5

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
Ibd2


**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
18x18

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

c

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-01

**Facility Location**

Old Courthouse

**Damper Location**

4th floor

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

35.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x12 Oval

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

NW Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x17.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-14

### Facility Location

Old Courthouse

### Damper Location

4<sup>th</sup> Floor

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC20-R1

### Damper Type

Horizontal Fire Damper

### Damper Size

11.5" x 11.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

10" x 10"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label

<b>FIRE DAMPER</b>	
Inspection Date: <u>6-14-23</u>	Reference I.D. #: <u>AC20-R1</u>
Inspected By: <u>Tulcewicz</u>	
Next Inspect. By: <u>6-14-25</u>	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-13

### Facility Location

Old Courthouse

### Damper Location

4<sup>th</sup> Floor

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

AC20-R2

### Damper Type

Horizontal Fire Damper

### Damper Size

19.5"x12.5"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18"x18"

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Larry Coreno

**Damper I.D. #**

AC20-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-13

**Facility Location**  
Old Courthouse

**Damper Location**  
4<sup>th</sup> Floor

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC20-R4

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
19.5"x13.5"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
18"x18"

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5"x13.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18"x18"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor.

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-R6

**Damper Type**

Vertical Fire Damper

**Damper Size**

11.5 "x 6"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10" x 10"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-14

**Facility Location**  
Old Courthouse

**Damper Location**  
4<sup>th</sup> Floor

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
AC20-S1

**Damper Type**  
Horizontal Fire Damper

**Damper Size**  
9.5" x 9.5"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
10" x 10"

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label

<b>FIRE DAMPER</b>	
Inspection Date: 6-14-23	Reference I.D.#:
Inspected By: Tulcewicz	AC20-S1
Next Inspect. By: 6-14-25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

14.5"x10.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10"x10"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

4<sup>th</sup> Floor

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

AC20-S3

**Damper Type**

Vertical Smoke Damper

**Damper Size**

14.5"x8.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC22-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

22.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

Ibd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10X10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-R2

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x10

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

28x13

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-S2

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x10

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC24-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

22.4x114.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

lbd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-04-07

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC24-S1

**Damper Type**

Vertical Fire Damper

**Damper Size**

29x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

Ibd2ow

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

ELV.3- R

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

212 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

ELV.3- S

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

212 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

ELV.4-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

30" x 14"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Larry Coreno

**Damper I.D. #**

ELV.4-S

**Damper Type**

Vertical Fire Damper

**Damper Size**

18" x 14"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

212 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R2

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
18x12

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label

**FIRE DAMPER**

Inspection Date: 5/31/23	Reference I.D.#: SB R2
Inspected By: Gue	
Next Inspect. By: 5/31/25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R3

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R4

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R5

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x17

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R6

### Damper Type

Vertical Fire Damper

### Damper Size

24x15.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R7

### Damper Type

Vertical Fire Damper

### Damper Size

18x15

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label

<b>FIRE DAMPER</b>	
Inspection Date: 5 31 23	Reference I.D.# SB-R7
Inspected By: Gue	
Next Inspect. By: 5 31 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R8

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R9

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 5 31 23	Reference I.D.# SB-R9
Inspected By: Gue	
Next Inspect. By: 5 31 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
NEMI Certified HVAC Fire Life Safety Technicians

**FIRE SAFETY DIVISION**  
MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R10

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
12x15

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R11

**Damper Type**

Vertical Fire Damper

**Damper Size**

SB-R11

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R12

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R13

### Damper Type

Vertical Fire Damper

### Damper Size

12x11

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R14

### Damper Type

Vertical Fire Damper

### Damper Size

16x20

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R15

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R16

### Damper Type

Vertical Fire Damper

### Damper Size

30x29.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R17

**Damper Type**

Vertical Fire Damper

**Damper Size**

30" x 29.5"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R18

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
16x15

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R19

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
25x20

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R20

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R21

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R22

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R23

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R24

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
24x22

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label

<b>DAMPER</b>	
Inspection Date: 5 31 23	Reference I.D.#: SB-R24
Inspected By: JG	
Next Inspect. By: 5 31 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R25

**Damper Type**

Vertical Fire Damper

**Damper Size**

20x20

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R26

**Damper Type**

Vertical Fire Damper

**Damper Size**

24"x11"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R27

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R28

**Damper Type**

Vertical Fire Damper

**Damper Size**

32"x29"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R29

**Damper Type**

Vertical Fire Damper

**Damper Size**

15x13

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R30

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x11

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R31

**Damper Type**

Vertical Fire Damper

**Damper Size**

24"x16"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R32

**Damper Type**

Vertical Fire Damper

**Damper Size**

24" x 22"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R33

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
24x15

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R34

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R35

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R36

### Damper Type

Vertical Fire Damper

### Damper Size

25x,25

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB--R37

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
22"x15"

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Remove the screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R38

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
22x14

**Damper Manufacturer**  
Air Balance

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R39

**Damper Type**

Vertical Fire Damper

**Damper Size**

30"x29"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R40

### Damper Type

Vertical Fire Damper

### Damper Size

30"x35"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Remove the screen.

### Pass / Fail / Abandoned

Pass


### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R41

### Damper Type

Vertical Fire Damper

### Damper Size

11.5x23.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Remove the screen.

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-02

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
SB-R42

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
16"x14"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD20

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Open

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Justice Center Court Towers

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R43

### Damper Type

Vertical Fire Damper

### Damper Size

12"x12"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD20

### Fusible Link Temperature

165 Degrees

### Access Door Size

Remove the screen.

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R44

**Damper Type**

Vertical Fire Damper

**Damper Size**

24" x 14"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R45

**Damper Type**

Vertical Fire Damper

**Damper Size**

30" x 28.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R46

### Damper Type

Vertical Fire Damper

### Damper Size

20" x 20"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD20

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R47

**Damper Type**

Vertical Fire Damper

**Damper Size**

16"x15"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R48

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R49

**Damper Type**

Vertical Fire Damper

**Damper Size**

27.5 x 21.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R50

**Damper Type**

Vertical Fire Damper

**Damper Size**

15.5 x 11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen


**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R1

### Damper Type

Vertical Fire Damper

### Damper Size

16x15

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R2

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
18x12

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label

**FIRE DAMPER**

Inspection Date: 5/31/23	Reference I.D.#: SB R2
Inspected By: Gue	
Next Inspect. By: 5/31/25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R3

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
24x14

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R4

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R5

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x17

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R6

### Damper Type

Vertical Fire Damper

### Damper Size

24x15.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R7

### Damper Type

Vertical Fire Damper

### Damper Size

18x15

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label

<b>FIRE DAMPER</b>	
Inspection Date: 5 31 23	Reference I.D.# SB-R7
Inspected By: Gue	
Next Inspect. By: 5 31 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R8

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R9

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R10

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
12x15

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R11

**Damper Type**

Vertical Fire Damper

**Damper Size**

SB-R11

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R12

### Damper Type

Vertical Fire Damper

### Damper Size

22x15

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R13

### Damper Type

Vertical Fire Damper

### Damper Size

12x11

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R14

### Damper Type

Vertical Fire Damper

### Damper Size

16x20

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R15

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R16

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x29.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R17

**Damper Type**

Vertical Fire Damper

**Damper Size**

30" x 29.5"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R18

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R19

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
25x20

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R20

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R21

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
24x22

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R22

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R23

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R24

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
24x22

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

<b>DAMPER</b>	
Inspection Date: 5 31 23	Reference I.D.#: SB-R24
Inspected By: JG	
Next Inspect. By: 5 31 25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R25

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
20x20

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD2

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R26

**Damper Type**

Vertical Fire Damper

**Damper Size**

24"x11"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R27

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R28

**Damper Type**

Vertical Fire Damper

**Damper Size**

32"x29"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R29

**Damper Type**

Vertical Fire Damper

**Damper Size**

15x13

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R30

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x11

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R31

**Damper Type**

Vertical Fire Damper

**Damper Size**

24"x16"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R32

**Damper Type**

Vertical Fire Damper

**Damper Size**

24" x 22"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove the screen.

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R33

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Sub-basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB-R34

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
16x15

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None


Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R35

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-05-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R36

### Damper Type

Vertical Fire Damper

### Damper Size

25x,25

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-05-31

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Julie Gue

**Damper I.D. #**  
SB--R37

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
22"x15"

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Remove the screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R38

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x14

**Damper Manufacturer**

Air Balance

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-02

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
SB-R39

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
30"x29"

**Damper Manufacturer**  
M&T Engineering

**Damper Model #**  
Unknown

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Remove the screen

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

Picture of Damper in Open Position



Picture of Damper in Closed Position



Picture of Damper I.D. Label





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R40

### Damper Type

Vertical Fire Damper

### Damper Size

30"x35"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Remove the screen.

### Pass / Fail / Abandoned

Pass


### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R41

### Damper Type

Vertical Fire Damper

### Damper Size

11.5x23.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Remove the screen.

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label

<b>FIRE DAMPER</b>	
Inspection Date: <b>6-2-23</b>	Reference I.D. #: <b>SB-R41</b>
Inspected By: <b>Tulcewicz</b>	
Next Inspect. By: <b>6-2-25</b>	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians

MEMBER  
**NFPA**

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**  
2023-06-02

**Facility Location**  
Old Courthouse

**Damper Location**  
Basement

**Inspector Name**  
Dan Tulcewicz

**Damper I.D. #**  
SB-R42

**Damper Type**  
Vertical Fire Damper

**Damper Size**  
16"x14"

**Damper Manufacturer**  
Ruskin

**Damper Model #**  
IBD20

**Fusible Link Temperature**  
165 Degrees

**Access Door Size**  
Open

**Pass / Fail / Abandoned**  
Pass

**Comments / Corrections**  
None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**

**FIRE DAMPER**

Inspection Date: 6-2-23	Reference I.D. #:
Inspected By: Tulcewicz	SB-R42
Next Inspect. By: 6-2-25	

Duct Fabricators, Inc.  
883 Addison Rd. Cleveland, Ohio

**FIRE SAFETY DIVISION**

Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Justice Center Court Towers

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R43

### Damper Type

Vertical Fire Damper

### Damper Size

12"x12"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD20

### Fusible Link Temperature

165 Degrees

### Access Door Size

Remove the screen.

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-05-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R45

**Damper Type**

Vertical Fire Damper

**Damper Size**

30" x 28.5"

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2023-06-02

### Facility Location

Old Courthouse

### Damper Location

Basement

### Inspector Name

Dan Tulcewicz

### Damper I.D. #

SB-R46

### Damper Type

Vertical Fire Damper

### Damper Size

20" x 20"

### Damper Manufacturer

Ruskin

### Damper Model #

IBD20

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R47

**Damper Type**

Vertical Fire Damper

**Damper Size**

16"x15"

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Remove Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-02

**Facility Location**

Old Courthouse

**Damper Location**

Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R48

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14"x14"

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-13

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Dan Tulcewicz

**Damper I.D. #**

SB-R49

**Damper Type**

Vertical Fire Damper

**Damper Size**

27.5 x 21.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2023-06-12

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R50

**Damper Type**

Vertical Fire Damper

**Damper Size**

15.5 x 11.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen


**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Cuyahoga County  
County Courthouse  
1 W Lakeside Ave  
Cleveland Ohio 44113

Fire Damper Inspection Report  
Visual Inspections

*Duct Fabricators, Inc.*  
**FIRE SAFETY DIVISION**





Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
1	FD	AC#1-R1	24x29	M&T Engineering	Unknown	Pass	N/A	None
2	FD	AC#1-S1	16.5x15.5	Ruskin	IBD2	Pass	N/A	None
3	FD	AC#1-S2	16.5x15.5	Ruskin	IBD2	Pass	N/A	None
4	FD	AC#1-S3	16.5x13.5	Ruskin	IBD2	Pass	N/A	None
5	FD	AC#2-R	32x38	M&T Engineering	Unknown	Pass	N/A	None
6	FD	AC#2-OA	35.5x35.5	Ruskin	IBD2	Pass	N/A	None
7	FD	AC#2-S1	23.5x14.5	Ruskin	IBD2	Pass	N/A	None
8	FD	AC#2-S2	23.5x16.5	Ruskin	IBD2	Pass	N/A	None
9	FD	AC#2-S3	15.5x12.5	Ruskin	IBD2	Pass	N/A	None
10	FD	AC#2-S4	35.5x19.5	Ruskin	IBD2	Pass	N/A	None
11	FD	AC#3-R1	19.5X9.5	Ruskin	IBD2	Pass	N/A	None
12	FD	AC#3-S1	17X18	Ruskin	IBD2	Pass	N/A	None
13	FD	AC#3-S2	19.5X16.5	Ruskin	IBD2	Pass	N/A	None
14	FD	AC#4-OA	46x24	Ruskin	IBD2	Pass	N/A	None
15	FD	AC#4-R	28x32.5	M&T Engineering	Unknown	Pass	N/A	None
16	FD	AC#4-S1	15.5x10.5	Ruskin	IBD2	Pass	N/A	None
17	FD	AC#4-S2	21.5x14.5	Ruskin	IBD2	Pass	N/A	None
18	FD	AC#4-S3	29.5x15.5	Ruskin	IBD2	Pass	N/A	None
19	FD	AC#4-S4	25.5x12.5	Ruskin	IBD2	Pass	N/A	None
20	FD	AC#5-R	36x36	Uknown	Unknown	Pass	N/A	None
21	FD	AC#5-S1	23.5x14.5	Ruskin	IBD2	Pass	N/A	None
22	FD	AC#5-S2	25.5x14.5	Ruskin	IBD2	Pass	N/A	None
23	FD	AC#5-S3	25.5x12.5	Ruskin	IBD2	Pass	N/A	None

Inspector:

Julie Gue/Dan Tulcewicz

SA = Supply Air

FD = Fire Damper

Inspection Dates

August 23, 2022 - September 1, 2022

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
24	FD	AC#5-S4	21.5x12.5	Ruskin	IBD2	Pass	N/A	None
25	FD	AC#5-S5	19.5x12.5	Ruskin	IBD2	Pass	N/A	None
26	FD	AC#5-S6	21.5x12.5	Ruskin	IBD2	Pass	N/A	None
27	FD	AC#5-S7	21.5x12.5	Ruskin	IBD2	Pass	N/A	None
28	FD	AC#5-S8	23.5x12.5	Ruskin	IBD2	Pass	N/A	None
29	FD	AC#6-R	22x26	M&T Engineering	Unkown	Pass	N/A	None
30	FD	AC#6-S1	37x15	Ruskin	IBD2	Pass	N/A	None
31	FD	AC#6-S2	13.5x7.5	Ruskin	IBD2	Pass	N/A	None
32	FD	AC#6-S3	12.5x15.5	Ruskin	IBD2	Pass	N/A	None
33	FD	AC#7-R1	33.5x27.5	Ruskin	IBD2	Pass	N/A	None
34	FD	AC#7-S1	17.5x14.5	Ruskin	IBD2	Pass	N/A	None
35	FD	AC#7-S2	17.5x14.5	Ruskin	IBD2	Pass	N/A	None
36	FD	AC#7-S3	13.5x14.5	Ruskin	IBD2	Pass	N/A	None
37	FD	AC#7-S4	15.5x14.5	Ruskin	IBD2	Pass	N/A	None
38	FD	AC#7-S5	27.5x16.5	Ruskin	IBD2	Pass	N/A	None
39	FD	AC#7-S6	31.5x19.5	Ruskin	IBD2	Pass	N/A	None
40	FD	AC#8-S1	17.5x16.5	Ruskin	IBD2	Pass	N/A	None
41	FD	AC#8-S2	19.5x16.5	Ruskin	IBD2	Pass	N/A	None
42	FD	AC#8-S3	17.5x16.5	Ruskin	IBD2	Pass	N/A	None
43	FD	AC#8-R1	22x24	Ruskin	IBD2	Pass	N/A	None

Inspector: Julie Gue / Dan Tulcewicz  
Inspection Dates: August 23, 2022 - September 1, 2022  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
44	FD	AC#10-R1	15.5x15.5	Ruskin	IBD2	Pass	N/A	None
45	FD	AC#10-S	27.5x9.5	Ruskin	IBD2	Pass	N/A	None
46	FD	AC#12-R1	25.5x12.5	Ruskin	IBD2	Pass	N/A	None
47	FD	AC#12-R2	19x10.5	Ruskin	IBD2	Pass	N/A	None
48	FD	AC#12-R3	29.5x14.5	Ruskin	IBD2	Pass	N/A	None
49	FD	AC#12-R4	27.5x11.5	Ruskin	IBD2	Pass	N/A	None
50	FD	AC#12-R5	17.5x10.5	Ruskin	IBD2	Pass	N/A	None
51	FD	AC#12-S1	31.5x14.5	Ruskin	IBD2	Pass	N/A	None
52	FD	AC#12-S2	17.5x8.5	Ruskin	IBD2	Pass	N/A	None
53	FD	AC#12-S3	35.5x16.5	Ruskin	IBD2	Pass	N/A	None
54	FD	AC#12-S4	20.5x15.5	Ruskin	IBD2	Pass	N/A	None
55	FD	AC#13-R1	29.5x23.5	Ruskin	IBD2	Pass	N/A	None
56	FD	AC#13-S1	30.5x16.5	Ruskin	IBD2	Pass	N/A	None
57	FD	AC#13-S2	15.5x12.5	Ruskin	IBD2	Pass	N/A	None
58	FD	AC#13-S3	29.5x14.5	Ruskin	IBD2	Pass	N/A	None
59	FD	AC#14-R1	17.5x10.5	Ruskin	IBD2	Pass	N/A	None
60	FD	AC#14-R2	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
61	FD	AC#14-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
62	FD	AC#14-R4	21.5x12.5	Ruskin	IBD2	Pass	N/A	None
63	FD	AC#14-R5	19.5x11.5	Ruskin	IBD2	Pass	N/A	None

Inspector: Julie Gue / Dan Tulcewicz  
Inspection Dates: August 23, 2022 - September 1, 2022  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
64	FD	AC#14-R6	17.5x10.5	Ruskin	IBD2	Pass	N/A	None
65	FD	AC#14-S1	21.5x10.5	Ruskin	IBD2	Pass	N/A	None
66	FD	AC#14-S2	17.5x8	Ruskin	IBD2	Pass	N/A	None
67	FD	AC#14-S3	21.5x9.5	Ruskin	IBD2	Pass	N/A	None
68	FD	AC#15-R1	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
69	FD	AC#15-R2	25.5x16.5	Ruskin	IBD2	Pass	N/A	None
70	FD	AC#15-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
71	FD	AC#15-R4	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
72	FD	AC#15-S1	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
73	FD	AC#15-S2	14.5x10.5	Ruskin	IBD2	Pass	N/A	None
74	FD	AC#15-S3	16.5x10.5	Ruskin	IBD2	Pass	N/A	None
75	FD	AC#15-S4	25.5x14.5	Ruskin	IBD2	Pass	N/A	None
76	FD	AC#16-R1	19.5x13	Ruskin	IBD2	Pass	N/A	None
77	FD	AC#16-R2	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
78	FD	AC#16-R3	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
79	FD	AC#16-R4	9x5	Ruskin	IBD2	Pass	N/A	None
80	FD	AC#16-R5	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
81	FD	AC#16-R6	10x8	Ruskin	IBD2	Pass	N/A	None
82	FD	AC#16-S1	14x7.5	Ruskin	IBD2	Pass	N/A	None
83	FD	AC#16-S2	8.5x6	Ruskin	IBD2	Pass	N/A	None
84	FD	AC#17-R1	47.5x23.5	Ruskin	IBD2	Pass	N/A	None
85	FD	AC#17-S1	23x12	Ruskin	IBD2	Pass	N/A	None

Inspector:

Julie Gue / Dan Tulcewicz

SA = Supply Air

FD = Fire Damper

Inspection Dates:

August 23, 2022 - September 1, 2022

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper



Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
86	FD	AC#17-S2	23x12	Ruskin	IBD2	Pass	N/A	None
87	FD	AC#17-S3	32x21	Ruskin	IBD2	Pass	N/A	None
88	FD	AC#17-S4	15.5x12.5	Ruskin	IBD2	Pass	N/A	None
89	FD	AC#17-S5	23.5x14.5	Ruskin	IBD2	Pass	N/A	None
90	FD	AC#18-R1	17.5x13.5	Ruskin	IBD2	Pass	N/A	None
91	FD	AC#18-R2	17.5x13.5	Ruskin	IBD2	Pass	N/A	None
92	FD	AC#18-R3	18.5x12.5	Ruskin	IBD2	Pass	N/A	None
93	FD	AC#18-R4	19.5x12.5	Ruskin	IBD2	Pass	N/A	None
94	FD	AC#18-R5	19.5x12.5	Ruskin	IBD2	Pass	N/A	None
95	FD	AC#18-R6	17.5x12.5	Ruskin	IBD2	Pass	N/A	None
96	FD	AC#18-S1	18.5x14.5	Ruskin	IBD2	Pass	N/A	None
97	FD	AC#18-S2	18.5x14.5	Ruskin	IBD2	Pass	N/A	None
98	FD	AC#18-S3	19.5x14.5	Ruskin	IBD2	Pass	N/A	None
99	FD	AC#19-R1	31.5x16.5	Ruskin	IBD2	Pass	N/A	None
100	FD	AC#19-S1	35.5x16.5	Ruskin	IBD2	Pass	N/A	None
101	FD	AC#19-S2	19.5x10.5	Ruskin	IBD2	Pass	N/A	None
102	FD	AC#19-S3	29.5x17.5	Ruskin	IBD2	Pass	N/A	None
103	FD	AC#20-R1	11.5x11.5	Ruskin	IBD2	Pass	N/A	None
104	FD	AC#20-R2	19.5x12.5	Ruskin	IBD2	Pass	N/A	None
105	FD	AC#20-R3	19.5x14.5	Ruskin	IBD2	Pass	N/A	None

Inspector:

Julie Gue / Dan Tulcewz

SA = Supply Air

FD = Fire Damper

Inspection Dates

August 23, 2022 - September 1, 2022

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
119	FD	SB-R-#1	16x15	M&T Engineering	Unknown	Pass	N/A	None
120	FD	SB-R#2	18x15	M&T Engineering	Unknown	Pass	N/A	None
121	FD	SB-R-#3	24X14	Ruskin	IBD2	Pass	N/A	None
122	FD	SB-R-#4	24x15	M&T Engineering	Unknown	Pass	N/A	None
123	FD	SB-R-#5	18x17	M&T Engineering	Unknown	Pass	N/A	None
124	FD	SB-R-#6	25X15.5	M&T Engineering	Unknown	Pass	N/A	None
125	FD	SB-R-#7	18X15	M&T Engineering	Unknown	Pass	N/A	None
126	FD	SB-R-#8	32X24	M&T Engineering	Unknown	Pass	N/A	None
127	FD	SB-R-#9	32X24	M&T Engineering	Unknown	Pass	N/A	None
128	FD	SB-R-#10	12X15	M&T Engineering	Unknown	Pass	N/A	None
129	FD	SB-R-#11	22X15	M&T Engineering	Unknown	Pass	N/A	None
130	FD	SB-R-#12	22X15	M&T Engineering	Unknown	Pass	N/A	None
131	FD	SB-R-#13	12X11	M&T Engineering	Unknown	Pass	N/A	None
132	FD	SB-R-#14	16X20	M&T Engineering	Unknown	Pass	N/A	None
133	FD	SB-R-#15	24x22	M&T Engineering	Unknown	Pass	N/A	None
134	FD	SB-R-#16	30x29.5	Ruskin	IBD20	Pass	N/A	None
135	FD	SB-R-#17	30x29	M&T Engineering	Unknown	Pass	N/A	None
136	FD	SB-R-#18	16x15	M&T Engineering	Unknown	Pass	N/A	None
137	FD	SB-R-#19	25x20	M&T Engineering	Unknown	Pass	N/A	None
138	FD	SB-R-#20	24x22	M&T Engineering	Unknown	Pass	N/A	None

Inspector:

Julie Gue / Dan Tulcewicz

SA = Supply Air

FD = Fire Damper

Inspection Dates:

August 23, 2022 - September 1, 2022

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F:216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
139	FD	SB-R-#21	29x20	M&T Engineering	Unknown	Pass	N/A	None
140	FD	SB-R-#22	24x22	M&T Engineering	Unknown	Pass	N/A	None
141	FD	SB-R-#23	24x22	M&T Engineering	Unknown	Pass	N/A	None
142	FD	SB-R-#24	24x22	M&T Engineering	Unknown	Pass	N/A	None
143	FD	SB-R-#25	20x20	M&T Engineering	Unknown	Pass	N/A	None
144	FD	SB-R-#26	24x11	M&T Engineering	Unknown	Pass	N/A	None
145	FD	SB-R-#27	32x29	M&T Engineering	Unknown	Pass	N/A	None
146	FD	SB-R-#28	32x29	M&T Engineering	Unknown	Pass	N/A	None
147	FD	SB-R-#29	15x13	M&T Engineering	Unknown	Pass	N/A	None
148	FD	SB-R-#30	24x11	M&T Engineering	Unknown	Pass	N/A	None
149	FD	SB-R-#31	24x16	M&T Engineering	Unknown	Pass	N/A	None
150	FD	SB-R-#32	24x22	M&T Engineering	Unknown	Pass	N/A	None
151	FD	SB-R-#33	24x15	M&T Engineering	Unknown	Pass	N/A	None
152	FD	SB-R-#34	16x15	M&T Engineering	Unknown	Pass	N/A	None
153	FD	SB-R-#35	16x15	M&T Engineering	Unknown	Pass	N/A	None
154	FD	SB-R-#36	25x25	M&T Engineering	Unknown	Pass	N/A	None
155	FD	SB-R-#37	22x15	M&T Engineering	Unknown	Pass	N/A	None
156	FD	SB-R-#38	22x14	M&T Engineering	Unknown	Pass	N/A	None
157	FD	SB-R-#39	30x29	M&T Engineering	Unknown	Pass	N/A	None
158	FD	SB-R-#40	30x35	M&T Engineering	Unknown	Pass	N/A	None

Inspector:

Julie Gue / Dan Tulcewicz

SA = Supply Air

FD = Fire Damper

Inspection Dates:

August 23 / September 1, 2022

RA = Return Air

SD = Smoke Damper

Facility:

Old County Courthouse

EA = Exhaust Air

FSD = Fire Smoke Damper

Duct Fabricators, Inc.  
 883 Addison Rd. Cleveland, Ohio  
 P: 216-391-2400 F: 216-391-2492



Fire / Smoke / Fire & Smoke Damper  
Composite Inspection Report

	<u>FD/SD/FSD</u>	<u>I.D.#</u>	<u>Size</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Visual</u>	<u>Functional</u>	<u>Comments</u>
159	FD	SB-R-#41	11.5x24	Ruskin	IBD20	Pass	N/A	None
160	FD	SB-R-#42	16X14	Ruskin	IBD20	Pass	N/A	None
161	FD	SB-R-#43	12X12	M&T Engineering	Unknown	Pass	N/A	None
162	FD	SB-R-#44	24X14	Ruskin	IBD20	Pass	N/A	None
163	FD	SB-R-#45	30X28.5	M&T Engineering	Unknown	Pass	N/A	None
164	FD	SB-R-#46	20X20	M&T Engineering	Unknown	Pass	N/A	None
165	FD	SB-R-#47	16X15	M&T Engineering	Unknown	Pass	N/A	None
166	FD	SB-R-#48	17.5x13.5	Ruskin	IBD2	Pass	N/A	None
167	FD	SB-R-#49	27.5x21.5	Ruskin	IBD2	Pass	N/A	None
168	FD	ELV#3-S	14x18	Ruskin	IBD2	Pass	N/A	None
169	FD	ELV#3-R	30x14	Ruskin	IBD2	Pass	N/A	None
170	FD	ELV#4-S	18x14	Ruskin	IBD2	Pass	N/A	None
171	FD	ELV#4-R	30x14	Ruskin	IBD2	Pass	N/A	None

Inspector: Julie Gue / Dan Tulcewicz  
Inspection Dates: August 23, 2022 - September 1, 2022  
Facility: Old County Courthouse

SA = Supply Air      FD = Fire Damper  
 RA = Return Air      SD = Smoke Damper  
 EA = Exhaust Air      FSD = Fire Smoke Damper



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2020-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC#1-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2020-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC#1-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

Ibd20

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2020-08-26

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC#1-S2

### Damper Type

Horizontal Fire Damper

### Damper Size

16.5x15.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14x14

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Inspection Date:  
8-26-20  
Inspected By:  
GUE  
Next Inspect. By:  
E 26 22/21

Reference I.D. #:  
AC#1-S2

## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2020-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC#1-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-OA

**Damper Type**

Vertical Fire Damper

**Damper Size**

47x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC1-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2020-08-17

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC#2-OA

### Damper Type

Vertical Fire Damper

### Damper Size

35.5x35.5 Style A

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

20x20

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F:216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2020-08-17

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC#2-R

### Damper Type

Vertical Fire Damper

### Damper Size

32x38 Style A

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen access

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Picture of Damper in Open Position



### Picture of Damper in Closed Position



### Picture of Damper I.D. Label



## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2020-08-17

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC#2-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x14.5 Style A

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

Rigid connection


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**





## CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2020-08-17

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC#2-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x16.5 Style A

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

Rigid connection


**Picture of Damper in Open Position**



**Picture of Damper in Closed Position**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-OA

**Damper Type**

Vertical Fire Damper

**Damper Size**

36x40

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

24x24

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x38

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC2-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

35.5x19.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC3-R

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x9.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC3-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17x18

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub-Basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC3-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-09-01

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

AC4-OA

### Damper Type

Vertical Fire Damper

### Damper Size

46x23.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

18x18

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

Damper intentionally closed  
by engineering


### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC4-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x14 .5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

15x5

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

24x24

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S6

**Damper Type**

Vertical Fire Damper

**Damper Size**

21.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S7

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC5-S8

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC6-R

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x26

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC6-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

37x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC6-S2

**Damper Type**

Vertical Fire Damper

**Damper Size**

8x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD 2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

8x5 plate

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC6-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

Mis labeled

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

33.5x27.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD 2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC7-S6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x19.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

20x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub base

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC8-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC10-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-01

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC10-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27.5x9.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD 2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x8.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC12-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

20.5x15.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC13-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x23.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC13-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

30.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC13-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-R6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x8

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC14-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

21.5x9.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-26

### Facility Location

Old Courthouse

### Damper Location

Library

### Inspector Name

Julie Gue

### Damper I.D. #

AC15-R2

### Damper Type

Horizontal Fire Damper

### Damper Size

25.5x16.5

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

14x14

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD 2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-R6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

10x8

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

8x8

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

12x9

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

14.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

16.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC15-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

25.5x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x13

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

9x5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Break connection

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

14x7.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC16-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

8.5x6

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

6x6

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

47.5x22

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23x12

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23x12

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

32x21

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

15.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC17-S5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

18.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-R6

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x12 .5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

18.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD 2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC18-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

31.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

35.5x16.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC19-S3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29.5x17.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

20x20

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

12x12

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass


**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-R2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x12.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-R3

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x14.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-R4

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-R5

**Damper Type**

Horizontal Fire Damper

**Damper Size**

19.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

18x18

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-R6

**Damper Type**

Vertical Fire Damper

**Damper Size**

11.5x6

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

12x9.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-S2

**Damper Type**

Horizontal Fire Damper

**Damper Size**

14.5x10.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-23

**Facility Location**

Old Courthouse

**Damper Location**

Library

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC20-S3

**Damper Type**

Vertical Fire Damper

**Damper Size**

14.5x8.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC22-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

24x13

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

27x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-R2

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x10

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29x13

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC23-S2

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x10

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC24-R1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

23x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

12x12

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-26

**Facility Location**

Old Courthouse

**Damper Location**

Attic

**Inspector Name**

Julie Gue

**Damper I.D. #**

AC24-S1

**Damper Type**

Horizontal Fire Damper

**Damper Size**

29x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2 OW

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

16x16

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

Elevator room 4 Return

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

ELV 4-S

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

ELV RM 3 Return

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

ELV RM 3 Supply

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R1

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R2

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R3

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R4

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R5

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x17

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R6

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x15

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R7

**Damper Type**

Vertical Fire Damper

**Damper Size**

18x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R8

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R9

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x24

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-22

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R10

### Damper Type

Vertical Fire Damper

### Damper Size

12x15

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen access

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians

MEMBER



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-22

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R11

### Damper Type

Vertical Fire Damper

### Damper Size

22x15

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen access

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R12

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-22

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R13

### Damper Type

Vertical Fire Damper

### Damper Size

12x11

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R14

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x20

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492



NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-22

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R15

### Damper Type

Vertical Fire Damper

### Damper Size

24x22

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R16

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x29.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R17

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R18

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R19

**Damper Type**

Vertical Fire Damper

**Damper Size**

25x20

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R20

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R21

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R22

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R23

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

Unknown

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R24

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians

MEMBER



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-31

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R25

### Damper Type

Vertical Fire Damper

### Damper Size

20x20

### Damper Manufacturer

Ruskin

### Damper Model #

IBD2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen access

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R26

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x11

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R27

**Damper Type**

Vertical Fire Damper

**Damper Size**

32x29

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-31

### Facility Location

Old Courthouse

### Damper Location

Sub-basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R28

### Damper Type

Vertical Fire Damper

### Damper Size

32x29

### Damper Manufacturer

M&T Engineering

### Damper Model #

Unknown

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen access

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None

### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R29

**Damper Type**

Vertical Fire Damper

**Damper Size**

15x13

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

10x10

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R30

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x10.5

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R31

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x16

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R32

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x22

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R33

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R34

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R35

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R36

**Damper Type**

Vertical Fire Damper

**Damper Size**

25x25

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R37

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-31

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R38

**Damper Type**

Vertical Fire Damper

**Damper Size**

22x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R39

**Damper Type**

Vertical Fire Damper

**Damper Size**

29x30

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R40

**Damper Type**

Vertical Fire Damper

**Damper Size**

30x35

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R41

**Damper Type**

Vertical Fire Damper

**Damper Size**

11.5x24

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**

NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R42

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R43

**Damper Type**

Vertical Fire Damper

**Damper Size**

12x12

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R44

**Damper Type**

Vertical Fire Damper

**Damper Size**

24x14

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

### Date of Inspection

2022-08-22

### Facility Location

Old Courthouse

### Damper Location

Sub basement

### Inspector Name

Julie Gue

### Damper I.D. #

SB-R45

### Damper Type

Vertical Fire Damper

### Damper Size

30x25

### Damper Manufacturer

Ruskin

### Damper Model #

IBD 2

### Fusible Link Temperature

165 Degrees

### Access Door Size

Screen access

### Pass / Fail / Abandoned

Pass

### Comments / Corrections

None


### Exterior Picture of Damper



### Interior Picture of Damper



### Picture of Damper I.D. Label



Duct Fabricators, Inc.

883 Addison Rd. Cleveland, Ohio  
P: 216-391-2400 F: 216-391-2492

**FIRE SAFETY DIVISION**  
NEMI Certified HVAC Fire Life Safety Technicians



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R46

**Damper Type**

Vertical Fire Damper

**Damper Size**

20x20

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**





## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-08-22

**Facility Location**

Old Courthouse

**Damper Location**

Sub basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R47

**Damper Type**

Vertical Fire Damper

**Damper Size**

16x15

**Damper Manufacturer**

M&T Engineering

**Damper Model #**

Unknown

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None


**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R48

**Damper Type**

Horizontal Fire Damper

**Damper Size**

17.5x13.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

14x14

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**



## VISUAL CUYAHOGA COUNTY DAMPER INSPECTION REPORT

**Date of Inspection**

2022-09-02

**Facility Location**

Old Courthouse

**Damper Location**

Sub-basement

**Inspector Name**

Julie Gue

**Damper I.D. #**

SB-R49

**Damper Type**

Vertical Fire Damper

**Damper Size**

27.5x21.5

**Damper Manufacturer**

Ruskin

**Damper Model #**

IBD2

**Fusible Link Temperature**

165 Degrees

**Access Door Size**

Screen access

**Pass / Fail / Abandoned**

Pass

**Comments / Corrections**

None

**Exterior Picture of Damper**



**Interior Picture of Damper**



**Picture of Damper I.D. Label**

